

36 Super Sport


CARVER[®]
YACHTS



SPECIFICATIONS

LOA <i>with platform & gunnel molding</i>	38' 6"	11,7 m
Molded Hull Length	34' 3"	10,4 m
Beam <i>with gunnel molding</i>	13' 1"	4 m
Draft	37"	0,94 m
Weight <i>with fuel & water</i>	21,800 lbs.	9888 kg
Bridge Clearance <i>with arch</i>	14' 8"	4,5 m
Fuel System	300 U.S. gals.	1136 liters
Water System	78 U.S. gals.	295 liters
Holding Tank	37.5 U.S. gals.	142 liters
Cabin Headroom	6' 7"	2 m
Sleeps	4 (5 optional)	

2010

www.carveryachts.com

2010 36 Super Sport

STANDARD FEATURES

CONSTRUCTION

- Cherry wood cabinetry, trim, doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Carver Docking System™ - includes 4 hp, 6.3" (16 cm) diameter Side Power® bow & stern thrusters, providing 132 lbs. (60 kg) of thrust
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 150 gallons (568 L) each; welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Manganese Bronze, 20" (51 cm) diameter, manufacturer-certified
- Propeller shafts - Aquamet®, 1.5" (3,8 cm) diameter
- Rudders & struts - 421 manganese bronze
- Tides Marine® SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - Bennett Marine®, 24" x 9" (61 x 23 cm) plane, stainless steel, hydraulic

WATER & HOLDING SYSTEMS

- Fresh water storage tank (1) - 78 gallons (295 L), polyethylene
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute flow rate, high flow filter (17 liter/minute)
- Shower sump pump (1) - automatic operation
- Waste holding tank (1) - 37.5 gallons (142 L) with vent & dockside pumpout
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 6 gallons (23 L)

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC voltmeters; AC ammeters
- Batteries (4) - 31 series starting batteries, Deka Marine®, cold cranking rating of 950 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(4) engine]
- Battery - dedicated 31 series, Deka Marine®, deep cycle, (12V), cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) ship service]
- Battery charger - (1) 60 amp charger for the engines and ship service batteries
- Dockside inlet - CATV with 50' (15,2 m) of white cord
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connector - 30 amp
- Shore power cord - Marincó® 50' (15,2 m) white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier

DECKS

- Anchor roller - over-the-stem, aluminum channel with nylon rollers
- Bow rail - 1.0" (2,5 cm) O.D.; lineal-buffed; welded stainless steel; with additional intermediate rail amidships, 2 intermediate rails forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - 10" (25 cm) stainless steel: anchor (1), bow (2), spring (4), stern (2) - bolted through aluminum backing plate
- Deck toe rail
- Grab rails (4) - stainless steel, on cabin sides
- Rub rail molding - heavy-duty, 3/4" (19 mm) stainless steel insert

BOARDING PLATFORM

- 34 ft² (3,1 m²) *approx.*, integral to hull & deck
- Boarding ladder - telescoping, conceals beneath boarding platform

*Standard

©2009 July

2010 36 Super Sport

STANDARD FEATURES

SAFETY & NAVIGATION

- 65-5-5 marine grade bronze seacocks for thru-hulls on hull bottoms; marine grade composite on hull sides
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint boxes
- Bilge alarm - high water
- Bilge blowers (2) - 4" at 240 cubic foot/minute (12V) (10 cm at 6,8 cubic meter/minute)
- Bilge pumps (3) - (2) 1500 gallons (5678 L) per hour each, automatic/manual operation, (1) 500 gallons (1892 L) per hour automatic only
- CO detectors in salon & stateroom
- Compass - Ritchie® Navigator 4.5" (11,4 cm) Flush Mount, illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241
- Galvanic isolator/fail safe
- Horn - electric (12V), trumpet
- Internal bonding system with 8 gauge size wire, ABYC compliant
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight - ITT Jabsco®
- Windlass

HELM

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - recessed, aluminum with no-slip bottoms, self-draining
- Companion helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests (1) Helm aft; (2) Helm forward
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Displays (1 for each engine) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage, fuel usage, fuel trip usage, engine diagnostics
- Gauges - analog; fuel level and rudder angle (1 for each engine)
- Grab rail - stainless steel, behind helm & companion seats
- Helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Tilt steering wheel
- Rocker switch controls
- Engine Fault Indicators - oil pressure, check engine, water temperature, transmission temperature (1 set per engine)

COMMAND BRIDGE

- Access panels (2) - behind lounge backrest, provide access to helm wiring
- Beverage holders (2) - recessed, aluminum with no-slip bottoms, self-draining
- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Stereo speakers (2)
- Storage lockers (5)
- Windshield - wraparound, tinted glass, painted stainless steel frame

COCKPIT

- 80 ft² (7,4 m²) approx., integral to hull & deck, self-draining
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck, with stainless steel hand rails, courtesy light
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Light - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Side deck stairways (2) - integral to deck, with grab rails, courtesy light
- Storage locker - recessed in sole, self-draining, with guttered hatch
- Transom door - secures open & closed, stainless steel hardware

GALLEY

- Countertops - solid surface
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Flooring - Cherry
- Lights (2)* (1)** - incandescent, over countertop, single-fixture
- Lights (2)* (3)** - halogen, overhead, recessed
- Microwave oven - stainless steel, 1.2 cubic foot (20 L) LG® with built-in coffee maker
- Range - electric, 2-burner, glass top
- Refrigerator/freezer - Nova Kool® 9.1 cubic foot (258 L), stainless steel, upright
- Rocker light switch
- Silverware tray
- Sink - stainless steel, with solid surface cover
- Storage cabinets (4)
- Storage drawers (2)
- Waste basket - 9 quart (8,5 L), round, white

**Mid Cabin Only *Standard

2010 36 Super Sport

STANDARD FEATURES

SALON

- AC & DC distribution panels
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Chair - fabric upholstery
- Countertops - cherry wood
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entertainment group - 20" Sole® LCD TV (built to durable marine grade standards), Clarion® (12V) DVD/CD/MP3 Player, Clarion® CMD4 AM/FM/CD waterproof marine stereo, Sirius® satellite radio system with 6 month trial subscription & Apple iPod® Dock
- Entrance door - tinted glass, aluminum frame, sliding, latch lock, secures open, with interior screen
- Floor access hatches - engine room
- Hi-lo table - cherry wood top, brush aluminum leg**
- Lights (5)* (7)** - halogen, overhead, recessed
- Pillow set - decorator, 5-piece
- Rocker light switch
- Sofa - Flexsteel®, with double incliners
- Stereo speaker (2)
- Storage cabinet (6)* (1)**

HEAD

- Electrical outlet
- Entrance doors (2) - one to stateroom & one to companionway, solid cherry wood, secure closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Lights (3) - incandescent, over vanity, designer fixture
- Medicine cabinet - mirrored door, 2 shelves with sea rails
- Nonskid sole
- Robe hook
- Rocker light switch
- Storage cabinet - 2 shelves with sea rails, mirror doors
- Toilet - electric flush, pedestal
- Toilet paper holder - beneath vanity
- Towel rings (2)
- Vanity - solid surface top, stainless steel sink, storage beneath with 2 doors

Shower Stall

- Bench seat - integral, with solid surface top
- Hull portlight - frosted privacy glass, with screen
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower door - clear acrylic in aluminum frame, secures closed, stainless steel hardware
- Shower head - removable for use as hand-shower

DINETTE*

- Bench seats (2) - converts (*with table*) to double berth
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Countertops - cherry wood, with stainless steel sea rail
- Curtains - décor-matched
- Dry bar cabinet - 2 shelves with sea rails & 6 barware holders, 5 stemware holders, mirrored back*
- Electrical outlet
- Lights (2) - halogen, overhead, recessed
- Rocker light switch
- Storage compartments (2) - beneath sole, with carpeted hatches
- Storage cabinet
- Storage drawers (2)
- Table - cherry wood top with sea rail, brushed aluminum leg, converts (*with bench seats*) to double berth
- Telephone connector*

MASTER STATEROOM

- Bench seat - integral, with seat cushion*
- Berth - queen, pillowtop innerspring mattress
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, secures closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, interior shelves with sea rails
- Hull portlights (2) - fixed, non-opening
- Lights (3) - halogen, overhead, recessed
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - frosted glass, lockable, inside screen
- Private head access
- Rocker light switch
- Stereo speakers (2)
- Storage cabinets (7)
- Surround shelves - solid surface top

MID CABIN STATEROOM**

- Berth - double, converts to twins with removable center fill
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, secures closed, stainless steel hardware
- Hull portlight - with screen
- Ledge top - solid surface top
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, overhead, directable for reading
- Mirrored hanging locker - cedar-lined, exterior shelf with sea rails
- Rocker light switch
- Skylight

**Mid Cabin Only *Standard

2010 36 Super Sport

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader® 5.7 MPI - 330 hp* (includes fresh water cooling)
- Crusader® 6.0 MPI - 375 hp (includes fresh water cooling)
- Crusader® 8.1 MPI - 385 hp (includes fresh water cooling)

Diesel Engines

- Yanmar Marine® 6LPA-STP - 315 hp
- Volvo Penta® D4 EVC - 300 hp
- Volvo Penta® D6 EVC - 370 hp
- Volvo Penta® D6 EVC - 435 hp

ELECTRICAL:

- Air conditioning - Marine Air Systems® 18,000 BTU*; 24,000 ** with reverse cycle heat; dedicated Marinco® shore power connector & 50' (15,2 m) white cord

Forward Shorepower Adaptor

- Single
- Dual

Generator

(with sound shield, dedicated 31 series battery and 10 amp battery charger)

- Kohler® 7.3 kW 60 Hz gasoline
- Kohler® 6 kW 50 Hz gasoline international
- Kohler® 9 kW 60 Hz diesel
- Kohler® 7 kW 50 Hz diesel international

WATER & HOLDING SYSTEMS:

- After tank overboard discharge system with pump
- Both fresh & seawater transom washdowns
- Grey water holding system - (1) holding tank & (2) sump pumps

SAFETY & NAVIGATION:

- Fender racks
- Ground tackle - 35 lb. (16 kg) anchor, 150' (46 m) of 1/4" (8 mm) chain, shackle & line with snap hook
- Monitor package
- SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription (U.S. & Canada only)

Navigation

Electronics Package

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® transducer, B60 Dual Frequency 20/200 KHZ depth & temp

AMENITIES:

Bridge Layout

- Helm aft* - ideal for fishing
- Helm forward - ideal for cruising

Canvas

- Prestige bimini top
- Prestige full canvas with carpet & windshield cover

Canvas Color

- White Stamoid*
- Toast

Exterior

- Bridge cover
- Bridge hardtop
- Bridge hardtop enclosure
- Bridge Icemaker - U-Line®, produces up to 23 lbs. (10 kg) of ice a day (not available with Helm Forward)
- Bridge lounge slip covers & pillows
- Cockpit to Bridge door
- Exterior carpet - berber (color coordinated with exterior seating upholstery selection)

- Foredeck sunpad
- Fishing package - Cockpit livewell with Rule® pump, Perko® vertical rod holders on transom (4), Perko® rod holders (2), C.E. Smith® mid mount "rocket launcher" rod holders (5)
- Helm & Seat covers
- Underwater lighting

Salon

- Clarion® 6-disc CD changer
- Pillow set - decorator, 6-piece

Sofa

- Double incliner
- Sofa sleeper
- Sofa with storage (not available with mid cabin stateroom)
- Tri-fold stowaway bed

STATEROOMS

- Mid Cabin stateroom (in lieu of face-to-face dinette)

Master Stateroom Berth

- Standard Layout - Island*
- Mid Cabin Layout - Offset
- Mid Cabin Layout - Island

Master Stateroom

- 15" Solé® LCD TV (built to durable marine grade standards), Clarion® DVD/CD/MP3 player
- Sheet & towel sets embroidered with Carver® logo - fitted sheet, flat sheet, 2 pillow cases; 2 bath towels, 2 hand towels, 2 washcloths

EXTERIOR PAINT:

Hull Paint Application

- Paint to Hull Plank
- Paint to Mid-Hull
- Paint on Full Hull

Hull Paint Color

(with matching boot stripe)

- Carver Blue (a blue steel metallic)
- Navy Blue

Painted Boot Stripe Color

- Black*
- Blue
- Carver Blue - included with Carver Blue exterior paint options
- Navy Blue - included with Navy Blue exterior paint options

DECOR:

Ensemble

- Cocoa Beach* (dark & light brown tones)
- Ensign Blue (blue & brown tones)

UPHOLSTERY

- Buff*

COUNTERTOPS

- Bahamas Sand*
- Expression

EXTERIOR SEATING UPHOLSTERY COLOR

- Gray*
- Taupe



INTERNATIONAL SPECIFICATIONS

- 220 volt electrical system
- Entertainment equipment & options may not be available outside the U.S. & Canada. Check with your local Carver dealer for availability.
- Sirius Satellite radio not available


**Mid Cabin Only

*Standard


– Helm Aft –



– Helm Forward –



– Standard –



– Mid-Cabin with Offset Berth –

– Genmar Yacht Group LLC –

P.O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600