

# 56 Voyager

  
CARVER<sup>®</sup>  
YACHTS



## SPECIFICATIONS

LOA <i>with platform</i>	59'8"	18,2 m
Molded Hull Length	55'3"	16,8 m
Beam	15'3"	4,6 m
Draft	57"	1,5 m
Weight <i>with fuel &amp; water</i>	52,500 lbs.	23814 kg
Bridge Clearance <i>with arch</i>	19'	5,8 m
Fuel System	800 U.S. gals.	3028 liters
Water System	200 U.S. gals.	757 liters
Holding Tank	100 U.S. gals.	379 liters
Cabin Headroom	7'	2,1 m
Sleeps	6 (8 + 1 crew optional)	

09

**CONSTRUCTION**

- Cherry wood bulkheads, cabinetry, & trim throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Solid fiberglass hull bottoms with Knytex substrates & Vinylester barrier coat
- Structural engine mountings - longitudinal stringer span mounting with reinforced, double-gusseted angle steel plates
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

**MECHANICAL**

- Carver Docking System™ includes side power 8.7 hp, 9.8" (25 cm) diameter Side Power® bow & stern thrusters providing 286 lbs. (130 kgs) of thrust with wireless docking remote control
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs with spare seals
- Engine synchronizer
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 400 gallons (1514 L) each welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Alloy NiBrAl, 32" (81 cm) diameter, manufacturer-certified
- Propeller shafts - 2.5" (6 cm) diameter, Aquamet®
- Rudders & struts - 421 manganese bronze
- Tides Marine® SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - 54" x 12" (1,4 m x 30 cm) plane, stainless steel, hydraulic

**ENGINE ROOM**

- Access ladder - stainless steel, nonskid rung surfaces, hinged
- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Catwalk - diamond plate aluminum
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (6) - overhead, fluorescent, controls in cockpit

**ELECTRICAL**

- AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge lower controls; AC & DC voltmeters; AC & DC ammeters
- Batteries (6) - Deka Marine Master®, heavy duty commercial, deep cycle, 8D series, marine (12V) cold cranking rating of 1375 amps, reserve capacity of 430 minutes at 25 amp draw, 200 amp/hour rating [(4) engine & (2) ship service]
- Battery -(1) Deka Marine Master®, dedicated 31 series, deep cycle (12V), cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 100 amp/hour rating [(1) generator]
- Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 20 amp charger for the generator battery
- Dockside inlet - CATV with 50' (15,2 m) of white cord
- Generator - 15.5 kW 60 Hz (13 kW 50 Hz international), Kohler® with sound shield, 31 series battery & 5 year warranty
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Inverter - Charles Marine / Vanner®, 2600 watt/120 amp, charger
- Shore power connector (1) - 50 amp (32 amp international)
- Shore power cord (1) - 50 ft. (15,2 m) white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

**WATER & HOLDING SYSTEMS**

- Central grey water system
- Fresh water storage tanks (2) - 100 gallons (379 L) each, polyethylene
- Fresh water tank level monitor
- Grey water sump pump - automatic/manual operation
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute (17 liter/minute) flow rate, high flow filter
- Shore water connection with pressure-reduction valve
- Washdown - fresh water, bow & transom
- Waste holding tanks (2) - 50 gallons (189 L) each with filtered vents & dockside pumpouts
- Waste tank level monitors (2)
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 20 gallons (76 L)

\*Standard

## SAFETY &amp; NAVIGATION

- 65-5-5 marine grade bronze seacocks for thru-hulls on hull bottom; marine grade composite on hull sides
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets & covers with restraint straps
- Bilge alarm - high water
- Bilge blowers (5) - (4) 4" (10 cm) at 240 cubic foot/minute (6,8 cubic meter/minute) & (1) 3" (7,6 cm) at 140 cubic foot/minute (4 cubic meter/minute) (12V)
- Bilge pumps (3) - 2000 gallons (7570 L) per hour each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - Ritchie® Navigator 4.5" (11,4 cm) Flush Mount, illuminated, dual-read
- Docking lights - transom
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241
- Fog bell - 8", stainless steel
- Galvanic isolator/zinc saver
- Horns - dual, electric (12V), trumpet
- Internal bonding system with 8 gauge size wire, ABYC compliant
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight - ITT Jabsco®
- Windlass package - with 60 lb. (27 kg) anchor, 200' (61 m) of 3/8" (1 cm) grade 40 chain, shackle and line with snap hook

## HELM

- Access panel - provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holder - recessed, integral
- Dash - molded fiberglass with brushed aluminum accents
- Displays (1 for each engine) - digital LCD; engine instrumentation and diagnostics
- Gauges - analog; fuel level and rudder angle (1 for each tank)
- Hand rail - stainless steel, next to pilothouse entrance door
- Helm seat - double-wide, faux leather, double stitching with taped seams, electrically adjustable, with storage & locker beneath
- Rocker switch controls
- Tilt steering wheel
- Windshield - tinted, wraparound, stainless steel frame

## DECKS

- Bow lockers (2) - in-deck, self-draining, for fender storage & anchor chain locker access
- Bow rail - 1.25" (3,1 cm) O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (inside & outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [12" (30 cm) stainless steel: anchor (1), bow (2), stern (2) with stainless steel fairleads]; [10" (25 cm) stainless steel: spring (4)] - bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin & above windshields
- Pilothouse door - sliding, tinted window, on starboard side deck
- Rail gate - starboard side
- Rub rail molding - heavy-duty, 1" (25 mm) & 3/4" (19 mm) 316L stainless steel insert
- Sunpad
- Windshield weather covers - black mesh

## BOARDING PLATFORM

- 63 ft<sup>2</sup> (5,8 m<sup>2</sup>) *approx.*, integral to hull & deck
- Boarding ladder - telescoping, with grab rail, concealed in boarding platform
- Grab rails (3) - stainless steel; port, starboard, top of transom
- Storage lockers (2) - transom, for stowing shore water hoses & shore power lines

## COCKPIT

- 69 ft<sup>2</sup> (6,4 m<sup>2</sup>) *approx.*, integral to hull & deck, self-draining
- Bolsters - faux leather, across transom
- Bridge stairway - stainless steel, with stainless steel hand rail, diamond pattern fiberglass non-skid steps
- Electrical outlet
- Grab rails (2) - stainless steel, by side deck stairways
- Hatch - engine room access, 3' x 5' (1 m x 1,5 m), guttered, watertight, supported by gas shocks
- Lights (4) - courtesy, recessed, with exterior-mounted switch
- Lights (8) - halogen, overhead, recessed, with exterior-mounted switch
- Safety gates (2) - between bridge & aft bridge extension, & at top of bridge stairway
- Side deck stairways (2) - integral to deck
- Stereo speakers (2) - pre-wired
- Transom door - aluminum, secures closed, stainless steel hardware
- Transom lounge - faux leather, accommodates 5 adults, with storage or crew quarters access beneath

\*Standard

**COMMAND BRIDGE**

- 73 ft<sup>2</sup> (6,7 m<sup>2</sup>) *approx.* aft bridge extension
- Beverage holders (2) - recessed, integral, self-draining
- Bridge hardtop with soft enclosure
- Cooler - recessed, self-draining, 3 integral bottle holders, with double-hinged lid & support
- DC distribution panel - bridge 12V systems
- Electrical outlet
- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Entrance door - 66" x 23" (1,6 m x 58 cm) weather-tight, secures closed, with 3 gas shocks provides access to pilothouse
- Lights (4) - courtesy, recessed
- Lights (2) - halogen, overhead, recessed
- Lounge - double-wide, faux leather, starboard side, with storage beneath
- Lounge - U-shaped, faux leather, port side, accommodates 7 adults, with storage beneath
- Self-draining walk surface
- Stereo speakers (2) - pre-wired
- Storage lockers (2)
- Toe rail - aft deck
- Wet bar - self-draining with integral sink, removable sink divider, brass/chrome designer sink fixture, preparation surface, stainless steel 5 bottle holder, storage cabinet beneath

**GALLEY**

- Coffee maker - Cuisinart®, stainless steel (110 V only)
- Countertops - solid surface
- Designer décor
- Electrical outlet
- Flooring - Pecan
- Lights (2) - halogen, over range, recessed
- Lights (9) - halogen, overhead, recessed
- Microwave/convection oven - Tappan®, stainless steel, 1.1 cubic foot (31 L), built-in
- Oven - electric, wall-mounted, stainless steel finish
- Range - electric, 3-burner, Ceran® top, with stainless steel back-splash
- Range vent
- Refrigerator/freezer - Vitrifrigo®, under counter, drawer-style
- Rocker light switches
- Sink - two basin, molded solid surface, undermounted
- Storage cabinets (5)
- Storage drawers (6)

**PILOTHOUSE**

- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Circuit breakers - for helm controls
- Command bridge access stairway
- Countertops - cherry wood with cherry wood inlay, trim & sea rail
- Electrical outlet
- Helm - wrap-around, aircraft-style
- Helm seat - Flexsteel®, ultraleather, 6-way electrically adjustable
- Lights (6) - halogen, overhead, recessed
- Lounge - L-shaped
- Night operations light - halogen, red illumination
- Overhead panel - flush-mounted, for navigation equipment
- Side deck door - starboard, sliding, water tight
- Rocker light switches
- Stereo speaker (2)
- Windshield defoggers (3)
- Windshield wipers (3) - pulse, each with fresh water washer

**SALON**

- AC & DC distribution panels
- Architectural element - mirror with encircling bands of ultraleather & cherry wood, overhead
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Chairs (2) - Flexsteel®
- Countertops - cherry wood with cherry wood trim & sea rail
- Curtain - décor-matched, horizontal action, seated in top & bottom channel guides, in front of entrance door
- Décor package - 10-piece decorator pillow set
- Designer décor
- Electrical outlet
- Entertainment group - 32" Sole® LCD TV (built to durable marine grade standards) recesses with motorized lift, Sony® stereo receiver, Sony® progressive scan 5-disc DVD/CD changer, Sirius® satellite radio system with 6 month trial subscription & Apple iPod® dock
- Entrance door - stainless steel frame, fully vertical, convex, sliding, handle latch, deadbolt, secures open, neutral density glass, with interior screen
- Lights (8) - halogen, in soffit, recessed, directable
- Lights (13) - halogen, in architectural element, recessed, with electronic dimmer controls
- Lights (4) - halogen, sconces, brushed nickel
- Lounge - L-shaped, ultraleather, accommodates 4 adults with double incliners
- Rocker light switch
- Soffit - ultraleather & curved cherry wood, over windows
- Stereo speaker
- Storage cabinets (3)
- Table - cherry wood with cherry wood trim, aluminum base with adjustable height
- Window treatment - roman shades with recessed headrail

\*Standard

**COMPANIONWAY**

- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Display alcove - two-shelf, mirror-backed; with halogen, overhead, recessed light
- Electrical outlet
- Hand rails (3) - stainless steel, on stairway
- Hull portlight - screened
- Lights (8) - incandescent, courtesy, recessed
- Light - halogen, overhead, recessed
- Rocker light switches

**MASTER STATEROOM**

- Berth - oversized queen, pillowtop innerspring mattress, island
- Berth endtables (2) - cherry wood with cherry wood inlay, trim & sea rail
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Countertops - cherry wood with cherry wood inlay, trim & sea rail
- Designer décor
- Dresser - integral, cherry wood with cherry wood inlay, trim & sea rail, 5 drawers
- Electrical outlet
- Entrance door - 2-panel, solid cherry wood frame, cherry wood panels, pocket-style, secures open & closed, stainless steel hardware
- Fresh air system - passive, with 5 controllable overhead vents
- Hanging lockers (3) - 2 full-height, 1 half-height, cedar-lined, carpeted, overhead shelf (*in full-height lockers*), automatic light
- Hull portlights (2) - with screen
- Lights (2) - halogen, over dresser, recessed
- Lights (2) - halogen, over berth head, recessed
- Lights (4) - halogen, overhead, recessed
- Lights (2) - halogen, sconces, directable for reading
- Mirror on aft bulkhead
- Rocker light switches
- Sheet set embroidered with Carver logo - fitted sheet, flat sheet & two pillowcases
- Storage cabinets (5)
- Storage drawers (5)
- Window treatment - roman shades with recessed headrail

**MASTER HEAD**

- Hardware highlights - chrome
- Rocker light switches
- Towel set - bath towel, handtowel & wash cloth
- **Vanity Dais**
  - Electrical outlet
  - Flooring - wood
  - Lights (3) - halogen, overhead, recessed
  - Lights (2) - halogen, over vanity, recessed
  - Medicine cabinets (2) - 3 shelves each
  - Rocker light switches
  - Vanity - solid surface top & backsplash, integral molded solid surface sink, 2 shelves beneath with 2 doors

**Water Closet**

- Entrance door - cherry wood with frosted glass, secures closed, stainless steel hardware
- Head fan
- Hull portlight - frosted privacy glass, with screen
- Light - halogen, overhead, recessed
- Nonskid sole
- Rocker light switch
- Toilet - VacuFlush®, pedestal
- Toilet paper holder
- Towel bar

**Shower/Tub Stall**

- Entrance door - cherry wood with frosted glass, secures closed, stainless steel hardware
- Hand shower - retractable, wall-mounted holding bracket
- Hull portlight - privacy glass, with screen
- Lights (2) - halogen, overhead, recessed
- Nonskid sole
- Shower curtain - décor-matched
- Towel bar



**GUEST STATEROOM**

- Berths (2) - bunks, converts to sofa
- Berth endtable - cheery wood with cherry wood inlay, trim & sea rail, cabinet below with 2 shelves
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Roman shades
- Designer décor
- Electrical outlet
- Entrance door - 2-panel, solid cherry wood frame with cherry wood panels, secures open & closed, stainless steel hardware
- Hanging locker - shared with guest stateroom
- Hull portlight - with screen
- Lights (2) - halogen, sconces, directable for reading
- Lights (3) - halogen, overhead, recessed
- Rocker light switch
- Storage drawer - beneath lower bunk

**VIP STATEROOM**

- Berth - oversized queen, inner-spring mattress, island
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Countertops - cherry wood
- Roman shades
- Designer décor
- Electrical outlets
- Entrance door - 2-panel, solid cherry wood frame with cherry wood panels, secures open & closed, stainless steel hardware
- Hanging locker (2) -  $\frac{3}{4}$  height, cedar-lined, automatic light, shared with third stateroom; half-height, carpeted, 3 side shelves, automatic light
- Hull portlights (4) - fixed, non-opening
- Lights (2) - halogen, overhead, recessed, directable for reading
- Lights (2) - halogen, overhead, recessed
- Lights (4) - halogen, over surround shelves, recessed
- Overhead hatch - translucent, lockable, inside screen & shade
- Private guest head access
- Rocker light switches
- Sheet set embroidered with Carver logo - fitted sheet, flat sheet and two pillows
- Stereo speakers (2)
- Storage beneath mattress
- Storage drawers (2)
- Surround shelves - cherry wood with sea rail

**HEAD**

- Clothes hooks (2)
- Electrical outlet
- Entrance doors (2) - one to VIP stateroom (*2-panel cherry wood*) & one to companionway (*2-panel, solid cherry wood frame with cherry wood panels*), secure closed, stainless steel hardware
- Hardware highlights -chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Lights (2) - halogen, over vanity, recessed
- Medicine cabinet - mirrored door, 3 shelves
- Nonskid sole
- Rocker light switches
- Soffit - cherry wood, mirrored bottom, over vanity
- Toilet - VacuFlush®, pedestal
- Toilet paper holder
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top & backsplash, integral molded solid surface sink, 2 shelves beneath with 2 doors

**Shower Stall**

- Bench seat - integral
- Hull portlight - frosted privacy glass, with screen
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower door - plexiglass in aluminum frame, bi-fold, secures open
- Shower head - adjustable height, detachable for use as hand shower
- Towel bar

## OWNER PREFERENCE ITEMS

**PROPULSION:****Diesel Engines**

- Volvo Penta® D9\* EVC - 500 hp
- Volvo Penta® D9 EVC - 575 hp
- Volvo Penta® D12 EVC - 675 hp
- CAT® C12 - 715 hp

**MECHANICAL:**

- Cockpit Control Station - engine controls and dual joystick control for Carver Docking System (for Volvo Penta D9 & D12 engines only)
- Engine oil change system

**ELECTRICAL:**

- Air conditioning - Cruisair®, split system in cabin, 4-zone, 72,000 BTU; with reverse cycle heat & heater strips; dedicated Marinco® shore power connector

**Cablemaster for Shore Power**

- Single
- Dual (requires dual shore service, not available with crew quarters)

**Forward Shore Power Connector**

- Single
- Dual - without cablemaster
- Dual - with cablemaster, additional 50' (15,2 m) of shore power cord

**Generator**

- Kohler® 15.5 kW 60 Hz\*
- Kohler® 13 kW 50 Hz\* international
- Kohler® 23 kW 60 Hz (required with wet bar grill)
- Kohler® 20 kW 50 Hz international (required with wet bar grill)

**Shore Service**

- Single\* - 50 amp service (32 amp international)
- Dual - additional 50 amp (32 amp international) service (required with bridge air system)

**WATER & HOLDING SYSTEMS:**

- After tank overboard discharge system with pump
- Grey water holding system - (2) 50 gallon (189 L) holding tanks & (2) 50 gallon (189 L) fresh water holding tanks (not available with dishwasher or washer & dryer)

**Transom Washdowns**

- Fresh water only
- Seawater only
- Both fresh & seawater

**SAFETY & NAVIGATION:**

- Autopilot - Raymarine® ST6002 with (1) wireless remote
- Davit - Single-function, 600 lb. (272 kg) capacity
- Dinghy storage cradle (not available with bridge sunpad)
- SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription (U.S. & Canada only)
- Sky lounge (in lieu of pilothouse lower helm)
- Spare propellers (2) & shaft (1) (not available with crew quarters)

**Navigation Electronics Package**

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® B60 dual frequency 50/200 khz depth & temperature thru-hull transducer
- Bridge Package plus Radar - Includes above bridge package plus Raymarine E-Series E80 multifunction navigation display & 4KW scanner open array
- Bridge & Lower Helm Package - Includes above bridge package plus Raymarine® E-Series E120 multifunction navigation display & Raymarine® 240 VHF (hand set)
- Bridge & Lower Helm Package plus Radar - Includes above bridge & lower helm package plus Raymarine® E-Series E120 multifunction navigation display

**Video Monitor System**

- Bridge - Voyager®, 1 monitor & 2 cameras
- Pilothouse - Voyager®, 1 monitor & 2 cameras
- Bridge & pilothouse - Voyager®, 2 monitors & 2 cameras

## OWNER PREFERENCE ITEMS

**AMENITIES:****Bridge Wet Bar***(choose up to 3 appliances)*

- Storage\*
- Grill - Jennaire® (larger generator required)
- Icemaker - Raritan®, stainless steel, produces up to 22 lbs. (10 kg) of ice per day
- Refrigerator - Nova Kool®, 2.4 cubic foot (68 liter)

**Canvas** *(in lieu of standard bridge hardtop & soft enclosure)*

- Prestige bimini top
- Prestige full canvas with carpet

**Canvas Color**

- White Stamoid®\*
- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast

**EXTERIOR**

- Aft bridge extension sunpad, with safety rails (not available with dinghy storage cradle or davit)
- Bridge air cooling system (24,000 BTU's)
- Bridge lounge slip covers & pillows
- Bridge stereo - waterproof Clarion® AM/FM/CD player, Clarion® 6-disc CD changer, Sirius® satellite radio receiver & Apple iPod® dock
- Bridge table
- Cockpit cover
- Cockpit table - teak wood with protective cover
- Cockpit to bridge hatch
- Exterior carpet - berber (coordinated with exterior seating upholstery color selection)
- Helm & seat covers
- Hydraulic lift system for swim platform
- Underwater lighting

**Galley**

- Dishwasher - Fisher & Paykel®, holds 6 place settings & uses as little as 2 gallons of water per load, stainless steel (not available with wall-mount oven)
- Trash compactor - Broan®, 1.4 cubic foot, stainless steel (110 V only)

**Galley Stove**

- 3-burner electric top & wall mount oven\*
- 3-burner electric top only

**Pilothouse**

- Pilothouse wiring & reinforcement for flatscreen TV

**Salon**

- Central vacuum system - WalVac®
- Pillow set - decorator, 6-piece

**Salon Sofa**

- Double incliners\*
- Storage
- Stowaway bed

**Surround Sound**

- Surround sound in salon with Bose® Acoustimass speakers
- Surround sound in pilothouse with Bose® Acoustimass speakers (requires pilothouse flat-screen TV)

**STATEROOMS****Master Stateroom**

- 26" Sole® LCD TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player
- Mirror on bulkhead
- Sheet & towel sets embroidered with Carver® logo - fitted sheet, flat sheet, 2 pillow cases per stateroom; 4 bath towels, 4 hand towels, 4 washcloths
- Stereo - Onkyo® AM/FM/CD player & Apple iPod® dock
- Washer & dryer - tumble dryer & fully automatic dryer, front loading, energy efficient, Malber®

**VIP Stateroom**

- 15" Sole® LCD TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player

**Guest Stateroom**

- Office configuration

**Stern Cabin** *(not available with dual Cablemaster)*

- Crew quarters with accommodations for one person; twin-sized foam berth, sink, handshower, head toilet, and storage (Cablemaster capable & not capable available)
- Storage (Cablemaster capable & not capable available)

**EXTERIOR PAINT:****Full Hull Paint Color***Choices (with matching boot stripe)*

- Carver Blue (a blue steel metallic)
- Navy Blue

**Painted Boot Stripe Color**

- Black\*
- Blue
- Carver Blue - included with Carver Blue exterior paint
- Navy Blue - included with Navy Blue exterior paint

**DECOR:****Ensemble**

- Cocoa Beach\* (dark & light brown tones)
- Ensign Blue (blue & brown tones)

**Ultraleathers**

- Surfside\*

**Countertops**

- Bahamas Sand\*
- Expression

**EXTERIOR SEATING UPHOLSTERY COLOR**


- Gray\*
- Taupe

**INTERNATIONAL SPECIFICATIONS**

- 220 volt electrical system
- Entertainment equipment & options may not be available outside the U.S. & Canada. Check with your local Carver dealer for availability.
- Sirius Satellite radio not available

\*Standard





– Genmar Yacht Group LLC –  
P.O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600