

36 Super Sport


CARVER[®]
YACHTS



SPECIFICATIONS

LOA <i>with platform</i>	38'3"	11,66 m
Beam	13'1"	4,00 m
Draft	37"	0,94 m
Weight <i>with fuel & water</i>	21,800 lbs.	9888 kg
Bridge Clearance <i>with arch</i>	14'8"	4,47 m
Fuel System	300 U.S. gals.	1136 liters
Water System	78 U.S. gals.	295 liters
Holding Tank	37.5 U.S. gals.	142 liters
Cabin Headroom	6'7"	2,00 m
Sleeps	4 (5 <i>optional</i>)	

CONSTRUCTION

- Cherry wood cabinetry, trim, doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning - Marine Air Systems® 18,000 BTU*; 23,000 BTU** with reverse cycle heat; dedicated Marincó® shore power connector
- Carver Docking System™ - includes 5.3 hp, 6.3" diameter Side Power® bow & stern thrusters, providing 132 lbs. of thrust
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 150 gallons each; welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Manganese Bronze, 20" diameter, manufacturer-certified
- Propeller shafts - Aquamet®, 1.5" diameter
- Rudders & struts - 421 manganese bronze
- Tides Marine® SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - Bennett Marine®, 24" x 9" plane, stainless steel, hydraulic

WATER & HOLDING SYSTEMS

- Fresh water storage tank (1) - 78 gallons, polyethylene
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute flow rate, high flow filter
- Shower sump pump (1) - automatic operation
- Waste holding tank (1) - 37.5 gallons with vent & dockside pumpout
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 6 gallons

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC voltmeters; AC ammeters
- Batteries (4) - 31 series starting batteries, Deka Marine®, cold cranking rating of 650 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(4) engine]
- Batteries (2) - dedicated 31 series, Deka Marine®, deep cycle, (12V), cold cranking rating of 650 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) generator, (1) ship service]
- Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 10 amp charger for the generator battery
- Dockside inlets - CATV & telephone with 50' of white cord each
- Generator - 7.3 kW Kohler®, gasoline, with sound shield, dedicated 31 series battery & 5 year warranty
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - Marincó® 50' white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier

DECKS

- Anchor roller - over-the-stem, aluminum channel with nylon rollers
- Bow rail - 1.0" O.D.; lineal-buffed; welded stainless steel; with additional intermediate rail amidships, 2 intermediate rails forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - 10" stainless steel: anchor (1), bow (2), spring (4), stern (2) - bolted through aluminum backing plate
- Deck toe rail
- Grab rails (4) - stainless steel, on cabin sides
- Rub rail molding - heavy-duty, 3/4" stainless steel insert

BOARDING PLATFORM

- 34 ft² approx., integral to hull & deck
- Boarding ladder - telescoping, conceals beneath boarding platform

*Standard Only **Mid Cabin Only

SAFETY & NAVIGATION

- 65-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint boxes
- Bilge alarm - high water
- Bilge blowers (2) - 4" at 240 cubic foot/minute (12V)
- Bilge pumps (2) - 1500 gallons per hour each, automatic/manual operation
- CO detectors in salon & stateroom
- Compass - Ritchie® Navigator 4.5" Flush Mount, illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241
- Galvanic isolator/zinc saver
- Horn - electric (12V), trumpet
- Internal bonding system with 8 gauge size wire, ABYC compliant
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription
- Spotlight - ITT Jabsco®
- Windlass package - Maxwell® 500 with 35 lb. anchor & 150' of 1/4" chain

HELM

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - recessed, aluminum with no-slip bottoms, self-draining
- Companion helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Displays (1 for each engine) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage, fuel usage, fuel trip usage, engine diagnostics
- Gauges - analog; fuel level and rudder angle (1 for each engine)
- Grab rail - stainless steel, behind helm & companion seats
- Helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Tilt steering wheel
- Rocker switch controls
- Engine Fault Indicators - oil pressure, check engine, water temperature, transmission temperature (1 set per engine)

COMMAND BRIDGE

- Access panels (2) - behind lounge backrest, provide access to helm wiring
- Beverage holders (2) - recessed, aluminum with no-slip bottoms, self-draining
- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Stereo speakers (2)
- Storage lockers (5)
- Windshield - wraparound, tinted glass, painted stainless steel frame

COCKPIT

- 80 ft² approx., integral to hull & deck, self-draining
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck, with stainless steel hand rails, courtesy light
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Light - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Side deck stairways (2) - integral to deck, with grab rails, courtesy light
- Storage locker - recessed in sole, self-draining, with guttered hatch
- Transom door - secures open & closed, stainless steel hardware

GALLEY

- Countertops - solid surface
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Flooring - wood plank
- Lights (2)* (1)** - incandescent, over countertop, single-fixture
- Lights (2)* (3)** - halogen, overhead, recessed
- Microwave oven - stainless steel, 1.2 cubic foot LG® with built-in coffee maker
- Range - electric, 2-burner, glass top
- Refrigerator/freezer - Nova Kool® 9.1 cubic foot, stainless steel, upright
- Rocker light switch
- Silverware tray
- Sink - stainless steel, with solid surface cover
- Storage cabinets (4)
- Storage drawers (2)
- Waste basket - 9 quart, round, white

*Standard Only **Mid Cabin Only

SALON

- ♦ AC & DC distribution panels
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Chair - fabric upholstery
- ♦ Countertops - cherry wood
- ♦ Curtains - décor-matched
- ♦ Designer décor
- ♦ Electrical outlet
- ♦ Entertainment group - 20" Sole® LCD TV (built to durable marine grade standards), Clarion® (12V) DVD/CD/MP3 Player, Clarion® CMD4 AM/FM/CD waterproof marine stereo, Sirius® satellite radio system with 6 month trial subscription
- ♦ Entrance door - tinted glass, aluminum frame, sliding, latch lock, secures open, with interior screen
- ♦ Floor access hatches - engine room
- ♦ Hi-lo table - cherry wood top, brush aluminum leg**
- ♦ Lights (5)* (7)** - halogen, overhead, recessed
- ♦ Pillow set - decorator, 5-piece
- ♦ Rocker light switch
- ♦ Sofa - Flexsteel®, with double incliners
- ♦ Stereo speaker (2)
- ♦ Storage cabinet (6)* (1)**
- ♦ Telephone connector**

HEAD

- ♦ Electrical outlet
- ♦ Entrance doors (2) - one to stateroom & one to companionway, solid cherry wood, secure closed, stainless steel hardware
- ♦ Hardware highlights - brass/chrome
- ♦ Lights (3) - incandescent, over vanity, designer fixture
- ♦ Medicine cabinet - mirrored door, 2 shelves with sea rails
- ♦ Nonskid sole
- ♦ Robe hook
- ♦ Rocker light switch
- ♦ Storage cabinet - 2 shelves with sea rails, mirror doors
- ♦ Toilet - electric flush, pedestal
- ♦ Toilet paper holder - beneath vanity
- ♦ Towel rings (2)
- ♦ Vanity - solid surface top, stainless steel sink, storage beneath with 2 doors

Shower Stall

- ♦ Bench seat - integral, with solid surface top
- ♦ Hull portlight - frosted privacy glass, with screen
- ♦ Light - halogen, overhead, recessed
- ♦ Nonskid sole
- ♦ Shower door - clear acrylic in aluminum frame, secures closed, stainless steel hardware
- ♦ Shower head - removable for use as hand-shower

DINETTE*

- ♦ Bench seats (2) - converts (with table) to double berth
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Countertops - cherry wood, with stainless steel sea rail
- ♦ Curtains - décor-matched
- ♦ Dry bar cabinet - 2 shelves with sea rails & 6 barware holders, 5 stemware holders, mirrored back*
- ♦ Electrical outlet
- ♦ Lights (2) - halogen, overhead, recessed
- ♦ Rocker light switch
- ♦ Storage compartments (2) - beneath sole, with carpeted hatches
- ♦ Storage cabinet
- ♦ Storage drawers (2)
- ♦ Table - cherry wood top with sea rail, brushed aluminum leg, converts (with bench seats) to double berth
- ♦ Telephone connector*

MASTER STATEROOM

- ♦ Bench seat - integral, with seat cushion*
- ♦ Berth - queen, pillowtop innerspring mattress
- ♦ Berth step-ups (2) - carpeted
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Designer décor
- ♦ Electrical outlet
- ♦ Entrance door - solid cherry wood, secures closed, stainless steel hardware
- ♦ Hanging lockers (2) - cedar-lined, interior shelves with sea rails
- ♦ Hull portlights (2) - fixed, non-opening
- ♦ Lights (3) - halogen, overhead, recessed
- ♦ Mirror - on forward bulkhead, conceals anchor chain locker access
- ♦ Overhead hatch - frosted glass, lockable, inside screen
- ♦ Private head access
- ♦ Rocker light switch
- ♦ Stereo speakers (2)
- ♦ Storage cabinets (7)
- ♦ Surround shelves - solid surface top

MID CABIN STATEROOM**

- ♦ Berth - double, converts to twins with removable center fill
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Designer décor
- ♦ Electrical outlet
- ♦ Entrance door - solid cherry wood, secures closed, stainless steel hardware
- ♦ Hull portlight - with screen
- ♦ Ledge top - solid surface top
- ♦ Lights (3) - halogen, overhead, recessed
- ♦ Lights (2) - halogen, overhead, directable for reading
- ♦ Mirrored hanging locker - cedar-lined, exterior shelf with sea rails
- ♦ Rocker light switch
- ♦ Skylight

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader® 5.7 MPI - 330 hp*
(includes fresh water cooling)
- Crusader® 6.0 MPI - 375 hp
(includes fresh water cooling)
- Crusader® 8.1 MPI - 385 hp
(includes fresh water cooling)
- Volvo Penta® 5.7 GXI - 315 hp
- Volvo Penta® 8.1 GI - 375 hp
(includes fresh water cooling)
- Fresh water cooling (available for Volvo 5.7 engines)

Diesel Engines

- Volvo Penta® D4EVC - 300 hp
- Volvo Penta® D6 EVC - 370 hp
- Volvo Penta® D6 EVC - 435 hp
- Yanmar Marine® 6LPA-STP - 315 hp

ELECTRICAL:

Forward Shorepower Adaptor

- Dual
- Single

Generator

- Kohler® 7.3 kW gasoline*
- Kohler® 9.0 kW diesel

WATER & HOLDING SYSTEMS:

- After tank overboard discharge system with pump
- Both fresh & seawater transom washdowns
- Grey water holding system - (1) holding tank & (2) sump pumps

SAFETY & NAVIGATION:

- Fender racks
- Monitor package

Navigation

Electronics Package

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® E66056 bronze thru-hull transducer

AMENITIES:

Bridge Layout

- Helm aft*
- Helm forward

Canvas

- Prestige bimini top
- Prestige full canvas with carpet & windshield cover

Canvas Color

- White Stamoid*
- Toast

Exterior

- Bridge cover
- Bridge hardtop
- Bridge hardtop enclosure
- Bridge Icemaker - U-Line®, produces up to 23 lbs. of ice a day (not available with Helm Forward)
- Bridge lounge slip covers & pillows
- Exterior carpet - berber
- Foredeck sunpad
- Fishing package - Cockpit livewell with Rule® pump, Perko® vertical rod holders on transom (4), Perko® rod holders (2), C.E. Smith® mid mount "rocket launcher" rod holders (5)

Salon

- Clarion® 6-disc CD changer
- Pillow set - decorator, 6-piece

Sofa

- Double incliner†
- Sofa sleeper (not available with standard layout)
- Sofa with storage (not available with Mid Cabin)
- Tri-fold stowaway bed

Staterooms

- Mid Cabin stateroom (in lieu of face-to-face dinette)

Master Stateroom Berth

- Standard Layout - Island*
- Mid Cabin Layout - Offset
- Mid Cabin Layout - Island

Master Stateroom

- 15" Solé® LCD TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player
- Sheet & towel sets embroidered with Carver® logo - fitted sheet, flat sheet, 2 pillow cases; 2 bath towels, 2 hand towels, 2 washcloths

EXTERIOR PAINT:

Hull Paint Application

- Paint to Hull Plank
- Paint to Mid-Hull
- Paint on Full Hull

Hull Paint Color

- Carver Blue (a blue steel metallic)
- Navy Blue

Painted Boot Stripe Color

- Black*
- Blue
- Carver Blue - included with Carver Blue exterior paint options
- Navy Blue - included with Navy Blue exterior paint options

DECOR:

Ensemble

- Suntan* (warm brown tones)
- Ocean (spa blue/dark sand browns)

Upholstery

- Cocoa & Sand*

Countertops

- Bahamas Sand*
- Expression

Exterior Seating



Upholstery Color

- Gray*
- Taupe


36 Super Sport

CARVER[®]
YACHTS


– HELM AFT –



– HELM FORWARD –



– STANDARD –



– MID-CABIN WITH
OFFSET BERTH –

Carver Boat Corporation LLC
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600