

# 38 Super Sport

  
CARVER<sup>®</sup>  
YACHTS



## SPECIFICATIONS

LOA <i>with platform</i>	39'11"	12,17 m
Beam	13'5"	4,09 m
Draft	31.5"	0,80 m
Weight <i>with fuel &amp; water</i>	25,000 lbs.	11566 kg
Bridge Clearance <i>with arch</i>	14'1"	4,29 m
Fuel System	334 U.S. gals.	1264 liters
Water System		
<i>V-drive engines</i>	75 U.S. gals.	284 liters
<i>Volvo IPS engines</i>	86 U.S. gals.	326 liters
Holding Tank	45 U.S. gals.	170 liters
Cabin Headroom	6'7"	2,00 m
Sleeps	4	

### CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Solid fiberglass hull bottoms with Knytex substrates & Vinylester barrier coat
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - Marine Air Systems<sup>®</sup>, 2-zone; 32,000 BTU; with reverse cycle heat; dedicated Marinc<sup>®</sup> shore power connector
- Carver Docking System<sup>™</sup> - v-drive engines receive 6 hp, 7.3" diameter Side Power<sup>®</sup> bow & stern thrusters providing 176 lbs. of thrust; Volvo IPS engines receive IPS Joystick Control
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 167 gallons each, welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Manganese Bronze, 20" diameter, manufacturer-certified
- Propeller shafts - Aquamet<sup>®</sup>, 1.5" diameter
- Rudders & struts - 421 manganese bronze
- Tides Marine<sup>®</sup> SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - stainless steel, hydraulic

### ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (5) - 3 fluorescent, 2 halogen (*in aft bilge*), overhead, controls mounted in salon

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC ammeter
- Batteries (4) - 31 series starting batteries, Deka Marine<sup>®</sup>, cold cranking rating of 650 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(4) engine]
- Batteries (2) - dedicated 31 series, Deka Marine<sup>®</sup>, deep cycle, (12V), cold cranking rating of 650 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) generator, (1) ship service]
- Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 10 amp charger for the generator battery
- Dockside inlets - CATV & telephone with 50' of white cord each
- Generator - 7.3 kW Kohler<sup>®</sup>, gasoline with sound shield, dedicated 31 series battery & 5 year warranty
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - Marinc<sup>®</sup> 50' white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint boxes & straps
- Bilge alarm - high water
- Bilge blowers (4) - 4" at 240 cubic foot/minute (12V)
- Bilge pumps (3) - 1500 gallons per hour each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - Ritchie<sup>®</sup> Navigator 4.5" Flush Mount, illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241
- Galvanic isolator/zinc saver
- Horn - dual electric (12V), trumpet
- Internal bonding system with size 8 gauge wire, ABYC compliant
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- SeaKey<sup>®</sup> - satellite based boat security, safety & concierge system; 90 day trial subscription
- Spotlight - ITT Jabsco<sup>®</sup>
- Windlass package - Maxwell<sup>®</sup> 800 with 35 lb. anchor & 125' of 5/16" chain

### WATER & HOLDING SYSTEMS

- Fresh water storage tanks - polyethylene; (1) 75 gallon with v-drive engines; (2) 43 gallon with Volvo IPS engines
- Fresh water tank level monitor
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute flow rate, high flow filter
- Shore water connection with pressure-reduction valve
- Shower sump pump (1) - automatic/manual operation
- Waste holding tank (1) - 45 gallons with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons

### DECKS

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - 10" stainless steel: anchor (1), bow (2), spring (4), stern (2) - bolted through aluminum backing plate
- Deck toe rail
- Grab rails (2) - stainless steel, on cabin sides
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, 1" & 3/4" 316L stainless steel insert

### COCKPIT

- 92 ft<sup>2</sup> approx., integral to hull & deck, self-draining
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck with stainless steel hand rail, overhead stainless steel grab rail, 3 courtesy lights
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Side deck stairways (2) - integral to deck with grab rail, 2 courtesy lights
- Storage locker - in transom
- Storage lockers (2) - recessed in sole
- Transom door - fiberglass, secures open & closed, stainless steel hardware

### COMMAND BRIDGE

- Access panel - behind lounge backrest, provides access to helm wiring
- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Storage lockers (2)
- Table - molded fiberglass, sliding, in front of lounge
- Wet bar - molded fiberglass, integral self-draining sink, cold water tap, 2 storage cabinets beneath
- Windshield - wraparound, tinted glass, painted stainless steel frame

### HELM

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - self-draining
- Companion helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Displays (*1 for each engine*) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage, fuel usage, fuel trip usage, engine diagnostics
- Gauges - analog; fuel level and rudder angle (*1 for each engine*)
- Grab rail - stainless steel, behind helm & companion seats
- Helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Rocker switch controls
- Stereo speakers (2)
- Tilt steering wheel

### BOARDING PLATFORM

- 35 ft<sup>2</sup> approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform

### SALON

- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - cherry wood with sea rail
- Curtains - décor-matched
- Décor package - 5-piece decorator pillow set
- Designer décor
- Electrical outlet
- Entertainment group - 20" Sole<sup>®</sup> LCD TV (built to durable marine grade standards), Clarion<sup>®</sup> CMD4 AM/FM/CD waterproof marine stereo, Clarion<sup>®</sup> DVD/CD/MP3 player, Sirius<sup>®</sup> satellite radio system with 6 month trial subscription
- Entrance door - tinted glass, aluminum frame, curved, sliding, handle lock, 2 deadbolts, with interior screen
- Floor access hatches - engine room
- Lights (3) - halogen, overhead, recessed
- Rocker light switches
- Sofa - Flexsteel<sup>®</sup>, with storage beneath
- Stereo speaker
- Storage cabinets (3)
- Telephone connector

### GALLEY

- Coffee maker - Black & Decker<sup>®</sup>, black
- Countertops - solid surface, with stainless steel sea rail in polished & brass finishes
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Flooring - wood plank
- Lights (2) - halogen, overhead, recessed
- Microwave oven - convection with grill, built-in
- Range - electric, 2-burner, glass top
- Refrigerator/freezer - Nova Kool<sup>®</sup>, 7.5 cubic foot, stainless steel, side-by-side under-counter
- Rocker light switches
- Silverware tray
- Sink - stainless steel, with solid surface cover
- Stereo speaker
- Storage cabinets (3)
- Storage drawers (4)
- Vent fan - above range
- Waste container - 9 quart, round, white

### DINETTE

- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Lights (4) - halogen, overhead, recessed
- Lounge - L-shaped
- Rocker light switch
- Table - cherry wood top; 2 brushed aluminum legs

### HEAD

- Clothes hook & towel ring
- Electrical outlet
- Entrance doors (2) - one to master stateroom & one to galley, solid cherry wood, secure closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Hull portlight - frosted privacy glass, with screen
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored doors, 2 shelves with sea rails
- Nonskid sole
- Rocker light switch
- Skylight
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style top & backsplash, integral sink, storage beneath with 2 doors

### Shower Stall / Water Closet

- Countertop - granite-style
- Lights (2) - halogen, overhead, recessed
- Nonskid sole
- Shower door - clear acrylic in aluminum frame, bi-fold, secures open & closed, stainless steel hardware, matching sidelights
- Shower head - removable for use as hand-shower
- Storage cabinets (2)
- Toilet - VacuFlush<sup>®</sup>, pedestal
- Toilet paper holder & towel bar

### MASTER STATEROOM

- Berth - queen, pillowtop innerspring mattress
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging lockers (2) - automatic light, 3 shelves in each with sea rails
- Hull portlights (2) - fixed, non-opening
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, overhead, directable for reading
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - tinted, lockable, inside screen
- Private head access
- Rocker light switches
- Sheet set embroidered with Carver<sup>®</sup> logo - fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2)
- Storage cabinets (7)
- Storage drawer
- Surround shelves - cherry wood with sea rail
- Telephone connector

### VIP STATEROOM

- Berth - double, converts to twins with removable center filler, with berth covers
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - cherry wood
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, split, pocket-style, secures open & closed, stainless steel hardware
- Hull portlight
- Lights (4) - halogen, overhead, recessed
- Light - halogen, sconce, directable for reading
- Rocker light switch
- Shelves (2) - cherry wood, recessed
- Storage - beneath mattress
- Storage cabinets (3)

### COMPANIONWAY

- AC & DC distribution panels
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertop - cherry wood with sea rail
- Curtains - décor-matched
- Hand rail - stainless steel, on stairway
- Hull portlight - with screen
- Lights (2) - courtesy, recessed
- Rocker light switch
- Storage cabinet - with sliding, curved, cherry wood tambour door

## OWNER PREFERENCE ITEMS

### PROPULSION:

#### Gasoline Engines

- Crusader® 6.0 MPI - 375 hp\* (includes fresh water cooling)
- Crusader® 8.1 MPI - 385 hp (includes fresh water cooling)
- Volvo Penta® 8.1 GI - 375 hp (includes fresh water cooling)
- Volvo Penta® IPS 8.1

#### Diesel Engines

- Yanmar Marine® 6LPA-STP - 315 hp
- Volvo Penta® D4 EVC - 300 hp
- Volvo Penta® D6 EVC - 370 hp
- Volvo Penta® IPS 450 - 330 hp

### MECHANICAL:

- Engine oil change system

### ELECTRICAL:

#### Generator

- Kohler® 7.3 kW\* gasoline
- Kohler® 9.0 kW diesel

### WATER & HOLDING SYSTEMS:

- After tank overboard discharge system with pump
- Grey water holding system - (1) grey water holding tank

### Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION:

- Fender racks

#### Navigation

#### Electronics Package

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® E66056 bronze thru-hull transducer

#### Spare Propellers & Shaft

- Spare propellers (2) & shaft

### AMENITIES:

#### Bridge layout

- Helm aft
- Helm forward\*

#### Canvas

- Prestige bimini top
- Prestige full canvas with carpet

#### Canvas Color

- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid®\*

### Exterior

- Bridge cover
- Bridge hardtop
- Bridge hardtop enclosure
- Bridge lounge slip covers & pillows
- Exterior carpet - berber
- Fishing package - Cockpit livewell with Rule® pump, Perko® vertical rod holders on transom (4), Perko® rod holders (2), C.E. Smith® mid mount "rocket launcher" rod holders (5)
- Foredeck sunpad
- Icemaker - U-Line®, produces up to 23 lbs. of ice a day (not available with Helm Forward)

### Salon

- Clarion® 6-disc CD changer
- Pillow set - decorator, 6-piece

### Salon Sofa

- Double incliners
- Storage\*
- Stowaway bed

### Stateroom

#### Master Stateroom

- 15" Sole® LCD TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player

### EXTERIOR PAINT:

#### Hull Paint Application

- Paint to Hull Plank
- Paint to Mid-Hull
- Paint on Full Hull

#### Hull Paint Color

#### (with matching boot stripe)

- Carver Blue (a blue steel metallic)
- Navy Blue

#### Painted Boot Stripe Color

- Black\*
- Blue
- Carver Blue - included with Carver Blue exterior paint options
- Navy Blue - included with Navy Blue exterior paint options

### DECOR:

#### Ensemble

- Suntan\* (warm brown tones)
- Ocean (spa blue/dark sand browns)

#### Upholstery

- Cocoa & Sand\*

#### Countertops

- Bahamas Sand\*
- Expression



#### Exterior Seating

#### Upholstery Color

- Gray\*
- Taupe

\*Standard Only

– HELM FORWARD –



– HELM AFT –

Carver Boat Corporation LLC  
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600