

43 Super Sport



SPECIFICATIONS

LOA <i>with platform</i>	43'7"	13,28 m
Beam	13'11"	4,24 m
Draft	46"	1,17 m
Weight <i>with fuel & water</i>	33,650 lbs.	15263 kg
Bridge Clearance <i>with arch</i>	19'5"	74 m
Fuel System	400 U.S. gals.	1514 liters
Water System	90 U.S. gals.	340 liters
Holding Tank	50 U.S. gals.	189 liters
Cabin Headroom	6'6"	1,98 m
Sleeps	4 (6 <i>optional</i>)	

CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (6) - halogen, overhead, controls mounted in cockpit

MECHANICAL

- Air conditioning - Marine Air Systems[®], 3-zone, 35,000 BTU, with reverse cycle heat
- Carver Docking System™ - v-drive engines receive 6 hp, 7.3" diameter Side Power[®] bow & stern thrusters providing 176 lbs. of thrust; Volvo[®] IPS engines receive IPS Joystick Control
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 200 gallons each, welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Alloy NiBrAl, 22" diameter, manufacturer-certified
- Propeller shafts - Aquamet[®], 1.75" diameter
- Rudders & struts - 421 manganese bronze
- Tides Marine[®] SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC & DC ammeters
- Batteries (4) - 31 series starting batteries, Deka Marine[®], cold cranking rating of 650 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(4) engine]
- Batteries (3) - dedicated 31 series, Deka Marine[®], deep cycle, (12V), cold cranking rating of 650 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) generator, (2) ship service]
- Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 10 amp charger for the generator battery
- Dockside inlets - CATV & telephone with 50' of white cord each
- Generator - 10.0 kW, Kohler[®] gasoline with sound shield, dedicated 31 series battery & 5 year warranty
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 50 amp
- Shore power cord - Marincos[®] 50' white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

DECKS

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [12" stainless steel: anchor (1), bow (2), stern (2)]; [10" stainless steel: , spring (4)] - bolted through aluminum backing plate
- Deck toe rails
- Grab rail - stainless steel, over cabin windows, running length of cabin
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, 3/4" stainless steel insert

SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarms (2) - high water
- Bilge blowers (4) - 4" at 240 cubic foot/minute (12V)
- Bilge pumps (3) - 1500 gallons per hour each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - Ritchie® Navigator 4.5" Flush Mount, illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE421
- Galvanic isolator/zinc saver
- Horn - dual electric (12V), trumpet
- Internal bonding system with size 8 gauge wire, ABYC compliant
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription
- Spotlight - ITT Jabsco®
- Windlass package - Maxwell® 800 with 35 lb. anchor & 150' of 5/16" chain

WATER & HOLDING SYSTEMS

- Fresh water storage tank (2) - 45 gallons each, polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute flow rate, high flow filter
- Shore water connection with pressure-reduction valve
- Shower sump pump (1) - automatic/manual operation
- Waste holding tank (1) - 50 gallons with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons

BOARDING PLATFORM

- 43.42 ft² approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform
- Grab rail (1) - stainless steel, mounted above boarding ladder

COCKPIT

- 45.9 ft² approx., integral to hull & deck, self-draining
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides access to aft bilge
- Lights (6) - courtesy, recessed, with exterior-mounted switch
- Lights (3) - halogen, overhead, recessed, with exterior-mounted switch
- Locker - in-deck, self-draining, for fender storage & anchor chain
- Side deck stairways (2) - integral to deck with stainless steel grab rail
- Storage locker (2) - double doors, in transom
- Transom door - secures open & closed, stainless steel hardware

COMMAND BRIDGE

- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - wraparound, accommodates 4 adults, storage beneath
- Self-draining walk surface
- Table - recessed top
- Wet bar - self-draining under-mounted sink, solid surface countertop, storage beneath

HELM

- ✦ Access panel - provides access to wiring below helm
- ✦ Accessory space - for installing navigation equipment
- ✦ Adapter - 12V
- ✦ Beverage holders (3) - self-draining
- ✦ Companion helm seat - double-wide, starboard side
- ✦ Dash - molded fiberglass with brushed aluminum accents & black leather accents
- ✦ DC distribution panel - bridge 12V systems
- ✦ Displays (1 for each engine) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage, fuel usage, fuel trip usage, engine diagnostics
- ✦ Gauges - analog; fuel level and rudder angle (1 for each engine)
- ✦ Grab rails & storage compartment in front of companion lounge
- ✦ Helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- ✦ Lights (3) - courtesy, recessed
- ✦ Rocker switch controls
- ✦ Stereo speakers (2) - pre-wired
- ✦ Tilt steering wheel
- ✦ Windshield - tinted, wraparound, aluminum frame

SALON

- ✦ AC & DC distribution panels
- ✦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ✦ Chair - Flexsteel®
- ✦ Countertops - sapele pommele wood inlay with cherry wood sea rail
- ✦ Curtains - décor-matched
- ✦ Décor package - 5-piece decorator pillow set
- ✦ Designer décor
- ✦ Electrical outlet
- ✦ Entertainment group - 26" Sole® LCD TV (built to durable marine grade standards), Clarion® DVD/CD/MP3 player, water-resistant Clarion® AM/FM/CD stereo, Sirius® satellite radio system with 6 month trial subscription
- ✦ Entrance door - aluminum frame, sliding, handle lock, dead bolt, with interior screen
- ✦ Floor access hatches - engine room
- ✦ Lights - (11) halogen, overhead, recessed
- ✦ Rocker light switches
- ✦ Sofa - Flexsteel®, with storage
- ✦ Stereo speakers (2)
- ✦ Storage cabinets (2)
- ✦ Storage compartment (1)
- ✦ Telephone connector

GALLEY

- ✦ Coffeemaker - Black & Decker®, black
- ✦ Countertops - solid surface
- ✦ Curtains - décor-matched
- ✦ Designer décor
- ✦ Electrical outlet
- ✦ Flooring - wood plank
- ✦ Lights (3) - halogen, over countertop, recessed
- ✦ Light - halogen, overhead, recessed
- ✦ Microwave oven - Tappan®, 1.1 cubic feet, stainless steel, convection, built-in
- ✦ Range - electric, 2-burner, smooth top
- ✦ Refrigerator/freezer - Nova Kool®, 6.8 cubic feet, stainless steel, upright
- ✦ Rocker light switch
- ✦ Sink - stainless steel, under-mounted
- ✦ Storage cabinets (3)
- ✦ Storage drawer (1)
- ✦ Utility room access - storage

DINETTE

- ✦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ✦ Curtains - décor-matched
- ✦ Lights (5) - halogen, overhead, recessed
- ✦ Lounge - L-shaped
- ✦ Rocker light switch
- ✦ Table - base has side storage cabinet & (3) drawers

MASTER STATEROOM

- ♦ Berth - queen, pillow top, innerspring mattress
- ♦ Berth step-ups (2) - carpeted
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Curtains - décor-matched
- ♦ Designer décor
- ♦ Electrical outlet
- ♦ Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- ♦ Hanging locker - cedar-lined, automatic light
- ♦ Hull portlights (2) - fixed, non-opening
- ♦ Ledges (2) - cherry wood, sapele pommele wood inlay with cherry wood sea rail top
- ♦ Lights (6) - halogen, overhead, recessed
- ♦ Mirrored headboard
- ♦ Overhead hatch - translucent, lockable, inside screen
- ♦ Rocker light switches
- ♦ Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- ♦ Stereo speakers (2)
- ♦ Storage cabinets (6)
- ♦ Storage drawers (2)
- ♦ Telephone connector

MASTER HEAD

- ♦ Electrical outlet
- ♦ Entrance door - from master stateroom, solid cherry wood, secures open & closed, stainless steel hardware
- ♦ Head fan
- ♦ Hull portlight - frosted privacy glass, with screen
- ♦ Lights (4) - halogen, overhead, recessed
- ♦ Medicine cabinets (3) - mirrored fascia
- ♦ Nonskid sole
- ♦ Rocker light switches
- ♦ Toilet - VacuFlush®, pedestal
- ♦ Towel ring & toilet paper holder - wall-mounted
- ♦ Towel set - bath towel, hand towel, washcloth
- ♦ Vanity - solid surface top & backsplash, undermounted sink, drawer & storage cabinet beneath
- ♦ **Shower Stall**
- ♦ Bench seat - integral
- ♦ Hull portlight - frosted privacy glass, with screen
- ♦ Light - halogen, overhead, recessed
- ♦ Nonskid sole
- ♦ Shower curtain - décor matched
- ♦ Shower door - from master stateroom, solid cherry wood, secure closed, stainless steel hardware
- ♦ Shower head - removable for use as handshower
- ♦ Shelf - solid surface
- ♦ Storage cabinet - mirrored fascia
- ♦ Towel bar

VIP STATEROOM

- ♦ Berth - double, pillow top with storage beneath
- ♦ Berth endtable - sapele pommele inlay with cherry wood trim & sea rail
- ♦ Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- ♦ Countertops - sapele pommele wood inlay with ultraleather sea rail
- ♦ Curtains - décor-matched
- ♦ Designer décor
- ♦ Electrical outlet
- ♦ Entrance door - solid cherry wood, secures open & closed, stainless steel hardware
- ♦ Hanging locker - cedar-lined, automatic light, mirrored fascia
- ♦ Lights - (6) halogen, overhead, recessed
- ♦ Lights - (2) incandescent, directable for reading
- ♦ Headboard - mirrored fascia with storage cabinet
- ♦ Hull portlights (2) - with screen
- ♦ Rocker light switch
- ♦ Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- ♦ Storage cabinets (2)
- ♦ Storage drawers (2)

VIP HEAD

- ♦ Electrical outlet
- ♦ Entrance door from companionway, solid cherry wood, secures open & closed, stainless steel hardware
- ♦ Head fan
- ♦ Lights (3) - halogen, overhead, recessed
- ♦ Cabinet - mirrored fascia
- ♦ Nonskid sole
- ♦ Rocker light switches
- ♦ Robe hook
- ♦ Toilet - VacuFlush®, pedestal
- ♦ Towel ring & toilet paper holder - wall-mounted
- ♦ Towel set - bath towel, hand towel, washcloth
- ♦ Vanity - solid surface top, storage cabinet beneath
- ♦ **Shower Stall**
- ♦ Light - halogen, overhead, recessed
- ♦ Nonskid sole
- ♦ Shower door - acrylic sliding door
- ♦ Shower head

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader® 8.1 MPI - 385 hp*
(includes fresh water cooling)
- Crusader® 8.1 MPI - 385 hp*
(includes fresh water cooling)
- Volvo Penta® IPS 8.1

Diesel Engines

- Volvo Penta® D6 EVC - 370 hp
- Volvo Penta® D6 EVC - 435 hp
- Volvo Penta® IPS 500 - 370 hp
- Volvo Penta® IPS 600 - 435 hp
- Yanmar Marine® 6LY3A - 440 hp

MECHANICAL:

- Engine oil change system
- Single station electronic controls with synchronizer
(standard with diesel engines; optional with gas engines)

ELECTRICAL:

- Cablemaster

Generator

- Kohler® 10.0 kW* gasoline
- Kohler® 10.0 kW diesel

WATER & HOLDING SYSTEMS:

- After tank overboard discharge system with pump
- Grey water holding system

Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water only
- Seawater only

SAFETY & NAVIGATION:

- Fender racks
- Spare propellers (2) & shaft (1)

Navigation

Electronics Package

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® E66056 bronze thru-hull transducer
- Bridge Package plus Radar - Includes above bridge package above plus 4KW scanner open array

AMENITIES:

Bridge Seating

- Bench seating
- Pedestal seating*

Bridge Layout

- Standard bridge*
- Extended bridge

Bridge Wet Bar

- Ice maker - U-Line®, produces up to 23 lbs. of ice a day
- Refrigerator - Nova Kool, 2.4 cubic foot
- Storage*

Canvas

- Prestige bimini top
- Prestige full canvas with carpet

Canvas Color

- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid®*

Exterior

- Bridge air system
- Bridge hardtop
- Bridge hardtop enclosure
- Bridge lounge slip covers & pillows
- Bridge stereo - waterproof Clarion® AM/FM/CD player, Clarion® 6-disc CD changer & Sirius satellite radio receiver
- Exterior carpet - berber
- Foredeck sunpad
- Helm & seat covers

Salon

- Central vacuum system - WalVac®
- Pillow set - decorator, 6-piece
- Clarion® 6-disc CD changer

Salon Sofa

- Double incliners
- Storage*
- Stowaway bed

Staterooms

Master Stateroom

- 17" LCD drop-down TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player
- Washer & Dryer - Malber®, front loading & energy efficient

VIP Stateroom

- 15" Sole® LCD TV (built to durable marine grade standards) & Clarion DVD/CD/MP3 player

EXTERIOR PAINT: Hull Paint Application

- Paint to Hull Plank
- Paint to Mid-Hull
- Paint on Full Hull

Hull Paint Color (with matching boot stripe)

- Carver Blue (a blue steel metallic)
- Navy Blue

Painted Boot Stripe Color

- Black*
- Blue
- Carver Blue - included with Carver Blue exterior paint options
- Navy Blue - included with Navy Blue exterior paint options

DECOR:

Ensemble

- Suntan® (warm brown tones)
- Ocean (spa blue/dark sand browns)

Upholstery

- Cocoa & Sand*





Countertops

- Bahamas Sand*
- Expression

Exterior Seating

Upholstery Color

- Gray*
- Taupe



– EXTENDED BRIDGE –

Carver Boat Corporation LLC
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600