

360 Motor Yacht



SPECIFICATIONS

Beam	13'2"	4,01 m
Bridge Clearance <i>with arch</i>	17'10"	5,44 m
Cabin Headroom	6'5"	1,96 m
Draft	38"	0,97 m
Fuel System - <i>Gas or Diesel Twin Inboards</i>	250 U.S. gals.	946 liters
Holding Tank	36 U.S. gals.	136 liters
LOA <i>with platform</i>	36'11"	11,25 m
Sleeps	6	
Water System	70 U.S. gals.	265 liters
Weight <i>with fuel & water</i>	21,500 lbs.	9752 kg

CONSTRUCTION

- Cherry wood bulkheads, cabinetry, & trim throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Molded fiberglass stringer system
- Solid fiberglass hull bottoms with Knytex substrates & Vinylester barrier coat
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Tinted, tempered safety glass frameless window systems
- Unitized deck & cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning - 3-zone, 33,000 BTU; with reverse cycle heat; dedicated shore power connector
- Carver Docking System
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders & Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge blower controls; AC voltmeters; AC ammeters
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converter
- External connectors - CATV, telephone
- Generator - 6 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 220V (110V) outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 15,2 cm
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & HOLDING SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic operation
- Waste holding tanks (2) - with filtered vents & dockside pumpouts
- Waste tank level monitors (2)
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 41,6 liters

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 5678 lph, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon & staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE421 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 15,8 kg. anchor & 38,1 m of 0,8 cm chain

DECKS

- Bow rail - 2,5 cm O.D., lineal-buffed, welded stainless steel, with additional intermediate rails
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [25 cm stainless steel: Anchor (1), Bow (2), Stern (4)]; [20 cm stainless steel: Spring cleats (4)] - bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, runs length of cabin & above windshield
- Hand rail - 2,5 cm O.D., stainless steel, around entire aft deck, welded to stainless steel-topped weather boards.
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, stainless steel insert

BOARDING PLATFORM

- 3,2 m² approx., integral to hull & deck
- Aft deck stairway - circular, integral to deck with 2 stainless steel hand rails
- Boarding ladder - telescoping, concealed in boarding platform
- Grab rails (2) - stainless steel, mounted on deck above boarding ladder
- Hand rail - stainless steel, across transom

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Carpeted catwalk
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (3) - incandescent, on bulk-heads, control mounted in galley

COCKPIT

- 220V (110V) outlet in Aft deck
- 6,1 m² approx., integral to deck, self-draining
- Command bridge stairway - integral to deck with courtesy light & stainless steel hand rail on each side
- Electronics arch - custom aluminum with acrylic polyurethane surface coating & UV protection
- Electronics arch access plates (8) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Grab rail - stainless steel, over cabin windows, runs length of cabin & above windshield
- Hand rail - stainless steel, across cabin door
- Hardtop over entire aft deck
- Light - courtesy, recessed
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Storage locker
- Transom door - fiberglass, secures open & closed, stainless steel hardware
- Wing doors (2) - clear acrylic in aluminum frame, secure open & closed, stainless steel hardware, provide access to the side decks

HELM

- Access panel - provides access to wiring in helm console
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holder - recessed, self-draining
- Companion seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - molded fiberglass with brushed aluminum accents
- DC distribution panel - bridge 12V systems
- Gauges - synchronizer; rudder angle; tachometer, engine hours (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level, (multi-gauge, 1 per engine)
- Grab rails (2) - stainless steel, on either end of helm
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Lights (3) - courtesy, recessed
- Lounge - L-shaped, aft, with storage beneath, accommodates 3 adults
- Rocker switch controls
- Self-draining walk surface
- Stereo speakers (2) -
- Storage locker
- Tilt steering wheel
- Wet bar - with integral sink, wraparound stainless steel grab bar & storage beneath
- Windshield - tinted, wrap-around, stainless steel frame

DINETTE

- Bench seats (2) - with storage beneath
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Table - cherry wood top; brushed aluminum, adjustable height leg

SALON

- AC & DC distribution panels
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Chair - Flexsteel, tub-style
- Countertops - cherry wood
- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set
- Designer décor
- Entertainment group - AM/FM/CD stereo, wire only for TV/DVD
- Entrance door - tinted acrylic, sliding, lockable
- Floor access hatches (5) - engine room
- Fresh air system - passive, with controllable overhead vents
- Lights (4) - halogen, overhead, recessed
- Master stateroom stairway - integral
- Mini blinds - décor-matched
- Rocker light switches
- Sofa - Flexsteel, with stowaway bed & extension
- Storage cabinet - with 2 doors
- Telephone connector

GALLEY

- 220V (110V) GFCI outlet
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Coffee maker - 110V
- Countertops - solid surface
- Curtain - décor-matched
- Designer décor
- Lights (2) - halogen, overhead, recessed
- Oven - convection/microwave, built-in
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - side-by-side, under counter
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Storage cabinets (2)
- Storage drawers (4)
- Storage - under sink with 2 rotating, slide-out, coated wire racks

MASTER STATEROOM

- 220V (110V) outlet
- Berth - double, pillowtop innerspring mattress, offset island
- Berth endtables (2) - cherry wood
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, sliding, secures open & closed, stainless steel hardware
- Hanging lockers (2) - automatic light
- Lights (3) - halogen, overhead, recessed
- Portlight - with screen
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Shelves (2) - cherry wood with restraining bolster
- Stereo speakers (2) - with volume control
- Storage drawers (3)
- Storage cabinets (4)
- Window - tinted, removable, in aft bulkhead

MASTER HEAD

- 220V (110V) GFCI outlet
- Clothes hook
- Curtains - décor-matched
- Entrance door - solid cherry wood, sliding, secures open & closed, stainless steel hardware
- Head fan
- Light - halogen, overhead, recessed
- Medicine cabinets (2) - with mirrored doors
- Nonskid sole
- Portlight - with screen
- Rocker light switch
- Storage cabinet
- Toilet - vacuum flush, pedestal
- Towel bar
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style countertop & backsplash with integral sink, 2 shelves beneath with door

Shower Stall

- Bench seat - integral
- Entrance door - acrylic in aluminum frame, bi-fold, secures open & closed
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower head - wall-mounted holding bracket, removable for use as a hand-shower
- Storage cabinet - with mirrored door

VIP STATEROOM

- 220V (110V) outlet
- Berth - double, offset, with berth cover
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, sliding, secures open & closed, stainless steel hardware
- Hanging locker - automatic light
- Ledge tops - cherry wood
- Lights (2) - halogen, overhead, directable for reading
- Lights (2) - halogen, overhead, recessed
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - tinted, lockable, inside screen
- Portlights (2) - with screen
- Private forward head access
- Rocker light switch
- Storage cabinets (3)
- Storage drawer
- Telephone connector

HEAD

- 220V (110V) outlet
- Entrance doors (2) - one to guest stateroom & one to galley, solid cherry wood, secure closed, stainless steel hardware
- Head fan
- Lights (4) - halogen, overhead, recessed
- Medicine cabinets (2) - 2 shelves with mirrored doors
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switch
- Shower curtain - décor-matched
- Toilet - vacuum flush, pedestal
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style countertop & backsplash with integral sink, 1 shelf beneath with 2 doors, sink spigot removable for use as hand-shower

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader 5,7 MPI* (includes fresh water cooling)
- Crusader 6,0 MPI (includes fresh water cooling)
- Crusader 8,1 MPI
- Volvo 5,7 GXI
- Volvo 8,1 GI (includes fresh water cooling)
- Fresh water cooling (available for Volvo 5,7)

Diesel Engines

- Volvo D6 - 310 hp
- Volvo D6 - 370 hp
- Yanmar 6LPA-STP - 315 hp

MECHANICAL:

- Engine oil change system

ELECTRICAL:

Generator

- Kohler 6 kW* gasoline
- Kohler 6,5 kW diesel
- Kohler 7 kW diesel

WATER & HOLDING SYSTEMS:

- Grey water holding system
- Overboard discharge system

Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water
- Seawater

SAFETY & NAVIGATION:

- Fender racks

Navigation

Electronics Package

- Bridge

Spare Propellers & Shaft

- For gasoline engines
- For diesel engines

AMENITIES:

Aft Deck Storage

- Aft Deck Storage*
- Icemaker

Bridge Seating

- Two pedestal seats & wet bar
- Three pedestal seats with no wet bar

Bridge Storage (choose one)

- Icemaker
- Refrigerator
- Storage*

Bridge Windshield

- Skiff
- Venturi*

Canvas

- Prestige bimini top
- Prestige full canvas with carpet

Exterior

- Bridge cover
- Bridge lounge slip covers & pillows
- Carpet
- Helm & seat covers
- Transom walkway

Salon

- Central vacuum system - 220V
- Pillow set - decorator, 6-piece
- Stereo addition: remote-mounted 6-disc CD player

Staterooms

Master Stateroom

- TV wire only

VIP Stateroom

- TV wire only

DÉCOR:

Canvas Color

- Black Sunbrella
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid*

Countertops

- Black*
- Savannah


Ensemble

- Aegean (blue/green tones)
Ultraleather: Truffle*
OR White
- Belize* (beige/neutral tones)
Ultraleather: Bridle*
OR Milkweed
- Caspian (black & ivory tones)
Ultraleather: Raven Wing*
OR Milkweed

*Standard Option

360 Motor Yacht

FLOOR PLANS



Carver Boat Corporation LLC
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600