

360 Sport



SPECIFICATIONS

Beam	13'2"	4,01 m
Bridge Clearance <i>with arch</i>	14'6"	4,42 m
Cabin Headroom	6'5"	1,96 m
Draft	31"	0,79 m
Fuel System <i>Gas or Diesel Twin Inboards</i>	280 U.S. gals	1060 liters
Holding Tank	45 U.S. gals	170 liters
LOA <i>with platform</i>	37'8"	11,48 m
Water System	75 U.S. gals	284 liters
Weight <i>with fuel & water</i>	22,000 lbs.	9979 kg
Sleeps	4 (6 <i>optional</i>)	

CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning - 2-zone, 32,000 BTU; with reverse cycle heat; dedicated shore power connector
- Carver Docking System™
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - Aquamet®
- Rudders & struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 6 kW, Kohler®, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 15,2 m
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & HOLDING SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 41,6 liters

SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 5678 lph each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 15,8 kg anchor & 38,1 m of 0,8 cm chain

DECKS

- Bow rail - 2,5 cm O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [25 cm stainless steel: anchor (1), bow (2), stern (4)]; [20,3 cm stainless steel: spring (4)] - bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin & above windshield
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, stainless steel insert

BOARDING PLATFORM

- 3,3 m² approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform
- Grab rail - stainless steel, mounted on deck above boarding ladder
- Hatch - covers shore power cord(s) & shore water hose
- Storage lockers (2) - in transom

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Carpeted catwalk
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (5) - 2 halogen, 3 fluorescent, overhead, controls mounted in salon

COCKPIT

- 4,6 m² approx., integral to hull & deck, self-draining
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck with stainless steel hand rail, 3 courtesy lights
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 1,37 m from cabin toward stern
- Side deck stairways (2) - integral to deck with stainless steel grab rail, 2 courtesy lights
- Transom door - aluminum, secures open & closed, stainless steel hardware

COMMAND BRIDGE

- Beverage holders (6) - recessed, integral, self-draining
- Electronics arch - custom aluminum with acrylic polyurethane surface coating & UV protection
- Electronics arch access plates (6) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Windshield - wraparound, tinted glass with stainless steel frame

HELM

- Access panel - provides access to helm wiring
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - recessed, self-draining, with stainless steel holder
- Companion helm seats (2) - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Gauges - synchronizer; rudder angle; tachometer, engine hours (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level, (multi-gauge, 1 per engine)
- Grab rails (2) - stainless steel, on either side of helm console
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Rocker switch controls
- Stereo speaker
- Tilt steering wheel

SALON

- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertops - cherry wood with sea rail
- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set
- Designer décor
- Entertainment group - AM/FM/CD stereo, wiring only for TV/DVD
- Entrance door - tinted glass, aluminum frame, curved, sliding, handle lock, deadbolt, with interior screen
- Floor access hatches - engine room
- Hardware highlights - brass/chrome
- Lights (4) - halogen, overhead, recessed, with electronic dimmer control
- Rocker light switches
- Sofa - Flexsteel®, with storage beneath
- Stereo speaker
- Storage cabinets (2)
- Telephone connector

GALLEY

- Coffeemaker
- Countertops - solid surface
- Curtains - décor-matched
- Designer décor
- Electrical outlets
- Flooring - wood plank
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Oven - convection / microwave, built-in
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - side-by-side
- Rocker light switch
- Sink - with solid surface cover
- Stereo speaker
- Storage cabinets (4)
- Storage drawers (4)

DINETTE

- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Curtains - décor-matched
- Lights (4) - halogen, overhead, recessed
- Lounge - U-shaped
- Rocker light switch
- Table - cherry wood top; 2 brushed aluminum, adjustable height legs

COMPANIONWAY

- AC & DC distribution panels
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertop - cherry wood
- Curtains - décor-matched
- Hand rail - stainless steel, on stairway
- Hull portlight - with screen
- Lights (2) - courtesy, recessed
- Rocker light switch
- Storage cabinet

MASTER STATEROOM

- Berth - queen, pillowtop innerspring mattress
- Berth endtables (2) - cherry wood top
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging lockers (2) - carpeted, automatic light, 3 shelves in each
- Hull portlights (2) - with screen
- Ledge tops - cherry wood
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, overhead, directable for reading
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - tinted, lockable, inside screen
- Private head access
- Rocker light switch
- Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- Stereo speaker
- Storage cabinets (7)
- Storage drawer
- Telephone connector

HEAD

- Electrical outlet
- Entrance doors (2) - one to master stateroom & one to galley, 2-panel cherry wood, secure closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Hull portlight - with screen
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored doors, 2 shelves
- Nonskid sole
- Rocker light switch
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style top & backsplash, integral sink, storage beneath with 2 doors

Shower Stall / Water Closet

- Countertop - granite-style with integral
- Lights (2) - halogen, overhead, recessed
- Nonskid sole
- Shower door - clear acrylic in aluminum frame, bi-fold, secures open & closed, stainless steel hardware
- Shower head - removable for use as hand-shower
- Storage cabinets (2)
- Toilet - vacuum flush, pedestal
- Toilet paper holder
- Towel bar

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader® 6 MPI - 375 hp* (includes fresh water cooling)
- Crusader® 8.1 MPI - 385 hp (includes fresh water cooling)
- Volvo Penta® 8.1 GI - 375 hp (includes fresh water cooling)

Diesel Engines

- Yanmar Marine® 6LPA-STP - 315 hp
- Volvo Penta® D6 - 310 hp

MECHANICAL:

- Engine oil change system

ELECTRICAL:

Generator

- Kohler® 6 kW* gasoline
- Kohler® 6.5 kW diesel
- Kohler® 7 kW diesel

Forward Shorepower Adaptor

- Dual
- Single

WATER & HOLDING SYSTEMS:

- Grey water holding system
- Overboard discharge system

Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water
- Seawater

SAFETY &

NAVIGATION:

- Fender racks

Navigation

Electronics Package

- Bridge Package - E80 multifunction unit, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, DSM 300 sonar, E66056 transducer

Spare Propellers & Shaft

- For gasoline engines
- For diesel engines

AMENITIES:

Boot Stripe (painted)

- Black
- Blue*

Canvas

- Prestige bimini top
- Prestige full canvas with carpet

Exterior

- Bridge carpet
- Bridge cover
- Bridge lounge slip covers & pillows
- Foredeck sunpad

Galley

- Icemaker - 220V

VIP STATEROOM

- Berth - double, converts to twins with removable center filler, with berth covers
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertops - cherry wood
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, split, pocket-style, secures open & closed, stainless steel hardware
- Hull portlight
- Lights (4) - halogen, overhead, recessed
- Lights (2) - halogen, sconces, directable for reading
- Rocker light switch
- Shelves (2) - cherry wood, recessed
- Storage - beneath mattress
- Storage cabinets (3)

Salon

- Central vacuum system - 220V
- Pillow set - decorator, 6-piece
- Stereo addition - 6 disc remote mount CD player

Sofa

- Double incliners
- Storage*
- Stowaway bed

Stateroom

Master Stateroom

- TV wire only

DÉCOR:

Ensemble

- Aegean (blue/green tones) Interior Seating: Diplomat Cocoa* OR Diplomat Snow

- Belize (beige/neutral tones)*

- Interior Seating: Diplomat Brandy* OR Diplomat Sand
- Caspian (black & ivory tones) Interior Seating: Diplomat Black* OR Diplomat Sand

Countertops Color

- Black*
- Savannah


Canvas Color

- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid*

*Standard

360 Sport

FLOOR PLANS



Carver Boat Corporation LLC
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600