

# 360 Sport



## SPECIFICATIONS

Beam	13'2"	4,01 m
Bridge Clearance <i>with arch</i>	14'6"	4,42 m
Cabin Headroom	6'5"	1,96 m
Draft	31"	0,79 m
Fuel System <i>Gas or Diesel Twin Inboards</i>	280 U.S. gals	1060 liters
Holding Tank	45 U.S. gals	170 liters
LOA <i>with platform</i>	37'8"	11,48 m
Water System	75 U.S. gals	284 liters
Weight <i>with fuel &amp; water</i>	22,000 lbs.	9979 kg
Sleeps	4 (6 <i>optional</i> )	

### CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - 2-zone, 32,000 BTU; with reverse cycle heat; dedicated shore power connector
- Carver Docking System
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders & Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 6 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 220V outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 15,2 m
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & HOLDING SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 41,6 liters

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 5678 lph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon & staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 15,8 kg anchor & 38,1 m of 0,8 cm chain

### DECKS

- Bow rail - 2,5 cm O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - (25 cm stainless steel: Anchor (1), Bow (2), Stern (4); (20,3 cm stainless steel: Spring (4) - bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin & above windshield
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, stainless steel insert

### BOARDING PLATFORM

- 3,3 m<sup>2</sup> approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform
- Grab rail - stainless steel, mounted on deck above boarding ladder
- Hatch - covers shore power cord(s) & shore water hose
- Storage lockers (2) - in transom

### ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Carpeted catwalk
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (5) - 2 halogen, 3 fluorescent, overhead, controls mounted in salon

## COCKPIT

- 4,6 m<sup>2</sup> approx., integral to hull & deck, self-draining
- 220V (110V) GFCI outlet
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck with stainless steel hand rail, 3 courtesy lights
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 1,37 m from cabin toward stern
- Side deck stairways (2) - integral to deck with stainless steel grab rail, 2 courtesy lights
- Transom door - aluminum, secures open & closed, stainless steel hardware

## COMMAND BRIDGE

- Beverage holders (6) - recessed, integral, self-draining
- Electronics arch - custom aluminum with acrylic polyurethane surface coating & UV protection
- Electronics arch access plates (6) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Windshield - wraparound, tinted glass with stainless steel frame

## HELM

- Access panel - provides access to helm wiring
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - recessed, self-draining, with stainless steel holder
- Companion seats (2) - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Gauges - synchronizer; rudder angle; tachometer, engine hours (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level, (multi-gauge, 1 per engine)
- Grab rails (2) - stainless steel, on either side of helm console
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Rocker switch controls
- Stereo speaker
- Tilt steering wheel

## SALON

- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertops - cherry wood with sea rail
- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set
- Designer décor
- Entertainment group - AM/FM/CD stereo, wiring only for TV/DVD
- Entrance door - tinted glass, aluminum frame, curved, sliding, handle lock, deadbolt, with interior screen
- Floor access hatches - engine room
- Hardware highlights - brass/chrome
- Lights (4) - halogen, overhead, recessed, with electronic dimmer control
- Rocker light switches
- Sofa - Flexsteel, with storage beneath
- Stereo speaker
- Storage cabinets (2)
- Telephone connector

## GALLEY

- 220V (110V) outlets
- Coffeemaker
- Countertops - solid surface
- Curtains - décor-matched
- Designer décor
- Flooring - wood plank
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Oven - convection / microwave, built-in
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - side-by-side
- Rocker light switch
- Sink - with solid surface cover
- Stereo speaker
- Storage cabinets (4)
- Storage drawers (4)

## DINETTE

- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Curtains - décor-matched
- Lights (4) - halogen, overhead, recessed
- Lounge - U-shaped
- Rocker light switch
- Table - cherry wood top; 2 brushed aluminum, adjustable height legs

## COMPANIONWAY

- AC & DC distribution panels
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertop - cherry wood
- Curtains - décor-matched
- Hand rail - stainless steel, on stairway
- Lights (2) - courtesy, recessed
- Portlight - with screen
- Rocker light switch
- Storage cabinet

## MASTER STATEROOM

- 220V (110V) outlet
- Berth - queen, pillowtop innerspring mattress
- Berth endtables (2) - cherry wood top
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging lockers (2) - carpeted, automatic light, 3 shelves in each
- Ledge tops - cherry wood
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, overhead, directable for reading
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - tinted, lockable, inside screen
- Portlights (2) - with screen
- Private head access
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speaker
- Storage cabinets (7)
- Storage drawer
- Telephone connector

## HEAD

- 220V (110V) outlet
  - Entrance doors (2) - one to master stateroom & one to galley, 2-panel cherry wood, secure closed, stainless steel hardware
  - Hardware highlights - brass/ chrome
  - Head fan
  - Lights (2) - halogen, overhead, recessed
  - Medicine cabinet - mirrored doors, 2 shelves
  - Nonskid sole
  - Portlight - with screen
  - Rocker light switch
  - Towel ring
  - Towel set - bath towel, hand towel, washcloth
  - Vanity - granite-style top & backsplash, integral sink, storage beneath with 2 doors
- ### Shower Stall / Water Closet
- Countertop - granite-style with integral
  - Entrance door - clear acrylic in aluminum frame, bi-fold, secures open & closed, stainless steel hardware
  - Lights (2) - halogen, overhead, recessed
  - Nonskid sole
  - Shower head - removable for use as hand-shower
  - Storage cabinets (2)
  - Toilet - vacuum flush, pedestal
  - Toilet paper holder
  - Towel bar

## OWNER PREFERENCE ITEMS

### PROPULSION:

#### Gasoline Engines

- Crusader 6 MPI\* (includes fresh water cooling)
- Crusader 8.1 MPI (includes fresh water cooling)
- Volvo 8.1 GI (includes fresh water cooling)

#### Diesel Engines

- Yanmar 6LPA-STP - 315 hp
- Volvo D6 - 310 hp

### MECHANICAL:

- Engine oil change system

### ELECTRICAL:

#### Generator

- Kohler 6 kW\* gasoline
- Kohler 6.5 kW diesel
- Kohler 7 kW diesel

#### Forward Shorepower Adaptor

- Dual
- Single

### WATER & HOLDING SYSTEMS:

- Grey water holding system
- Overboard discharge system

#### Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water
- Seawater

### SAFETY &

### NAVIGATION:

- Fender racks

#### Navigation

#### Electronics Package

- Bridge

#### Spare Propellers & Shaft

- For gasoline engines
- For diesel engines

### AMENITIES:

#### Canvas

- Prestige bimini top
- Prestige full canvas with carpet

#### Exterior

- Bridge cover
- Bridge lounge slip covers & pillows
- Carpet
- Foredeck sunpad

#### Galley

- Icemaker - 220V

#### Salon

- Central vacuum system - 220V
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted CD player

## VIP STATEROOM

- 220V (110V) GFCI outlet
- Berth - double, converts to twins with removable center filler, with berth covers
- Carpet - tufted cut pile, 1,8 kg, crush-resistant, 100% nylon
- Countertops - cherry wood
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, split, pocket-style, secures open & closed, stainless steel hardware
- Lights (4) - halogen, overhead, recessed
- Lights (2) - halogen, sconces, directable for reading
- Rocker light switch
- Shelves (2) - cherry wood, recessed
- Storage - beneath mattress
- Storage cabinets (3)
- Window - tinted

### Sofa

- Incliners
- Storage\*
- Stowaway bed

### Stateroom

#### Master Stateroom

- TV wire only

### DÉCOR:

#### Ensemble

- Aegean (blue/green tones)  
Interior Seating: Diplomat Cocoa\* OR Diplomat Snow
- Belize (beige/neutral tones)\*  
Interior Seating: Diplomat Brandy\* OR Diplomat Sand
- Caspian (black & ivory tones)  
Interior Seating: Diplomat Black\* OR Diplomat Sand

### Countertops Color

- Black\*
- Savannah


### Canvas Color

- Black Sunbrella
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid\*

\*Standard Option

# 360 Sport

FLOOR PLANS



Carver Boat Corporation LLC  
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600