


---

# 36 MOTOR YACHT

---





  
**CARVER**<sup>®</sup>  
YACHTS

# 36 MOTOR YACHT

## SPECIFICATIONS

LOA with platform . . . . .	36'11"	11,25 m
Beam . . . . .	13'2"	4,01 m
Draft . . . . .	38"	0,97 m
Bridge Clearance with arch . . . . .	17'10"	5,44 m
Weight with fuel & water . . . . .	21,500 lbs.	9752 kg
Water System . . . . .	70 U.S. gals.	265 liters
Waste System . . . . .	36 U.S. gals.	136 liters
Fuel System - Gas or Diesel Twin Inboards . . . . .	250 U.S. gals.	946 liters
Cabin Headroom . . . . .	6'5"	1,96 m
Sleeps . . . . .	6	



# 36 MOTOR YACHT

## STANDARD FEATURES

### CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - 3-zone, 33,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC voltmeters; AC ammeters
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converter

- External connectors - CATV, telephone
- Generator - 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot and cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic operation
- Waste holding tanks (2) - with filtered vents and dockside pump outs
- Waste tank level monitors (2)
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (110V)

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241, FM200

- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 35 lb. anchor and 125' of 5/16" chain

### BRIDGE

#### Command Bridge

- Beverage holder - recessed, self-draining
- Light - courtesy, recessed
- Lounge - L-shaped, aft, with storage beneath, accommodates 3 adults
- Self-draining walk surface
- Storage locker
- Wet bar - with integral sink, wraparound stainless steel grab bar and storage beneath with 2 pedestal seats

#### Helm

- Access panel - provides access to wiring in helm console
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Companion seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - fiberglass with faux burl walnut accents
- DC distribution panel - bridge 12V systems
- Grab rails (2) - stainless steel, on either end of helm
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Lights (2) - courtesy, recessed
- Stereo speakers (2) - pre-wired
- Tilt steering wheel
- Windshield - tinted, wrap-around, stainless steel frame

# 36 MOTOR YACHT

## INSTRUMENTATION

- Gauges - synchronizer; rudder angle; tachometer, engine hours (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level, (multi-gauge, 1 per engine)
- Rocker switch controls

## DECK

### Aft Deck

- 110V outlet - GFCI protected
- 66 ft<sup>2</sup> (approx.), integral to deck, self-draining
- Command bridge stairway - integral to deck with courtesy light and stainless steel hand rail on each side
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (8) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Hand rail - stainless steel, across cabin door
- Hand rail - 1.0" O.D., stainless steel, around entire aft deck, welded to stainless steel-topped weather boards.
- Hardtop over entire aft deck
- Light - courtesy, recessed
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Storage locker
- Transom door - fiberglass, secures open and closed, stainless steel hardware
- Wing doors (2) - clear acrylic in aluminum frame, secure open and closed, stainless steel hardware, provide access to the side decks

### Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rails
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 8" spring, stainless steel, bolted through aluminum backing plate

- Deck toe rail
- Grab rail - stainless steel, over cabin windows, runs length of cabin and above windshield
- Rub rail molding - heavy-duty, stainless steel insert

### Fore Deck

- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, bolted through aluminum backing plate
- Over-the-stem anchor roller

## ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Carpeted catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (3) - incandescent, on bulkheads, control mounted in galley

## BOARDING PLATFORM

- 35 ft<sup>2</sup> (approx.), integral to hull and deck
- Aft deck stairway - circular, integral to deck with 2 stainless steel hand rails
- Boarding ladder - telescoping, concealed in boarding platform
- Cleats (4) - 10" stainless steel, bolted through aluminum backing plate
- Grab rails (2) - stainless steel, mounted on deck above boarding ladder
- Hand rail - stainless steel, across transom

## SALON

- AC and DC distribution panels
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Chair - Flexsteel, tub-style
- Countertops - cherry wood
- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set

- Designer décor
- Entertainment group - 20" LCD TV and DVD, AM/FM/CD stereo, satellite radio system
- Entrance door - tinted acrylic, sliding, lockable
- Floor access hatches (5) - engine room
- Fresh air system - passive, with controllable overhead vents
- Lights (4) - halogen, overhead, recessed
- Lounge - Flexsteel, with stowaway bed and extension
- Master stateroom stairway - integral
- Mini blinds - décor-matched
- Rocker light switches
- Storage cabinet - with 2 doors
- Telephone connector

## GALLEY

- 110V outlet - GFCI protected
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Coffeemaker
- Countertops - solid surface
- Curtain - décor-matched
- Designer décor
- Lights (2) - halogen, overhead, recessed
- Oven - convection/microwave, built-in
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - side-by-side, under counter
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Storage cabinets (2)
- Storage drawers (4)
- Storage - under sink with 2 rotating, slide-out, coated wire racks

# 36 MOTOR YACHT

## DINETTE

- Bench seats (2) - with storage beneath
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Table - cherry wood top; brushed aluminum, adjustable height leg

## MASTER STATEROOM

- 110V outlet - GFCI protected
- Berth - double, offset island
- Berth endtables (2) - cherry wood
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, sliding, secures open and closed, stainless steel hardware
- Hanging lockers (2) - automatic light
- Lights (3) - halogen, overhead, recessed
- Portlight - with screen
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Shelves (2) - cherry wood with restraining bolster
- Stereo speakers (2) - with volume control
- Storage drawers (3)
- Storage cabinets (4)
- Window - tinted, removable, in aft bulkhead

## MASTER HEAD

- 110V outlet - GFCI protected
- Clothes hook
- Curtains - décor-matched
- Entrance door - solid cherry wood, sliding, secures open and closed, stainless steel hardware
- Head fan
- Light - halogen, overhead, recessed
- Medicine cabinets (2) - with mirrored doors
- Nonskid sole

- Portlight - with screen
- Rocker light switch
- Storage cabinet
- Toilet - vacuum flush, pedestal
- Towel bar
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style countertop and backsplash with integral sink, 2 shelves beneath with door

## Shower Stall

- Bench seat - integral
- Entrance door - acrylic in aluminum frame, bi-fold, secures open and closed
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower head - wall-mounted holding bracket, removable for use as a hand-shower
- Storage cabinet - with mirrored door

## GUEST STATEROOM

- 110V outlet - GFCI protected
- Berth - double, offset, with berth cover
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, sliding, secures open and closed, stainless steel hardware
- Hanging locker - automatic light
- Ledge tops - cherry wood
- Lights (2) - halogen, overhead, directable for reading
- Lights (2) - halogen, overhead, recessed
- Mirror - on forward bulkhead, conceals anchor chain locker access

- Overhead hatch - tinted, lockable, inside screen
- Portlights (2) - with screen
- Private forward head access
- Rocker light switch
- Storage cabinets (3)
- Storage drawer
- Telephone connector

## Forward Head

- 110V outlet - GFCI protected
- Entrance doors (2) - one to guest stateroom and one to galley, solid cherry wood, secure closed, stainless steel hardware
- Head fan
- Lights (4) - halogen, overhead, recessed
- Medicine cabinets (2) - 2 shelves with mirrored doors
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switch
- Shower curtain - décor-matched
- Toilet - vacuum flush, pedestal
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style countertop and backsplash with integral sink, 1 shelf beneath with 2 doors, sink spigot removable for use as hand-shower

# 36 MOTOR YACHT

## OWNER PREFERENCE ITEMS

### PROPULSION

- Fresh water cooling (available only with Volvo 5.7 engine)

### Gasoline Engines

- Crusader 5.7 MPI (includes fresh water cooling) (standard)
- Crusader 6.0 MPI (includes fresh water cooling)
- Crusader 8.1 MPI (includes fresh water cooling)
- Volvo 5.7GX1
- Volvo 8.1GI (includes fresh water cooling)

### Diesel Engines

- Yanmar 6LPA-STP - 315 hp
- Volvo D6 - 310 hp
- Volvo D6 - 370 hp

### MECHANICAL

- Bow thruster
- Engine oil change system

### ELECTRICAL

#### Generator

- Kohler 7.3 kW, gasoline (standard)
- Kohler 8.0 kW, diesel

### WATER & WASTE SYSTEMS

- Grey water holding system
- Overboard discharge system

### Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION

- Single station electronics package
- Fender racks

### Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

### EXTERIOR AMENITIES

- Bridge cover
- Carpet
- Helm and seat covers
- Ice maker (in lieu of aft deck storage locker)
- Refrigerator (in lieu of bridge storage locker)
- Third pedestal seat on bridge (in lieu of bridge wet bar)
- Transom walkway

### Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

### Canvas Color

- Black Sunbrella (standard)
- Captain's Navy
- Toast
- White Stamoid
- White Sunbrella

### DÉCOR

#### Ensemble

- Bimini - blue tones
- Cozumel - neutral tones (standard)

#### Coordinated Countertops

- Black magic - black (standard)
- Harvest moon - tan
- Savannah - neutral

### Interior Seating Material/Color

- Ultraleather buff (standard)
- Ultraleather pecan

### Carpet

- Winter Wind - brown
- Zinfandel - beige (standard)

### CABIN AMENITIES - SALON

- Central vacuum system
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted 6-disc CD player

### CABIN AMENITIES - FORWARD & AFT

- TV/DVD - 15" LCD, in master stateroom
- TV/DVD - 10" LCD, in guest stateroom

### MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214  
www.carveryachts.com