






SPECIFICATIONS

LOA with platform	.37'8"	. 11,48 m
Beam	.13'2"	. 4,01 m
Draft	.31"	. 0,79 m
Bridge Clearance with arch	.14'6"	. 4,42 m
Weight with fuel & water	.22,000 lbs	. 9979 kg
Water System	.75 U.S. gals	. 284 liters
Waste System	.25 U.S. gals	. 95 liters
Fuel System - Gas or Diesel Twin Inboards	.280 U.S. gals	. 1060 liters
Cabin Headroom	.6'5"	. 1,96 m
Sleeps	.4 (6 optional)	







STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings reinforced stringer mountings with double-gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, trim, and doors throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning 2-zone, 32,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers engines, generator
- · Fresh water cooling engines
- Fuel tanks welded, baffled 5052 aluminum
- · Hydraulic steering
- Internal seawater strainers
- Propellers manufacturer-certified
- · Propeller shafts aquamet
- Rudders 421 manganese bronze
- · Struts 421 manganese bronze
- · Trim tabs stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC and DC voltmeters; AC ammeter
- Batteries (4) deep cycle, marine (12V)
- Battery chargers (2) electronic, AC-DC converters
- External connectors -CATV, telephone
- · Generator 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- · Shore power connectors (2) 30 amp
- Shore power cords (2) 50 ft.
- Wiring system tinned copper strand wire, harnessed, colorcoded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- · Fresh water tank level monitor
- · Hot and cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pump automatic/manual operation
- Waste holding tank with filtered vent and dockside pumpout
- · Waste tank level monitor
- Water and waste lines constructed of molecularly cross-linked polyethylene
- Water heater 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes zinc, sacrificial
- Battery master disconnect switches
- · Battery restraint brackets
- Bilge alarm high water
- Bilge blowers (12V)
- Bilge pumps (3) 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- · Compass illuminated, dual-read
- Engine alarms temperature and oil pressure
- Fire suppression system automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- · Horn air/electric (12V), trumpet
- · Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package with 35 lb. anchor and 125' of 5/16" chain

BRIDGE

Command Bridge

- Beverage holders (6) recessed, integral, self-draining
- Electronics arch custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates
 (6) corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Lights (3) courtesy, recessed, with exterior-mounted switch
- Lounge with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Windshield wraparound, tinted glass with stainless steel frame

Helm

- Access panel provides access to helm wiring
- Accessory space for installing navigation equipment
- Adapter 12V
- Beverage holders (2) recessed, self-draining, with stainless steel holder
- Companion seats (2) adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash fiberglass with faux distressed leather accents
- DC circuit breaker panel for helm electronics
- Grab rails (2) stainless steel, on either side of helm console
- Helm seat adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Stereo speakers (2)
- · Tilt steering wheel

Instrumentation

- Gauges synchronizer; rudder angle; tachometer, engine hours (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level, (multi-gauge, 1 per engine)
- · Rocker switch controls

DECK

Side Decks

- Bow rail 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) 8" spring, stainless steel, bolted through aluminum backing plate
- · Deck toe rail
- Grab rail stainless steel, over cabin windows, running length of cabin and above windshield
- Rub rail molding heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) 10" stainless steel, bolted through aluminum backing plate
- Cleat 10" stainless steel for anchor line, bolted through aluminum backing plate
- · Over-the-stem anchor roller

COCKPIT

- 50 ft² (approx.), integral to hull and deck, self-draining
- 110V outlet GFCI protected
- Boarding access from port or starboard dock
- Command bridge stairway integral to deck with stainless steel hand rail, 3 courtesy lights
- Hatch guttered, supported by gas shock, provides aft bilge access
- Lights (3) courtesy, recessed, with exterior-mounted switch
- Lights (2) halogen, overhead, recessed, with exterior-mounted switch
- Overhead sun/weather protection
 54" from cabin toward stern
- Side deck stairways (2) integral to deck with stainless steel grab rail, 2 courtesy lights
- Transom door aluminum, secures open and closed, stainless steel hardware

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Carpeted catwalk
- Insulation acoustical and thermal, vinyl vapor barrier
- Lights (5) 2 halogen, 3 fluorescent, overhead, controls mounted in salon

BOARDING PLATFORM

- 36 ft² (approx.), integral to hull and deck
- Boarding ladder telescoping, conceals in boarding platform
- Cleats (4) 10" stainless steel, bolted through aluminum backing plate
- Grab rail stainless steel, mounted on deck above boarding ladder
- Hatch covers shore power cord(s) and shore water hose
- Storage lockers (2) in transom

SALON

- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops cherry wood with sea rail
- · Curtains décor-matched
- Décor package -10-piece decorator pillow set
- Designer décor
- Entertainment group -20" LCD TV/DVD, AM/FM/CD stereo, satellite radio system, 2 speakers each in master stateroom and at helm, 1 speaker each in salon, galley
- Entrance door tinted glass, aluminum frame, curved, sliding, handle lock, deadbolt, with interior screen
- · Floor access hatches engine room
- Hardware highlights brass/chrome
- Lights (4) halogen, overhead, recessed
- Rocker light switches
- Sofa Flexsteel, with storage beneath
- Stereo speaker
- Storage cabinets (2)
- Telephone connector

GALLEY

- · 110V outlets (2) GFCI protected
- Coffeemaker
- · Countertops solid surface
- · Curtains décor-matched
- Designer décor
- · Flooring wood plank
- · Hardware highlights brass/chrome
- Lights (2) halogen, overhead, recessed
- Oven convection / microwave, built-in
- Range electric,
 2-burner, smooth top
- · Refrigerator/freezer side-by-side
- · Rocker light switch
- · Sink with solid surface cover
- · Storage cabinets (4)
- Storage drawers (4)
- · Stereo speaker

DINETTE

- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Curtains décor-matched
- Lights (4) halogen, overhead, recessed
- · Lounge U-shaped
- Rocker light switch
- Table cherry wood top; 2 brushed aluminum, adjustable height legs

COMPANIONWAY TO STATEROOM LEVEL

- · AC and DC distribution panels
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertop cherry wood
- · Curtains décor-matched
- Hand rail stainless steel, on stairway
- · Lights (2) courtesy, recessed
- · Portlight with screen
- Rocker light switch
- Storage cabinet

MASTER STATEROOM

- · 110V outlet GFCI protected
- · Berth queen
- Berth endtables (2) cherry wood top
- · Berth step-ups (2) carpeted
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Curtains décor-matched
- Designer décor
- Entrance door solid cherry wood, pocket-style, secures open and closed, stainless steel hardware
- Hanging lockers (2) carpeted, automatic light, 3 shelves in each
- · Ledge tops cherry wood
- Lights (3) halogen, overhead, recessed
- Lights (2) halogen, overhead, directable for reading
- Mirror on forward bulkhead, conceals anchor chain locker access
- Overhead hatch tinted, lockable, inside screen
- · Portlights (2) with screen
- Private head access
- · Rocker light switch
- Sheet set embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2) with volume control
- Storage cabinets (7)
- Storage drawer
- Telephone connector

HEAD

- · 110V outlet GFCI protected
- Entrance doors (2) one to master stateroom and one to galley, 2-panel cherry wood, secure closed, stainless steel hardware
- · Hardware highlights brass/chrome
- Head fan
- Lights (2) halogen, overhead, recessed
- Medicine cabinet mirrored doors, 2 shelves
- Nonskid sole
- · Portlight with screen
- · Rocker light switch

- Soap dish solid glass, wall-mounted
- Towel ring
- Towel set bath towel, hand towel, washcloth
- Vanity granite-style top and backsplash, integral sink, storage beneath with 2 doors

Shower Stall / Water Closet

- Countertop granite-style with integral, recessed soap dish
- Entrance door clear acrylic in aluminum frame, bi-fold, secures open and closed, stainless steel hardware
- Lights (2) halogen, overhead, recessed
- · Nonskid sole
- Shower head removable for use as hand-shower
- · Storage cabinets (2)
- · Toilet vacuum flush, pedestal
- · Toilet paper holder
- Towel bar

GUEST STATEROOM

- · 110V outlet GFCI protected
- Berth double, converts to twins with removable center filler, with berth covers
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Countertops cherry wood
- · Curtains décor-matched
- Designer décor
- Entrance door solid cherry wood, split, pocket-style, secures open and closed, stainless steel hardware
- Lights (4) halogen, overhead, recessed
- Lights (2) halogen, sconces, directable for reading
- Rocker light switch
- Shelves (2) cherry wood, recessed
- · Storage beneath mattress
- Storage cabinets (3)
- · Window tinted

OWNER PREFERENCE ITEMS

PROPULSION

Gasoline Engines

- ☐ Crusader 6.0 MPI (includes fresh water cooling) (standard)
- ☐ Crusader 8.1 MPI (includes fresh water cooling)
- □ Volvo 8.1GI (includes fresh water cooling)

Diesel Engines

- ☐ Yanmar 6LPA-STP 315 hp
- □ Volvo D6 310 hp

MECHANICAL

- □ Bow thruster
- □ Engine oil change system

ELECTRICAL

Generator

- ☐ Kohler 7.3 kW gasoline (standard)
- ☐ Kohler 8.0 kW diesel

WATER & WASTE SYSTEMS

- ☐ Grey water holding system
- □ Overboard discharge system

Transom and Bow Washdowns

- □ Both fresh and seawater
- □ Fresh water
- □ Seawater

SAFETY & NAVIGATION

- □ Fender racks
- ☐ Single station electronics package

Spare Propellers and Shaft

- □ For gasoline engines
- □ For diesel engines

EXTERIOR AMENITIES

- □ Bridge cover
- □ Carpet
- □ Foredeck sunpad

Canvas

- ☐ "Prestige" bimini top
- □ "Prestige" full canvas with carpet

Canvas Color

- ☐ Black Sunbrella (standard)
- □ Captain's Navy
- □ Toast
- □ White Stamoid
- ☐ White Sunbrella

DÉCOR

Ensemble

- ☐ Bimini blue tones
- ☐ Cozumel neutral tones (standard)

Coordinated Countertops

- ☐ Black magic black (standard)
- ☐ Harvest moon tan
- □ Savannah neutral

Interior Seating Material/Color

- ☐ Ultraleather buff (standard)
- □ Ultraleather pecan

CABIN AMENITIES - SALON

- □ Central vacuum system
- □ Icemaker
- ☐ Pillow set decorator, 6-piece
- ☐ Stereo addition remote-mounted CD changer

Sofa

- □ Incliners
- □ Stowaway bed

CABIN AMENITIES - FORWARD

□ TV/DVD - 15" LCD, in master stateroom

MISCELLANEOUS

- □ Loading charge
- ☐ Shipping cradle
- ☐ Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214 www.carveryachts.com