

39 MOTOR YACHT






CARVER[®]
YACHTS

39 MOTOR YACHT

SPECIFICATIONS

LOA with platform	40'7"	12,37 m
Beam	13'11"	4,24 m
Draft	42"	1,07 m
Bridge Clearance with arch	18'0"	5,49 m
Weight with fuel & water	29,500 lbs.	13381 kg
Water System	90 U.S. gals.	341 liters
Waste System	72 U.S. gals.	273 liters
Fuel System - Gas or Diesel Twin Inboards	330 U.S. gals.	1249 liters
Cabin Headroom	6'10"	2,08 m
Sleeps	4 (6 optional)	



39 MOTOR YACHT

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning - 3-zone, 35,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC and DC voltmeters; AC and DC ammeters
- Batteries (5) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters

- External connectors - CATV, telephone
- Generator - 10.0 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) - 50 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tanks (2) - polyethylene
- Fresh water tanks level monitor
- Hot and cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Waste holding tanks (2) - with filtered vents and dockside pump outs
- Waste tank level monitors (2)
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver

- Horn - air/electric (12V), trumpet
- Internal bonding system
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 35 lb. anchor and 150' of 5/16" chain

BRIDGE

Command Bridge

- 110V outlet - GFCI protected
- Beverage holder - fold-out
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Lounge - L-shaped, with storage beneath, accommodates 5 adults
- Self-draining walk surface
- Storage locker
- Wet bar - self-draining with sink, preparation surface, bottle storage beneath

Helm

- Access panel - provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holder - fold-out
- Companion seat - high-quality marine-grade upholstery, embroidery stitching
- Dash - fiberglass with faux burl walnut accents
- DC distribution panel - bridge 12V systems
- Grab rails (2) - stainless steel, on either end of helm
- Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching
- Stereo speakers (2) - pre-wired
- Tilt steering wheel
- Windshield - wraparound, aluminum frame

39 MOTOR YACHT

Instrumentation

- Gauges - synchronizer; rudder angle; tachometer with hourmeter (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level (multi-gauge, 1 per engine)
- Rocker switch controls

DECK

Aft Deck

- 73 ft² (approx.), integral to deck, self-draining
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate, inboard-mounted with stainless steel hawse pipes
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Grab rail - stainless steel, across storage lockers
- Hand rail - 1.0" OD, stainless steel, around entire aft deck
- Hardtop over entire aft deck
- Lights (4) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Stereo speakers (2) - pre-wired
- Storage lockers (2) - upper and lower, double doors, interior stainless steel restraining rail
- Transom door - aluminum, secures closed, stainless steel hardware, with stainless steel grab rail across top
- Wing doors (2) - clear acrylic in aluminum frame, secure open and closed, provide access to side decks

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck

- Cleats (4) - 10" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin and above windshields
- Boarding doors (2) - aluminum, port and starboard, double latch, stainless steel hardware
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Cleat - 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Locker - in-deck, self-draining, for fender storage and anchor chain
- Over-the-stem anchor roller

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Diamond plate aluminum catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (4) - halogen, overhead, control mounted under bottom salon stairway step

BOARDING PLATFORM

- 26 ft² (approx.), integral to hull and deck
- Aft deck stairway - integral to deck, with 2 stainless steel hand rails and courtesy light
- Boarding ladder - telescoping, with grab rail, conceals in boarding platform
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate

SALON

- 110V outlets (3) - GFCI protected
- AC and DC distribution panels
- Cabin stairway - integral, with cherry wood hand rail
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - sapele pommele inlay with cherry wood trim

- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set
- Designer décor
- Entertainment group - 20" LCD TV/ DVD, AM/FM/CD stereo, satellite radio system, 2 speakers each in salon, master stateroom
- Entrance door - translucent acrylic, curved, sliding, handle lock, with interior screen
- Floor access hatches - engine room
- Fresh air system - passive, with controllable overhead vents
- Lights (9) - halogen, overhead, recessed
- Lounge - Flexsteel, with double incliners, 36" end, corner extension with storage beneath
- Mini blinds - décor-matched
- Rocker light switches
- Sofa - Flexsteel, with storage beneath
- Stereo speakers (2)
- Storage cabinets (5)
- Table - hi-lo, sapele pommele inlay top with raised cherry wood trim; cherry wood base including lower shelf
- Telephone connector

GALLEY

- 110V outlet - GFCI protected
- Coffeemaker
- Countertops - solid surface
- Designer décor
- Flooring - wood plank
- Lights (2) - halogen, overhead, recessed
- Oven - convection / microwave, built-in
- Range - electric, 3-burner, smooth top
- Refrigerator/freezer - upright
- Rocker light switches
- Sink - with solid surface cover
- Storage cabinets (2)
- Storage drawers (4)

39 MOTOR YACHT

MASTER STATEROOM

- 110V outlets (3) - GFCI protected
- Berth - queen, inner-spring mattress, offset island
- Berth endtables (2) - sapele pommele inlay with cherry wood trim
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - sapele pommele inlay with cherry wood trim
- Curtains - décor-matched
- DC distribution panel - 12V safety systems
- Designer décor
- Entrance door - 2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior, secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, automatic light
- Lights (2) - halogen, reading, recessed
- Lights (3) - halogen, overhead, recessed
- Mini blinds - décor-matched
- Portlights (2) - with screen
- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2) - with volume control
- Storage cabinets (7)
- Storage drawers (5)
- Telephone connector
- Window - removable, tinted, in aft bulkhead

MASTER HEAD

- 110V outlet - GFCI protected
- Entrance door - 2-panel cherry wood, secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - sliding mirrored doors, 2 shelves
- Nonskid sole
- Portlights (2) - privacy glass, with screen

- Rocker light switches
- Soap dish - solid glass, wall-mounted
- Toilet - vacuum flush, pedestal
- Toilet paper holder - mounted in vanity
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top and backsplash, undermounted sink, drawer beneath, cabinet beneath with door

Shower Stall

- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame, secures closed
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower head - detachable for use as handshower
- Towel bar

GUEST STATEROOM

- 110V outlets (2) - GFCI protected
- Berth - queen, island
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - 2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior, pocket-style, secures open and closed, stainless steel hardware
- Hanging locker - cedar-lined, automatic light, integral doorstop
- Ledge tops - cherry wood
- Lights (5) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - translucent, lockable, inside screen
- Portlights (2) - with screen
- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Storage cabinets (4)
- Telephone connector

GUEST HEAD

- 110V outlet - GFCI protected
- Entrance door - 2-panel cherry wood, secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinets (3) - mirrored doors, 2 shelves
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switch
- Soap dish - solid glass, wall-mounted
- Toilet - vacuum flush, pedestal
- Toilet paper holder
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top and backsplash, undermounted steel, drawer beneath, 2 shelves beneath with door

Shower Stall

- Bench seat - integral
- Entrance door - 2-panel cherry wood, secures closed, stainless steel hardware, integral doorstop
- Grab rail - stainless steel
- Hardware highlights - brass/chrome
- Light - halogen, overhead, recessed
- Nonskid sole
- Portlight - privacy glass, with screen
- Shower accessories cabinet - mirrored doors
- Shower curtain - décor-matched, with matching tie-back
- Shower head - detachable for use as handshower

39 MOTOR YACHT

OWNER PREFERENCE ITEMS

PROPULSION

Gasoline Engines

- Crusader 8.1 MPI (includes fresh water cooling) (standard)
- Volvo 8.1GI (includes fresh water cooling)

Diesel Engines

- Volvo D6 - 370 hp
- Yanmar 6LY2A-STP - 440 hp

MECHANICAL

- Bow thruster
- Engine oil change system
- Single station electronic controls with synchronization

ELECTRICAL

- Cablemaster

Generator

- Kohler 10.0 kW - gasoline (standard)
- Kohler 10.0 kW - diesel

WATER & WASTE SYSTEMS

- Grey water holding system
- Overboard discharge system

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

SAFETY & NAVIGATION

- Fender racks (not available with lower helm)
- Lower helm with electronic controls and synchronization, windshield wipers, third stateroom (not available with ES)

Electronics Package

- Upper
- Upper and lower

Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Carpet
- Bridge cover
- Foredeck sunpad
- Ice maker (in lieu of wet bar storage)
- Stereo - AM/FM receiver with CD changer, antenna, speakers
- Transom storage locker

Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella (standard)
- Captain's Navy
- Toast
- White Stamoid
- White Sunbrella

DÉCOR

Ensemble

- Bimini - blue tones
- Cozumel - neutral tones (standard)

Coordinated Countertops

- Black magic - black (standard)
- Harvest moon - tan
- Savannah - neutral

Interior Seating Material/Color

- Ultraleather buff (standard)
- Ultraleather pecan

Carpet

- Winter Wind - brown
- Zinfandel - beige (standard)

CABIN AMENITIES - SALON

- 39 extended salon (ES) version
- Additional dining chair (not available with ES)
- Central vacuum system
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted 6-disc CD player

Port Side Furniture

- Dining table with 3 dining chairs (in lieu of hi-lo table)
- Sofa with stowaway bed

CABIN AMENITIES - GALLEY

- Dinette with triangular table (in lieu of lounge corner extension and hi-lo table, not available with ES)
- Pantry (not available with lower helm, dinette or ES)

CABIN AMENITIES - FORWARD & AFT

- TV/DVD - 15" LCD, in master stateroom
- TV/DVD - 15" LCD, in guest stateroom
- Upper bunk in guest stateroom (not available with ES)
- Washer/dryer

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com