




350 MARINER SE




CARVER
YACHTS



350 MARINER SE

SPECIFICATIONS

LOA (w/platform)	36'7"	11,15 m
Beam	12'9"	3,89 m
Draft	37"	0,94 m
Bridge Clearance w/arch	14'2"	4,32 m
Weight (w/fuel & water)	18,800 lbs.	8527,68 kg
Water System	75 U.S. gals.	283,91 liters
Waste System	20 U.S. gals.	75,71 liters
Fuel System	246 U.S. gals.	931,21 liters
Twin V-drive inboards (gas or diesel)		
Cabin Headroom	6'3"	1,91 m
Sleeps	4	





350 MARINER SE

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction

MECHANICAL

- Air conditioning - 16,000 BTU; optional additional A/C unit, 7,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters

- External connectors - CATV, telephone
- Generator - 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Handshower - fresh water, hot and cold, in cockpit
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent and dockside pumpout
- Waste tank level monitor
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (4) - 1500 gph each, 3 automatic/manual operation, 1 automatic operation only
- Brass valves for all underwater thru-hulls
- CO detectors in salon and stateroom
- Compass - illuminated, dual-read

- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 35 lb. anchor and 150 ft. of 5/16" chain

BRIDGE

Command Bridge

- Beverage holders (10) - recessed, integral, self-draining
- Canvas - "Prestige" full canvas enclosure, black Sunbrella
- Carpet - exterior-grade, snaps in place
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Lights (3) - halogen, courtesy, recessed, with exterior-mounted switch
- Lounge - aft, accommodates 4 adults
- Lounge - double-wide, port side, with storage beneath
- Lounge - triple-wide, starboard side, with storage beneath
- Self-draining walk surface
- Wet bar - self-draining sink, 2 preparation surfaces, stainless steel grab rail on front
- Windshield - wraparound, aluminum frame, opening side vents

Helm

- Accessory space - for installing navigation equipment
- Adapter - 12V



350 MARINER SE

- Beverage holders (2) - recessed, self-draining
- Companion seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - fiberglass with faux distressed leather accents
- DC circuit breaker panel for helm electronics
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching, self-storing arms, mesh storage pocket on back
- Light - halogen, courtesy, recessed
- Stereo speakers (2)
- Storage locker
- Tilt steering wheel

Instrumentation

- Gauges - synchronizer; rudder angle; tachometer with digital hourmeter (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level (multi-gauge, 1 per engine)
- Rocker switch controls

DECK

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (2) - 10" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Access panel - behind lounge, provides access to helm wiring

- Beverage holders (2) - fold-out
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Cleat - 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Lockers (2) - in-deck, self-draining, for fender storage and anchor chain
- Lounge - double-wide, converts to sunpad
- Over-the-stem anchor roller

COCKPIT

- 29 ft² (approx.), integral to hull and deck, self-draining
- Bolsters - padded, on port, starboard, and transom weatherboards
- Carpet - exterior-grade, snaps in place
- Hatches (3) - guttered, provide engine room access
- Lights (4) - halogen, courtesy, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 19" from cabin toward stern
- Side deck stairways (2) - integral to deck with stainless steel grab rail
- Transom door - fiberglass, secures closed, stainless steel hardware

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Insulation - acoustical and thermal, vinyl vapor barrier

BOARDING PLATFORM

- 18 ft² (approx.), integral to hull and deck
- Boarding ladder - telescoping, with handhold inset in deck and stainless steel grab rail on transom, recesses in boarding platform

- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Storage lockers (2) - in transom

SALON

- 110V outlet - GFCI protected
- AC and DC distribution panels, including 12V safety systems
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - cherry wood with raised edge
- Décor package - 10-piece decorator pillow set
- Designer décor
- Entertainment group - 20" TV, AM/FM/CD stereo, satellite radio system, 2 speakers at helm, 1 speaker each in salon, dinette
- Entrance door - tinted glass, aluminum frame, sliding, handle lock, with interior screen
- Fresh air fan
- Hatch - translucent, lockable, pass-through to bridge
- Lights (2) - halogen, overhead, recessed
- Lights (2) - halogen, sconces
- Lounge - L-shaped
- Miniblinds - décor-matched
- Stereo speaker
- Storage drawers (2)
- Telephone connector

GALLEY

- 110V outlet - GFCI protected
- Coffeemaker
- Countertops - solid surface
- Designer décor
- Flooring - wood plank
- Lights (2) - halogen, overhead, recessed
- Lights (2) - halogen, over countertop, recessed
- Microwave oven - built-in
- Miniblinds - décor-matched
- Portlight - with screen
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - upright
- Rocker light switch



350 MARINER SE

- Sink - with solid surface cover
- Storage cabinets (6)
- Storage drawers (3)

DINETTE

- 110V outlets (2) - GFCI protected
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Light - halogen, overhead, recessed
- Lounge - U-shaped, with storage beneath, converts to double berth
- Miniblinds - décor-matched
- Rocker light switch
- Stereo speaker
- Table - cherry wood top with raised edge, aluminum base, adjustable height

STATEROOM

- 110V outlet - GFCI protected
- Access panel - on forward bulkhead, conceals anchor chain locker access
- Berth - double, offset
- Berth endtable - cherry wood top
- Bolster - around berth head
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Entrance door - solid cherry wood, secures open and closed, stainless steel hardware
- Hanging locker - automatic light
- Lights (2) - halogen, sconces, directable for reading
- Lights (3) - halogen, overhead, recessed
- Overhead hatch - tinted, lockable, inside screen
- Portlights (2) - with screens and snap-on, décor-matched covers
- Private head access
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Storage - beneath mattress
- Storage cabinets (5)
- Storage drawers (2)
- Telephone connector

HEAD

- 110V outlet - GFCI protected
- Entrance doors (2) - one to stateroom and one to galley, solid cherry wood, secure open and closed, stainless steel hardware
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored doors, 2 shelves
- Miniblinds - décor-matched
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switch
- Toilet - vacuum flush, pedestal
- Toilet paper holder
- Towel bar
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style top and backsplash, integral sink, 2 shelves beneath with 2 doors

Shower Stall

- Accessories shelves (3) - each with aluminum restraining rail
- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame, secures closed
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower head - removable for use as hand-shower
- Towel bar



350 MARINER SE

OWNER PREFERENCE ITEMS

PROPULSION

- Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- Crusader 5.7 MPI
- MerCruiser 6.2 MPI
- Volvo 5.7Gi
- Volvo 5.7GX

Diesel Engines

- Cummins 4B-250

MECHANICAL

- Engine oil change system
- Internal seawater strainers

ELECTRICAL

- Generator - Westerbeke 7.6 kW, diesel

WATER & WASTE SYSTEMS

- Grey water holding system
- Waste tank overboard discharge with pump

Transom Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

SAFETY & NAVIGATION

- Electronics package
- Spare propellers and shaft
- Tender package - Zodiac 310 Fastroller inflatable with 8hp Yamaha engine and davit system

EXTERIOR AMENITIES

- Bridge cover
- Bridge table
- Helm and seat covers
- Icemaker for wetbar
- "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

DÉCOR

Ensemble

- Caramel (earth tones)
- Celadon (light green)

Coordinated Countertops

- Black magic (black)
- Harvest moon (tan)
- Savannah (neutral)

Interior Seating Material/Color

- Brisa silk
- Ultraleather pecan

Carpet

- Beige
- Golden brown

CABIN AMENITIES - SALON

- Air conditioning upgrade (additional 7,000 BTU) - with On/Off switch only
- Central vacuum system
- DVD
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted 6-disc CD player
- TV upgrade - 20" LCD with storage

CABIN AMENITIES - GALLEY

- Stove - 2-burner electric top with oven

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

CARVER
YACHTS

Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.