




# 356 MOTOR YACHT

---




**CARVER**<sup>®</sup>  
YACHTS



# 356 MOTOR YACHT

## SPECIFICATIONS

LOA (w/platform & pulpit) .....	41'2" .....	12,55 m
Beam .....	13'3" .....	4,04 m
Draft .....	39" .....	0,99 m
Bridge Clearance w/arch .....	17'6" .....	5,33 m
Weight (w/fuel & water) .....	23,500 lbs. ....	10659,6 kg
Water System .....	70 U.S. gals.....	264,98 liters
Waste System .....	36 U.S. gals.....	136,27 liters
Fuel System .....	318 U.S. gals.....	1203,75 liters
Twin inboards (gas or diesel)		
Cabin Headroom .....	6'4" .....	1,93 m
Sleeps .....	6 (8 optional)	





## STANDARD FEATURES

### CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - 2-zone, 28,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls, AC voltmeter, AC ammeter

- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Waste holding tanks (2) - with filtered vents and dockside pumpouts
- Waste tank level monitors (2)
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (110V)

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms

- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 35 lb. anchor and 125 ft. of 5/16" chain

### BRIDGE

#### Command Bridge

- Access doors (2) - provide access to wiring in forward bridge
- Access panels (3) - provide access to wiring below helm
- Beverage holder - fold-out
- DC distribution panel - bridge 12V systems
- Light - courtesy, with exterior-mounted switch
- Lounge - with storage below, accommodates 4 adults
- Self-draining walk surface
- Stereo speakers (2) - with volume control at helm
- Windshield - Venturi, wraparound, aluminum frame

#### Helm

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (3) - recessed, integral
- Companion seat - triple-wide, high-quality marine-grade upholstery, embroidery stitching
- Dash - fiberglass with black accents
- Grab rails (2) - stainless steel, on either end of helm



# 356 MOTOR YACHT

- Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching

## Instrumentation

- Gauges - synchronizer; rudder angle; tachometer with digital hourmeter, oil pressure, engine temperature, engine battery voltage, fuel level (1 per engine)
- Rocker switch controls

## DECK

### Aft Deck

- 110V outlet - GFCI protected
- 67 ft<sup>2</sup> (approx.), integral to deck, self-draining
- Command bridge stairway - integral to deck with stainless steel hand rail, halogen courtesy light
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Hardtop over entire aft deck
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Storage locker
- Transom door - fiberglass, secures open and closed, stainless steel hardware
- Wing doors (2) - clear acrylic in aluminum frame, secure open and closed, stainless steel hardware, provide access to the side decks

### Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck

- Cleats (4) - 8" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Grab rails (2) - stainless steel, over cabin windows
- Rail gates (2) - coated steel cable, port and starboard, single latch, stainless steel hardware
- Rub rail molding - heavy-duty, stainless steel insert

### Fore Deck

- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Cleat - 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Pulpit with stainless steel hawse pipe for anchor chain

## ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation - acoustical and thermal, vinyl vapor barrier
- Light - overhead, controls mounted in dinette

## BOARDING PLATFORM

- 36 ft<sup>2</sup> (approx.), integral to hull and deck
- Aft deck stairway - integral to deck, with stainless steel hand rail
- Boarding ladder - retractable, with handhold inset in deck, conceals beneath boarding platform
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Grab rail - stainless steel, on top of transom

## SALON

- 110V outlets (2) - GFCI protected
- Cabin stairway - integral, with 2 stainless steel hand rails

- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Chair - Flexsteel, tub-style
- Countertops - solid surface
- DC distribution panel - 12V safety systems
- Décor package - 10-piece decorator pillow set
- Designer décor
- Dry bar cabinet - 1 door, integral bottle holder
- Entertainment group - 13" TV and DVD, AM/FM/CD stereo, satellite radio system, 2 speakers each in salon, master stateroom, command bridge
- Entrance door - tinted acrylic, curved, sliding, handle lock
- Floor access hatches (8) - engine room
- Fresh air fan
- Lights (6) - halogen, overhead, recessed
- Lounge - Flexsteel, with double incliners and chaise
- Master stateroom stairway - integral, with solid cherry wood hand rail
- Miniblinds - décor-matched
- Rocker light switches
- Stereo speakers (2)
- Telephone connector

## GALLEY

- 110V outlet - GFCI protected
- Coffeemaker
- Countertops - solid surface
- Designer décor
- Flooring - wood plank
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Light - halogen, over countertop, double fixture
- Microwave oven - built-in
- Oven - electric
- Range - electric, 3-burner, smooth top
- Refrigerator/freezer - upright
- Rocker light switches



# 356 MOTOR YACHT

- Sink - with solid surface cover
- Storage cabinets (7)
- Storage drawer
- Waste container - recessed in countertop, with solid surface cover

## DINETTE

- 110V outlet - GFCI protected
- AC and DC distribution panels
- Bench seats (2) - convert to double berth, with storage beneath
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - solid surface
- Hardware highlights - brass/chrome
- Light - halogen, overhead, recessed
- Rocker light switch
- Storage cabinet - sliding mirrored doors
- Storage drawer
- Table - solid surface top, aluminum base, adjustable height
- Window cover - décor-matched, snap-on

## MASTER STATEROOM

- 110V outlets (2) - GFCI protected
- Berth - double, inner-spring mattress, offset, padded bolster around head
- Berth endtables (2) - solid surface top
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Entrance door - 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hanging lockers (2) - automatic light
- Hardware highlights - brass/chrome
- Lights (4) - halogen, over berth, recessed
- Lights (2) - halogen, overhead
- Miniblinds - décor-matched
- Portlights (2) - with screen

- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2) - with volume control
- Storage cabinets (2)
- Storage drawer
- Telephone connector
- Window - tinted, sliding, with screen, in aft bulkhead

## MASTER HEAD

- 110V outlet - GFCI protected
- Entrance door - 2-panel, cherry wood, secures closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, brass sconces
- Medicine cabinets (2)
- Miniblinds - décor-matched
- Mirror - on aft bulkhead
- Nonskid sole
- Portlights (2) - privacy glass, with screen
- Rocker light switches
- Toilet - vacuum flush, pedestal
- Towel bar
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top, shelf beneath with door

## Shower Stall

- Accessories shelf - with aluminum restraining bolster
- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame with matching sidelight, secures closed
- Lights (2) - halogen, overhead, recessed
- Nonskid sole
- Shower head - detachable for use as handshower

## GUEST STATEROOM

- 110V outlets (2) - GFCI protected
- Berth - double, offset, padded bolster around head

- Berth endtable - solid surface top
- Berth step-up - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hanging locker - cedar-lined, automatic light
- Hardware highlights - brass/chrome
- Light - fluorescent, over berth head
- Lights (2) - halogen, overhead
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - translucent, lockable, inside screen
- Portlights (2) - with screen
- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Storage cabinet
- Storage drawers (4)
- Telephone connector

## GUEST HEAD

- 110V outlet - GFCI protected
- Countertops (2) - solid surface, with restraining rails
- Curtain - décor-matched
- Entrance door - 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored door, 2 shelves
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switch
- Shower doors (2) - clear acrylic in aluminum frame, bi-fold and single panel, secure open and closed



# 356 MOTOR YACHT

---

- Shower head - detachable for use as handshower
- Toilet - vacuum flush, pedestal
- Toilet paper holder - mounted in vanity
- Towel bar
- Towel set - bath towel, hand towel, washcloth
- Vanity - 2 shelves beneath with 2 doors



# 356 MOTOR YACHT

---

## OWNER PREFERENCE ITEMS

### PROPULSION

- Fresh water cooling (available only with gasoline engines)

### Gasoline Engines

- Crusader 5.7 MPI
- Crusader 6.0 MPI
- Crusader 8.1 MPI
- MerCruiser MX 6.2MPI
- MerCruiser 8.1 S Horizon
- Volvo 5.7GXi
- Volvo 8.1Gi

### Diesel Engines

- Cummins 330B
- Cummins 370B

### MECHANICAL

- Engine oil change system
- Internal seawater strainers

### ELECTRICAL

#### Generator

- Kohler 8.0 kW - gasoline
- Kohler 8.0 kW - diesel

### WATER & WASTE SYSTEMS

- Additional waste tank capacity
- Grey water holding system
- Hot and cold transom handshower
- Waste tank overboard discharge with pump

### Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION

- Fender racks (not available with lower helm)
- Tender package - Zodiac 310 Fast-Roller inflatable with 8hp Yamaha engine and davit system (not available with transom storage locker)

### Electronics Package

- Without lower helm
- With lower helm

### Lower Helm

- Domestic style
- European style

### Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

### EXTERIOR AMENITIES

- Bridge cover
- Carpet
- Foredeck sunpad
- Transom storage locker (not available with tender package)
- Wet bar with icemaker

### Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

### Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

### DÉCOR

#### Ensemble

- Caramel (earth tones)
- Celadon (light green)

#### Coordinated Countertops

- Black magic (black)
- Harvest moon (tan)
- Savannah (neutral)

#### Interior Seating Material/Color

- Brisa silk
- Ultraleather pecan

#### Carpet

- Beige
- Golden brown

### CABIN AMENITIES - SALON

- Central vacuum system
- Intercom system - 3 stations
- Lounge - Flexsteel, with 60" stowaway bed and chaise (not available with lower helm)
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted 6-disc CD player
- Vented center windows

### CABIN AMENITIES - GALLEY

- Stove - 3-burner electric top only



# 356 MOTOR YACHT

---

## **CABIN AMENITIES - FORWARD & AFT**

- Designer mirror - on master stateroom bulkhead
- TV and DVD - 13" color, in master stateroom
- Upper bunk in guest stateroom

## **MISCELLANEOUS**

- Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214  
[www.carveryachts.com](http://www.carveryachts.com)

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.