




# 360 MARINER

---




**CARVER**  
YACHTS



# 360 MARINER

## SPECIFICATIONS

LOA (w/platform) .....	36'7" .....	11,15 m
Beam .....	12'9" .....	3,89 m
Draft .....	37" .....	0,94 m
Bridge Clearance w/arch .....	14'2" .....	4,32 m
Weight (w/fuel & water) .....	18,800 lbs. ....	8527,68 kg
Water System .....	75 U.S. gals. ....	283,91 liters
Waste System .....	20 U.S. gals. ....	75,71 liters
Fuel System .....	250 U.S. gals. ....	946,35 liters
Twin V-drive inboards (gas or diesel)		
Cabin Headroom .....	6'3" .....	1,91 m
Sleeps .....	5	





## STANDARD FEATURES

### CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction

### MECHANICAL

- Air conditioning - 2-zone, 19,000 BTU; with reverse cycle heat; dedicated shore power connector
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeters; AC ammeters
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone

- Generator - 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Handshower - fresh water, hot and cold, on transom
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent and dockside pumpout
- Waste tank level monitor
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (110V)

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets and boxes
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (4) - 1500 gph each, 3 automatic/manual operation, 1 automatic operation only
- Brass valves for all underwater thru-hulls
- CO detectors in salon and stateroom
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure

- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 35 lb. anchor and 150 ft. of 5/16" chain

### BRIDGE

#### Command Bridge

- Beverage holders (10) - recessed, integral, self-draining
- Canvas - "Prestige" full canvas enclosure, black Sunbrella
- Carpet - exterior-grade, snaps in place
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Hatch - translucent, lockable, pass-through to salon
- Lights (3) - halogen, courtesy, recessed, with exterior-mounted switch
- Lounge - aft, accommodates 5 adults
- Lounges (2) - triple-wide, port and starboard, with storage beneath
- Self-draining walk surface
- Wet bar - self-draining sink, 2 preparation surfaces, stainless steel grab rail on front
- Windshield - wraparound, painted stainless steel frame, side vents

#### Helm

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (3) - recessed, self-draining



# 360 MARINER

- Companion seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - fiberglass with faux leather accents
- DC circuit breaker panel for helm electronics
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching, self-storing arms
- Light - halogen, courtesy, recessed
- Stereo speakers (2)
- Storage locker
- Tilt steering wheel

## Instrumentation

- Gauges - synchronizer; rudder angle; tachometer with digital hourmeter (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level (multi-gauge, 1 per engine)
- Rocker switch controls

## DECK

### Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (2) - 10" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Rub rail molding - heavy-duty, stainless steel insert

### Fore Deck

- Access panel - behind lounge, provides access to helm wiring
- Beverage holders (2) - fold-out
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate

- Cleat - 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Lounge - double-wide, converts to sunpad
- Over-the-stem anchor roller

## COCKPIT

- 29 ft<sup>2</sup> (approx.), integral to hull and deck, self-draining
- Bolsters - padded, on port and starboard weatherboards
- Carpet - exterior-grade, snaps in place
- Hatches (3) - guttered, provide engine room access
- Lights (4) - halogen, courtesy, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 19" from cabin toward stern
- Side deck stairways (2) - integral to deck with stainless steel grab rail
- Transom door - fiberglass, secures open and closed, stainless steel hardware

## ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Insulation - acoustical and thermal, vinyl vapor barrier

## BOARDING PLATFORM

- 18 ft<sup>2</sup> (approx.), integral to hull and deck
- Boarding ladder - telescoping, with handhold inset in deck and stainless steel grab rail on transom, recesses in boarding platform
- Cleats (2) - 10" stainless steel, bolted through aluminum backing plate
- Grab rail - stainless steel, on top of transom
- Storage lockers (2) - in transom

## SALON

- 110V outlet - GFCI protected
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - cherry wood with raised edge
- Curtains - décor-matched
- DC distribution panel - 12V safety systems
- Designer décor
- Entertainment group - 20" LCD TV, AM/FM/CD stereo, satellite radio system, 2 speakers at helm, 1 speaker each in salon, dinette
- Entrance door - tinted glass, aluminum frame, sliding, secures open and closed, with interior screen
- Entry stairway - carpeted with solid cherry risers, electrically-actuated to provide access to forward engine room
- Grab rail - stainless steel, over entry stairway
- Lights (6) - halogen, overhead, recessed
- Lounge - L-shaped, converts to single berth, with storage beneath
- Mirrors (3) - beveled, with cherry wood frames, on forward bulkhead
- Rocker light switch
- Stereo speaker
- Storage cabinets (2)
- Window bolsters - décor-matched fabric over batting

## GALLEY

- 110V outlet - GFCI protected
- Coffeemaker
- Countertops - solid surface
- Designer décor
- Flooring - wood plank
- Hatch - translucent, lockable, pass-through to bridge
- Lights (5) - halogen, overhead, recessed
- Light - fluorescent, over sink
- Microwave oven - built-in
- Portlight - with screen
- Range - electric, 2-burner, smooth top



# 360 MARINER

---

- Refrigerator/freezer - upright
- Rocker light switch
- Sink - full-size, undermounted stainless steel
- Soffit - cherry wood with mirrored bottom
- Storage cabinets (5)
- Storage drawers (2)

## DINETTE

- AC and DC main distribution panels
- Bench seats (2) - curved, convert to double berth
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Fresh air fan
- Lights (2) - halogen, overhead, recessed
- Rocker light switch
- Stereo speaker
- Table - sapele pommele top with raised cherry wood trim, aluminum base, adjustable height
- Telephone connector
- Window bolsters - décor-matched fabric over batting

## STATEROOM

- 110V outlets (2) - GFCI protected
- Access panel - mirrored, on forward bulkhead, provides access to anchor chain locker
- Berth - queen, inner-spring mattress, island
- Berth endtables (2) - cherry wood
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, secures open and closed, stainless steel hardware
- Hanging lockers (2) - carpeted, automatic light
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, sconces, directable for reading

- Overhead hatch - tinted, lockable, inside screen
- Portlights (2) - with screen
- Private head access
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Storage cabinets (7)
- Storage drawers (2)
- Telephone connector

## HEAD

- 110V outlet - GFCI protected
- Entrance doors (2) - one to stateroom and one to galley, solid cherry wood, secure closed, stainless steel hardware
- Head fan
- Lights (3) - halogen, overhead, recessed
- Medicine cabinet - mirrored doors, 2 shelves
- Nonskid sole
- Rocker light switch
- Soap dish - frosted glass, wall-mounted
- Toilet - vacuum flush, pedestal
- Toilet paper holder
- Towel ring
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top, integral sink, cabinet beneath with 2 doors

## Shower Stall

- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame with matching sidelights, bi-fold, secures closed
- Lights (3) - halogen, overhead, recessed
- Nonskid sole
- Portlight - privacy glass, with screen
- Shower head - removable for use as hand-shower
- Storage cabinet - mirrored doors, 2 shelves



# 360 MARINER

## OWNER PREFERENCE ITEMS

### PROPULSION

- Fresh water cooling (available only with gasoline engines)

### Gasoline Engines

- Crusader 5.7 MPI
- Crusader 6.0 MPI
- MerCruiser 6.2 MPI
- Volvo 5.7Gi
- Volvo 5.7GX

### Diesel Engines

- Cummins 4B-250

### MECHANICAL

- Engine oil change system
- Internal seawater strainers

### ELECTRICAL

- Generator - Westerbeke 7.6 kW, diesel

### WATER & WASTE SYSTEMS

- Grey water holding system
- Waste tank overboard discharge with pump

### Transom Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION

- Electronics package
- Spare propellers and shaft
- Tender package - Zodiac 310 Fastroller dinghy with 8hp Yamaha engine and davit system

### EXTERIOR AMENITIES

- Bridge cover
- Bridge table
- Helm and seat covers
- Icemaker for wetbar
- "Prestige" full canvas with carpet

### Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

### DÉCOR

#### Ensemble

- Caramel (earth tones)
- Celadon (light green)

#### Coordinated Countertops

- Black magic (black)
- Harvest moon (tan)
- Savannah (neutral)

### Interior Seating Material/Color

- Brisa silk
- Ultraleather pecan

### Carpet

- Beige
- Golden brown

### CABIN AMENITIES - SALON

- Central vacuum system
- DVD player
- Pillow set - decorator, 6-piece
- Stereo addition - remote-mounted 6-disc CD player

### CABIN AMENITIES - FORWARD

- TV - 15" color LCD, in stateroom

### MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214  
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.