




# 466 MOTOR YACHT

---



**CARVER**<sup>®</sup>  
YACHTS




# 466 MOTOR YACHT

---

## SPECIFICATIONS

LOA (w/platform) .....	46'11" .....	14,30 m
Beam .....	14'11" .....	4,55 m
Draft .....	42.5" .....	1,08 m
Bridge Clearance w/arch .....	19'5" .....	5,92 m
Weight (w/fuel & water) .....	37,000 lbs. ....	16783,20 kg
Water System .....	130 U.S. gals. ....	492,10 liters
Waste System .....	80 U.S. gals. ....	302,83 liters
Fuel System .....	480 U.S. gals. ....	1816,99 liters
Twin inboards (diesel)		
Cabin Headroom .....	6'4" .....	1,93 m
Sleeps .....	5 (8 optional)	





## STANDARD FEATURES

### CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with double gusseted, welded perpendicular steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - 4-zone, 54,000 BTU; optional A/C unit on bridge, 16,000 BTU; optional A/C unit on aft deck, 16,000 BTU; with reverse cycle heat; dedicated shore power connector
- Bow thruster
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Seawater strainers
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC and DC voltmeters; AC and DC ammeters
- Batteries (8) - deep cycle, marine (12V)
- Battery chargers (3) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 13.5 kW, diesel
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) - 50 amp
- Shore power cords (2) - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Handshower - fresh water, hot and cold, on transom
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Washdown - fresh water, bow and transom
- Waste holding tanks (2) - with filtered vents and dockside pumpouts
- Waste tank level monitors (2)
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 20 gallons (110V)

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets and straps
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (4) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horns - dual, air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 44 lb. anchor and 200 ft. of 5/16" chain

### BRIDGE

#### Command Bridge

- 110V outlet - GFCI protected
- Beverage holders (6) - recessed, self-draining
- Endtables (2) - solid surface countertop
- Grab rails (2) - stainless steel, on outboard bulkheads
- Lights (3) - halogen, courtesy, recessed
- Lounge - U-shaped, with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Storage lockers (4)

#### Helm

- Access panels (2) - provide access to wiring in helm console



# 466 MOTOR YACHT

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (3) - recessed, self-draining
- Companion chairs (2) - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching, mesh storage pocket on back
- Dash - fiberglass with padded upholstery and faux burl walnut accents
- DC distribution panel - bridge 12V systems
- Fresh air vents (4) - in dash
- Grab rails (2) - stainless steel, on either end of helm
- Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching, self-storing arms, mesh storage pocket on back
- Stereo speakers (2) - pre-wired
- Telephone connector
- Tilt steering wheel
- Windshield - tinted, wrap-around, aluminum frame

## Instrumentation

- Gauges - synchronizer, rudder angle (multi-gauge); digital tachometer with hourmeter (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level (multi-gauge, 1 per engine)
- Rocker switch controls

## DECK

### Aft Deck

- 110V outlet - GFCI protected
- 107 ft<sup>2</sup> (approx.), integral to deck, self-draining
- Command bridge stairway - integral to deck with stainless steel hand rail on each side
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (7) - corrosion-resistant polymer

- attached with noncorroding screws and waterproof sealant
- Enclosure - Prestige canvas panels for aft deck sides and back
- Hardtop over entire aft deck
- Lights (4) - halogen, overhead, recessed, with exterior-mounted switch
- Self-draining walk surface
- Skylight hatch - tinted
- Stereo speakers (2) - pre-wired
- Transom door - fiberglass, secures closed, stainless steel hardware
- Wet bar - self-draining with sink, sink cover, preparation surface, bottle storage above and beneath, grab rail across front
- Wing doors (2) - clear acrylic in aluminum frame, secure open and closed, stainless steel hardware, provide access to the side decks

### Side Decks

- Bow rail - 1.25" O.D., lineal-buffed, welded stainless steel, with additional intermediate rails
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, runs length of cabin and above windshield
- Rail doors (2) - aluminum, port and starboard, stainless steel hardware
- Rub rail molding - heavy-duty, stainless steel insert

### Fore Deck

- Anchor chain locker
- Cleats (2) - 12" stainless steel, bolted through aluminum backing plate

- Cleat - 12" stainless steel for anchor line, bolted through aluminum backing plate
- Over-the-stem anchor roller
- Sunpad

## ENGINE ROOM

- Access ladder - stainless steel, removable, with nonskid rung surface
- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (4) - fluorescent, overhead, control mounted in salon

## BOARDING PLATFORM

- 41 ft<sup>2</sup> (approx.), integral to hull and deck
- Aft deck stairway - circular, integral to deck with stainless steel hand rail
- Boarding ladder - telescoping, conceals in boarding platform
- Cleats (2) - 12" stainless steel, bolted through aluminum backing plate
- Grab rail - stainless steel, mounted in deck above boarding ladder
- Hand rail - stainless steel, across transom

## SALON

- 110V outlets (2) - GFCI protected
- AC and DC distribution panels
- Cabin stairway - hinged to pivot into salon to provide access to engine room, supported by gas shocks
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops - sapele pommele inlay with cherry wood trim
- Curtains - décor-matched
- Décor package - 10-piece decorator pillow set
- Designer décor



# 466 MOTOR YACHT

- Dry bar cabinet - 2 doors, 2 shelves including integral bottle holders, mirrored interior
- Entertainment group - 20" TV, 110V component stereo including AM/FM receiver, 5-disc DVD changer, satellite radio system, 2 speakers each in salon, master stateroom, and VIP stateroom
- Entrance door - translucent acrylic, curved, sliding, handle lock, with interior screen
- Fresh air system - passive, with controllable overhead vents
- Hardware highlights - brass/chrome
- Lights (5) - halogen, overhead, recessed
- Lights (7) - halogen, over windows, recessed
- Lounge - Flexsteel, with double incliners and corner extension
- Master stateroom stairway - integral
- Miniblinds - décor-matched
- Rocker light switches
- Snack bar - sapele pommele inlay with cherry wood trim top
- Sofa - Flexsteel, with storage beneath
- Stereo speakers (2)
- Storage cabinets (6)
- Telephone connector
- Window vents (2)

## **GALLEY**

- 110V outlets (2) - GFCI protected
- Coffeemaker
- Countertops - granite
- Curtains - décor-matched
- Designer décor
- Flooring - wood plank
- Freezer
- Hardware highlights - brass/chrome
- Lights (3) - halogen, overhead, recessed
- Lights (3) - halogen, over countertop, recessed
- Microwave / convection oven - built-in
- Miniblinds - décor-matched

- Oven - electric
- Range - electric, 3-burner, smooth top, with stainless steel backsplash
- Refrigerator
- Rocker light switches
- Shelf - cherry wood with sea rail
- Sink - undermounted
- Storage cabinets (5)
- Storage drawers (8)

## **DINETTE**

- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Lounge - L-shaped, accommodates 6 adults
- Miniblinds - décor-matched
- Shelf - cherry wood top
- Table - sapele pommele inlay top with raised cherry wood trim; brushed aluminum, adjustable height leg

## **MASTER STATEROOM**

- 110V outlets (4) - GFCI protected
- Berth - queen, inner-spring mattress, island
- Berth endtables (2) - sapele pommele inlay with cherry wood trim, storage beneath
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Dressers (2) - integral, 4 drawers each, sapele pommele inlay with cherry wood trim top
- Entrance door - 2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior, secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, automatic light
- Hardware highlights - brass/chrome
- Lights (2) - halogen, reading, recessed
- Lights (2) - halogen, over aft window, recessed

- Lights (4) - halogen, overhead, recessed
- Miniblinds - décor-matched
- Mirrored ceiling and bulkhead at berth head
- Portlights (2) - with screen
- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Shelves (4) - recessed in bulkhead with sea rail, 2 on either side of berth head
- Stereo speakers (2) - with volume control
- Storage cabinets (9)
- Storage drawers (2) - in foot of berth
- Telephone connector
- Window - tinted, removable, in aft bulkhead

## **MASTER HEAD**

- 110V outlets (2) - GFCI protected
- Clothes hook
- Entrance door - 2-panel, cherry wood, secures closed, integral door stop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinets (2) - 2 sliding mirrored doors, 2 shelves each
- Mirrored ceiling
- Nonskid sole
- Portlight - privacy glass, with screen
- Rocker light switches
- Soap dish - solid glass, wall-mounted
- Toilet - vacuum flush, pedestal
- Toilet paper holder - mounted in vanity
- Towel bar
- Towel set - bath towel, hand towel, and washcloth
- Vanity - L-shaped, solid surface top and backsplash, under-mounted sink, storage beneath with 2 doors



# 466 MOTOR YACHT

## Shower Stall

- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame with matching sidelight, bi-fold, secures open and closed
- Light - halogen, overhead, recessed
- Nonskid sole
- Portlight - privacy glass, with screen
- Shower head - detachable for use as handshower
- Storage cabinet - sliding mirrored doors, 2 shelves
- Towel bar

## VIP STATEROOM

- 110V outlets (2) - GFCI protected
- Berth - queen, island
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - 2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior, secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, shelf, automatic light
- Hardware highlights - brass/chrome
- Ledge tops - cherry wood
- Lights (2) - halogen, overhead, directable for reading
- Lights (3) - halogen, overhead, recessed
- Overhead hatch - translucent, lockable, inside screen
- Mirrored headboard
- Portlights (2) - with screen
- Private guest head access
- Rocker light switches
- Sheet set - embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2) - with volume control
- Storage cabinets (6)

- Storage drawers (2)
- Storage locker - 4 shelves
- Telephone connector

## GUEST HEAD

- 110V outlet - GFCI protected
- Clothes hook - on entrance door
- Entrance doors (2) - one to VIP stateroom (2-panel cherry wood) and one to companionway (2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior), secure closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored, 3 shelves
- Mirrored ceiling over vanity
- Nonskid sole
- Rocker light switches
- Skylight
- Soap dish - solid glass, wall-mounted
- Toilet - vacuum flush, pedestal
- Vanity - solid surface top and backsplash, undermounted sink, 2 shelves beneath with 2 doors

## Shower Stall

- Bench seat - integral
- Entrance door - clear acrylic in aluminum frame with matching sidelight, bi-fold, secures open and closed
- Hardware highlights - brass/chrome
- Light - halogen, overhead, recessed
- Nonskid sole
- Portlight - privacy glass, with screen
- Shower head - detachable for use as handshower
- Storage cabinets (2) - mirrored doors, 2 shelves
- Towel bar

## MID STATEROOM

- Berth - single
- Carpet - tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Entrance door - 2-panel, solid cherry wood frame with sapele pommele panels exterior, cherry wood panels interior, secures closed
- Hanging locker
- Hardware highlights - brass/chrome
- Lights (3) - halogen, overhead, recessed
- Padded bulkheads
- Portlight - with screen
- Rocker light switch
- Sheet set - embroidered, fitted sheet, flat sheet, pillow case
- Storage locker - 3 shelves





# 466 MOTOR YACHT

## OWNER PREFERENCE ITEMS

### PROPULSION

#### Diesel Engines

- Cummins 370B
- Cummins 450C
- Cummins 480C-E
- Volvo TAMD 63P
- Volvo TAMD 75P EDC with synchronizer

### MECHANICAL

- Electronic engine controls for Cummins 370B, 450C or Volvo TAMD 63P engines (bridge helm only)
- Engine oil change system
- Stern thruster
- Synchronizer for Cummins 370B, 450C or Volvo TAMD 63P engines (bridge helm only, electronic engine controls required)

#### Engine Monitor Panels for Volvo 75P Engines

- Bridge helm only
- Bridge and lower helm

### ELECTRICAL

- Cablemaster for shore power
- Forward shore power connector

#### Generator

- Kohler 13.0 kW
- Kohler 20.0 kW
- Onan 17.0 kW

### WATER & WASTE SYSTEMS

- Grey water holding system (not available with dishwasher or washer/dryer)
- Waste tank overboard discharge with pump

#### Transom and Bow Washdowns

- Both fresh and seawater
- Seawater only

### SAFETY & NAVIGATION

- Autopilot
- Tender package - Zodiac 340 Deluxe inflatable with 25hp Yamaha engine and davit system (not available with transom storage locker)

### Electronics Package

- Bridge helm
- Bridge and lower helm

### Lower Helm with Electronic Controls, Synchronizer and Twin Berths in Mid Stateroom

- With Cummins 370B, 450C or Volvo TAMD 63P engines
- With Cummins 480C-E or Volvo TAMD 75P EDC engines

### Spare Propellers and Shaft

- For Cummins 370B, 450C or Volvo TAMD 63P engines
- For Cummins 480C-E or Volvo TAMD 75P EDC engines

### EXTERIOR AMENITIES

- Access ladder for aft deck skylight hatch
- Aft deck cooling system
- Bridge cooling system
- Carpet
- Helm and seat covers
- Stereo - AM/FM/CD changer, remote control, 4 speakers
- Transom storage locker (not available with tender package)

### Canvas

- "Prestige" bimini top
- "Prestige" full bridge canvas with carpet

### Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

### Wet Bar

- With icemaker
- With refrigerator

### DÉCOR

#### Ensemble

- Caramel (earth tones)
- Celadon (light green)

### Granite Galley Countertops

- Black galaxy
- Sunset gold

### Coordinated Head Countertops

- Black magic (black)
- Harvest moon (tan)
- Savannah (neutral)

### Interior Seating Material/Color

- Brisa silk
- Ultraleather pecan

### Carpet

- Beige
- Golden brown

### CABIN AMENITIES - SALON

- Bar stools (2) - for snack bar
- Central vacuum system
- Intercom system - 4 stations
- Pillow set - decorator, 6-piece
- Sofa - Flexsteel, with tri-fold stowaway bed
- Stereo - standard + surround sound system

### Dinette Style

- U-shaped (available only with lower helm)
- Bench style (not available with lower helm)



# 466 MOTOR YACHT

---

## **CABIN AMENITIES - GALLEY**

- Dishwasher - large capacity (not available with trash compactor)
- Stove - 3-burner electric top only
- Trash compactor (not available with dishwasher)

## **CABIN AMENITIES - FORWARD & AFT**

- DVD - in master stateroom
- Stereo - in master stateroom
- TV - 15" color LCD, in master stateroom
- TV and DVD - 15" color LCD, in VIP stateroom
- Washer/dryer combo unit

## **MISCELLANEOUS**

- Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214  
[www.carveryachts.com](http://www.carveryachts.com)

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.