


350 MARINER SE





SPECIFICATIONS

LOA (w/platform)	. 36'7"	11,15 m
Beam	. 12'9"	3,89 m
Draft	. 37"	0,94 m
Bridge Clearance w/arch	. 14'2"	4,32 m
Weight (w/fuel & water)		
Water System	. 75 U.S. gals	283,91 liters
Waste System	. 20 U.S. gals	75,71 liters
Fuel System	. 246 U.S. gals	931,21 liters
Twin V-drive inboards (gas or diesel)		
Cabin Headroom	. 6'3"	1,91 m
Sleeps	. 4	





STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings reinforced stringer mountings with gusseted, angle steel plates
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction

MECHANICAL

- Air conditioning with reverse cycle heat, dedicated shore power connector
- Cutlass bearings synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers engines, generator
- Fuel tanks welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers manufacturer-certified
- Propeller shafts aquamet
- Rudders 421 manganese bronze
- Struts 421 manganese bronze
- Trim tabs stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (4) deep cycle, marine (12V)
- Battery chargers (2) electronic, AC-DC converters
- External connectors CATV, telephone

- · Generator 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) 30 amp
- Shore power cords (2) 50 ft.
- Wiring system tinned copper strand wire, harnessed, colorcoded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system pressurized (12V), with large-capacity filter
- Fresh water storage tank polyethylene
- · Fresh water tank level monitor
- Handshower fresh water, hot and cold, in cockpit
- Shore water connection with pressure-reduction valve
- Shower sump pump automatic/ manual operation
- Waste holding tank with filtered vent and dockside pumpout
- Waste tank level monitor
- Water and waste lines constructed of molecularly crosslinked polyethylene
- Water heater 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm high water
- Bilge blowers (12V)
- Bilge pumps (4) 1500 gph each,
 3 automatic/manual operation, 1
 automatic operation only
- Brass valves for all underwater thru-hulls
- CO detectors in salon and stateroom
- · Compass illuminated, dual-read
- Engine alarms temperature and oil pressure

- Fire suppression system automatic, FE241 (FM200 in European Community)
- · Galvanic isolator/zinc saver
- Horn air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package with 35 lb. anchor and 150 ft. of 5/16" chain

BRIDGE

Command Bridge

- Beverage holders (10) recessed, integral, self-draining
- Canvas "Prestige" full canvas enclosure, black Sunbrella
- Carpet exterior-grade, snaps in place
- Electronics arch custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5)
 corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Lights (3) halogen, courtesy, recessed, with exterior-mounted switch
- Lounge aft, accommodates 4 adults
- Lounge double-wide, port side, with storage beneath
- Lounge triple-wide, starboard side, with storage beneath
- · Self-draining walk surface
- Wet bar self-draining sink, 2 preparation surfaces, stainless steel grab rail on front
- Windshield wraparound, aluminum frame, opening side vents

Helm

- Accessory space for installing navigation equipment
- Adapter 12V
- Beverage holders (2) recessed, self-draining



📂 350 MARINER SE

- Companion seat adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash fiberglass with faux distressed leather accents
- DC circuit breaker panel for helm electronics
- Helm seat adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching, self-storing arms, mesh storage pocket on back
- Light halogen, courtesy, recessed
- Stereo speakers (2)
- · Storage locker
- · Tilt steering wheel

Instrumentation

- Gauges synchronizer; rudder angle; tachometer with digital hourmeter (1 per engine); oil pressure, engine temperature, engine battery voltage, fuel level (multi-gauge, 1 per engine)
- Rocker switch controls

DECK Side Decks

- Bow rail 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail forward
- Bow rail stanchions doublewelded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (2) 10" spring, stainless steel, bolted through aluminum backing plate
- · Deck toe rail
- Rub rail molding heavy-duty, stainless steel insert

Fore Deck

- Access panel behind lounge, provides access to helm wiring
- Beverage holders (2) fold-out
- Cleats (2) 10" stainless steel,

- bolted through aluminum backing plate
- Cleat 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Lockers (2) in-deck, selfdraining, for fender storage and anchor chain
- Lounge double-wide, converts to sunpad
- · Over-the-stem anchor roller

COCKPIT

- 29 ft² (approx.), integral to hull and deck, self-draining
- Bolsters padded, on port, starboard, and transom weatherboards
- Carpet exterior-grade, snaps in place
- Hatches (3) guttered, provide engine room access
- Lights (4) halogen, courtesy, recessed, with exterior-mounted switch
- Overhead sun/weather protection
 19" from cabin toward stern
- Side deck stairways (2) integral to deck with stainless steel grab rail
- Transom door fiberglass, secures closed, stainless steel hardware

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Insulation acoustical and thermal, vinyl vapor barrier

BOARDING PLATFORM

- 18 ft² (approx.), integral to hull and deck
- Boarding ladder telescoping, with handhold inset in deck and stainless steel grab rail on transom, recesses in boarding platform
- Cleats (2) 10" stainless steel, bolted through aluminum backing plate
- Storage lockers (2) in transom

SALON

- 110V outlet GFCI protected
- AC and DC distribution panels, including 12V safety systems
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Countertops cherry wood with raised edge
- Décor package 10-piece decorator pillow set
- · Designer décor
- Entertainment group 20" TV, AM/FM/CD stereo, 2 speakers at helm, 1 speaker each in salon, dinette
- Entrance door tinted glass, aluminum frame, sliding, handle lock, with interior screen
- · Fresh air fan
- Hatch translucent, lockable, pass-through to bridge
- Lights (2) halogen, overhead, recessed
- Lights (2) halogen, sconces
- Lounge L-shaped, Ultraleather
- · Miniblinds décor-matched
- · Stereo speaker
- Storage drawers (2)
- · Telephone connector

GALLEY

- 110V outlet GFCI protected
- · Coffee maker
- · Countertops solid surface
- · Designer décor
- Flooring wood plank
- Lights (2) halogen, overhead, recessed
- Lights (2) halogen, over countertop, recessed
- Microwave oven built-in
- Miniblinds décor-matched
- · Portlight screened
- Range electric, 2-burner, smooth top
- · Refrigerator/freezer upright
- · Rocker light switch
- · Sink with solid surface cover
- Storage cabinets (6)
- Storage drawers (3)



DINETTE

- 110V outlets (2) GFCI protected
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Light halogen, overhead, recessed
- Lounge U-shaped, Ultraleather, with storage beneath, converts to double berth
- · Miniblinds décor-matched
- · Rocker light switch
- · Stereo speaker
- Table cherry wood top with raised edge, aluminum base, adjustable height

STATEROOM

- 110V outlet GFCI protected
- Access panel on forward bulkhead, conceals anchor chain locker access
- · Berth double, offset
- · Berth endtable cherry wood top
- · Bolster around berth head
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Designer décor
- Entrance door solid cherry wood, secures open and closed, stainless steel hardware
- Hanging locker automatic light
- Lights (2) halogen, sconces, directable for reading
- Lights (3) halogen, overhead, recessed
- Overhead hatch tinted, lockable, inside screen
- Portlights (2) with snap-on, décor-matched covers
- · Private head access
- · Rocker light switch
- Sheet set embroidered, fitted sheet, flat sheet, two pillow cases
- Storage beneath mattress
- Storage cabinets (5)
- Storage drawers (2)
- · Telephone connector

HEAD

- · 110V outlet GFCI protected
- Entrance doors (2) one to stateroom and one to galley, solid

- cherry wood, secure open and closed, stainless steel hardware
- Head fan
- Lights (2) halogen, overhead, recessed
- Medicine cabinet mirrored doors, 2 shelves
- · Miniblinds décor-matched
- Nonskid sole
- · Portlight screened, privacy glass
- Rocker light switch
- · Toilet vacuum flush, pedestal
- Toilet paper holder
- Towel bar
- Towel set bath towel, hand towel, washcloth
- Vanity granite-style top and backsplash, integral sink, 2 shelves beneath with 2 doors

Shower Stall

- Accessories shelves (3) each with aluminum restraining rail
- · Bench seat integral
- Entrance door clear acrylic in aluminum frame, secures closed
- Light halogen, overhead, recessed
- Nonskid sole
- Shower head removable for use as hand-shower
- Towel bar

OWNER PREFERENCE ITEMS

PROPULSION

 Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- · Crusader 5.7 MPI
- · Crusader 6.0 MPI
- MerCruiser 6.2 MPI
- Volvo 5.7Gi
- Volvo 5.7GXi

Diesel Engines

· Cummins 4B-250

MECHANICAL

- · Engine oil change system
- · Internal seawater strainers

ELECTRICAL

 Generator - Westerbeke 7.6 kW, diesel

WATER & WASTE SYSTEMS

- · Grey water holding system
- Waste tank overboard discharge with pump

Transom and Bow Washdowns

- · Both fresh and seawater
- · Fresh water
- Seawater

SAFETY & NAVIGATION

Tender package - Zodiak 310
 Fastroller inflatable with 8hp
 Yamaha engine and davit

Spare Propellers and Shaft

- · For gasoline engines
- · For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- · Bridge table
- · Helm and seat covers
- · Icemaker for wetbar

Canvas Color

- · White Sunbrella
- · Captain's navy
- Toast

DÉCOR Ensemble

- Elegance (beige/black)
- Horizon (blue/green)

Coordinated Countertops

- Black magic (black)
- · Harvest moon (light brown)
- Savannah (neutral)

Ultraleather Color

- Silk
- Butterscotch

Carpet

- Beige
- Golden brown

CABIN AMENITIES - SALON

- Air conditioning upgrade (additional 5,000 BTU) with On/Off switch only
- · Central vacuum system
- DVD
- Pillow set decorator, 6-piece
- Stereo addition remote-mounted 6-disc CD player

CABIN AMENITIES - GALLEY

 Stove - 2-burner electric top with oven

MISCELLANEOUS

- · Loading charge
- · Shipping cradle
- Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214 www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice.

Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment.

Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.