


356 MOTOR YACHT








SPECIFICATIONS

41'2"	12,55 m
13'3"	4,04 m
39"	0,99 m
17'6"	5,33 m
23,500 lbs	10659,6 kg
70 U.S. gals	264,98 liters
36 U.S. gals	136,27 liters
318 U.S. gals	1203,75 liters
6'4"	1,93 m
6 (8 optional)	
	13'3"





STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning with reverse cycle heat, dedicated shore power connector
- Cutlass bearings synthetic rubber composite
- · Dripless shaft logs
- Exhaust mufflers engines, generator
- Fuel tanks welded, baffled 5052 aluminum
- · Hydraulic steering
- · Propellers manufacturer-certified
- · Propeller shafts aquamet
- Rudders 421 manganese bronze
- Struts 421 manganese bronze
- Trim tabs stainless steel, hydraulic

ELECTRICAL

 AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls, AC voltmeter, AC ammeter

- Batteries (4) deep cycle, marine (12V)
- Battery chargers (2) electronic, AC-DC converters
- External connectors CATV, telephone
- · Generator 7.3 kW, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connectors (2) 30 amp
- Shore power cords (2) 50 ft.
- Wiring system tinned copper strand wire, harnessed, colorcoded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system pressurized (12V), with large-capacity filter
- Fresh water storage tank polyethylene
- · Fresh water tank level monitor
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) automatic/manual operation
- Waste holding tanks (2) with filtered vents and dockside pumpouts
- Waste tank level monitors (2)
- Water and waste lines constructed of molecularly crosslinked polyethylene
- Water heater 11 gallons (110V)

SAFETY & NAVIGATION

- · Anodes zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarm high water
- Bilge blowers (12V)
- Bilge pumps (3) 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms

- · Compass illuminated, dual-read
- Engine alarms temperature and oil pressure
- Fire suppression system automatic, FE241 (FM200 in European Community)
- · Galvanic isolator/zinc saver
- Horn air/electric (12V), trumpet
- · Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package with 35 lb. anchor and 125 ft. of 5/16" chain

BRIDGE Command Bridge

- Access doors (2) provide access to wiring in forward bridge
- Access panels (3) provide access to wiring below helm
- Beverage holder fold-out
- DC distribution panel bridge 12V systems
- Light courtesy, with exteriormounted switch
- Lounge with storage below, accommodates 4 adults
- · Self-draining walk surface
- Stereo speakers (2) with volume control at helm
- Windshield Venturi, wraparound, aluminum frame

Helm

- Accessory space for installing navigation equipment
- Adapter 12V
- Beverage holders (3) recessed, integral
- Companion seat triple-wide, high-quality marine-grade upholstery, embroidery stitching
- Dash fiberglass with black accents
- Grab rails (2) stainless steel, on either end of helm



356 MOTOR YACHT

 Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching

Instrumentation

- Gauges synchronizer; rudder angle; tachometer with digital hourmeter, oil pressure, engine temperature, engine battery voltage, fuel level (1 per engine)
- · Rocker switch controls

DECK Aft Deck

- 110V outlet GFCI protected
- 67 ft² (approx.), integral to deck, self-draining
- Command bridge stairway integral to deck with stainless steel hand rail, halogen courtesy light
- Electronics arch custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (3)
 corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Hardtop over entire aft deck
- Lights (2) halogen, overhead, recessed, with exterior-mounted switch
- Storage locker
- Transom door fiberglass, secures open and closed, stainless steel hardware
- Wing doors (2) clear acrylic in aluminum frame, secure open and closed, stainless steel hardware, provide access to the side decks

Side Decks

- Bow rail 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions doublewelded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck

- Cleats (4) 8" spring, stainless steel, bolted through aluminum backing plate
- Deck toe rail
- Grab rails (2) stainless steel, over cabin windows
- Rail gates (2) coated steel cable, port and starboard, single latch, stainless steel hardware
- Rub rail molding heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) 10" stainless steel, bolted through aluminum backing plate
- Cleat 10" stainless steel, for anchor line, bolted through aluminum backing plate
- Pulpit with stainless steel hawse pipe for anchor chain

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation acoustical and thermal, vinyl vapor barrier
- Light overhead, controls mounted in dinette

BOARDING PLATFORM

- 36 ft² (approx.), integral to hull and deck
- Aft deck stairway integral to deck, with stainless steel hand rail
- Boarding ladder retractable, with handhold inset in deck, conceals beneath boarding platform
- Cleats (2) 10" stainless steel, bolted through aluminum backing plate
- Grab rail stainless steel, on top of transom

SALON

- 110V outlets (2) GFCI protected
- Cabin stairway integral, with 2 stainless steel hand rails

- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Chair Flexsteel, tub-style
- · Countertops solid surface
- DC distribution panel 12V safety systems
- Décor package 10-piece decorator pillow set
- · Designer décor
- Dry bar cabinet 1 door, integral bottle holder
- Entertainment group 13" TV and DVD, AM/FM/CD stereo, 2 speakers each in salon, master stateroom, command bridge
- Entrance door tinted acrylic, curved, sliding, handle lock
- Floor access hatches (8) engine room
- · Fresh air fan
- Lights (6) halogen, overhead, recessed
- Lounge Flexsteel, Ultraleather, with double incliners and chaise
- Master stateroom stairway integral, with solid cherry wood hand rail
- Miniblinds décor-matched
- Rocker light switches
- Stereo speakers (2)
- · Telephone connector

GALLEY

- 110V outlet GFCI protected
- Coffee maker
- · Countertops solid surface
- · Designer décor
- Flooring wood plank
- Hardware highlights brass/ chrome
- Lights (2) halogen, overhead, recessed
- Light halogen, over countertop, double fixture
- · Microwave oven built-in
- · Oven electric
- Range electric, 3-burner, smooth top
- Refrigerator/freezer upright
- Rocker light switches
- · Sink with solid surface cover



- Storage cabinets (7)
- Storage drawer
- Waste container recessed in countertop, with solid surface cover

DINETTE

- · 110V outlet GFCI protected
- AC and DC distribution panels
- Bench seats (2) Ultraleather, with storage beneath, convert to double berth
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Countertops solid surface
- Hardware highlights brass/ chrome
- Light halogen, overhead, recessed
- · Rocker light switch
- Storage cabinet sliding mirrored doors
- Storage drawer
- Table solid surface top, aluminum base, adjustable height
- Window cover décor-matched, snap-on

MASTER STATEROOM

- 110V outlets (2) GFCI protected
- Berth double, inner-spring mattress, offset, padded bolster around head
- Berth endtables (2) solid surface top
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Designer décor
- Entrance door 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hanging lockers (2) automatic light
- Hardware highlights brass/ chrome
- Lights (4) halogen, over berth, recessed
- · Lights (2) halogen, overhead
- · Miniblinds décor-matched
- Portlights (2) screened
- · Rocker light switches

- Sheet set embroidered, fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2) with volume control
- Storage cabinets (2)
- · Storage drawer
- · Telephone connector
- Window tinted, sliding, with screen, in aft bulkhead

MASTER HEAD

- 110V outlet GFCI protected
- Entrance door 2-panel, cherry wood, secures closed, stainless steel hardware
- Hardware highlights brass/ chrome
- Head fan
- Lights (2) halogen, brass sconces
- Medicine cabinets (2)
- Miniblinds décor-matched
- · Mirror on aft bulkhead
- Nonskid sole
- Portlights (2) screened, privacy glass
- · Rocker light switches
- Toilet vacuum flush, pedestal
- Towel bar
- Towel set bath towel, hand towel, washcloth
- Vanity solid surface top, shelf beneath with door

Shower Stall

- Accessories shelf with aluminum restraining bolster
- · Bench seat integral
- Entrance door clear acrylic in aluminum frame with matching sidelight, secures closed
- Lights (2) halogen, overhead, recessed
- · Nonskid sole
- Shower head detachable for use as handshower

GUEST STATEROOM

- 110V outlets (2) GFCI protected
- Berth double, offset, padded bolster around head

- Berth endtable solid surface top
- Berth step-up carpeted
- Carpet tufted cut pile, 65 oz., crush-resistant, 100% nylon
- · Curtains décor-matched
- · Designer décor
- Entrance door 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hanging locker cedar-lined, automatic light
- Hardware highlights brass/ chrome
- Light fluorescent, over berth head
- · Lights (2) halogen, overhead
- Mirror on forward bulkhead, conceals anchor chain locker access
- Overhead hatch translucent, lockable, inside screen
- · Portlights (2) screened
- · Rocker light switches
- Sheet set embroidered, fitted sheet, flat sheet, two pillow cases
- · Storage cabinet
- Storage drawers (4)
- · Telephone connector

GUEST HEAD

- 110V outlet GFCI protected
- Countertops (2) solid surface, with restraining rails
- · Curtain décor-matched
- Entrance door 2-panel, cherry wood, secures open and closed, stainless steel hardware
- Hardware highlights brass/ chrome
- Head fan
- Lights (2) halogen, overhead, recessed
- Medicine cabinet mirrored door, 2 shelves
- Nonskid sole
- · Portlight screened, privacy glass
- · Rocker light switch
- Shower doors (2) clear acrylic in aluminum frame, bi-fold and single panel, secure open and closed



356 MOTOR YACHT

- Shower head detachable for use as handshower
- Toilet vacuum flush, pedestal
- Toilet paper holder mounted in vanity
- Towel bar
- Towel set bath towel, hand towel, washcloth
- Vanity 2 shelves beneath with 2 doors

OWNER PREFERENCE ITEMS

PROPULSION

 Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- · Crusader 6.0 MPI
- Crusader 8.1 MPI
- MerCruiser MX 6.2MPI
- MerCruiser 8.1 S Horizon
- Volvo 5.7GXi
- Volvo 8.1Gi

Diesel Engines

- · Cummins 330B
- · Cummins 370B

MECHANICAL

- · Engine oil change system
- · Internal seawater strainers

ELECTRICAL Generator

- · Kohler 8.0 kW gasoline
- Kohler 8.0 kW diesel

WATER & WASTE SYSTEMS

- Additional waste tank capacity
- · Grey water holding system
- · Hot and cold transom handshower
- Waste tank overboard discharge with pump

Transom and Bow Washdowns

- · Both fresh and seawater
- Fresh water
- Seawater

SAFETY & NAVIGATION

- Fender racks (not available with lower helm)
- Tender package Zodiak 310
 Fastroller inflatable with 8hp
 Yamaha engine and davit (not available with transom storage locker)

Lower Helm

- · Domestic style
- · European style

Spare Propellers and Shaft

- · For gasoline engines
- · For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- Carpet
- · Foredeck sunpad
- Transom storage locker (not available with tender package)
- Wet bar with icemaker

Canvas

- "Prestige" bimini top
- · "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella
- · White Sunbrella
- · Captain's navy
- Toast

DÉCOR Ensemble

- Elegance (beige/black)
- Horizon (blue/green)

Coordinated Countertops

- Black magic (black)
- Harvest moon (light brown)
- Savannah (neutral)

Ultraleather Color

- Silk
- Butterscotch

Carpet

- Beige
- Golden brown

CABIN AMENITIES - SALON

- · Central vacuum system
- Intercom system 3 stations
- Lounge Flexsteel, Ultraleather, with 47" stowaway bed and chaise (only with lower helm)
- Lounge Flexsteel, Ultraleather, with 60" stowaway bed and chaise (not available with lower helm)
- · Pillow set decorator, 6-piece
- Stereo addition remote-mounted 6-disc CD player
- · Vented center windows

CABIN AMENITIES - GALLEY

Stove - 3-burner electric top only



CABIN AMENITIES - FORWARD & AFT

- Designer mirror on master stateroom bulkhead
- TV & DVD 13" color, in master stateroom
- Upper bunk in guest stateroom

MISCELLANEOUS

- Loading charge
- · Shipping cradle
- · Shrink wrap



Carver Boat Corporation LLC • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214 www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice.

Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment.

Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.