





346 MOTOR YACHT





346 MOTOR YACHT



LOA (w/platform)	36'11"	11,25 m
Beam	13'2"	4,01 m
Draft	28"	0,71 m
Bridge Clearance w/arch	14'4"	4,37 m
Weight (w/fuel & water)	21,800 lbs	9888,48 kg
Water System	70 U.S. gal.	264,98 liters
Waste System	36 U.S. gals.	136,27 liters
Fuel System	196 U.S. gal.	741,94 liters
Twin inboards (gas or diesel)		
Cabin Headroom	6'5"	1,96 m
Sleeps	4 (5 optional)	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines

- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC voltmeters; AC ammeters
- Batteries (3) - deep cycle, marine (12V)
- Battery charger - electronic, AC-DC converter
- External connectors - CATV, telephone
- Ground Fault Circuit Interrupt (GFCI) protection
- Shore power connector - 30 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tanks (3) - polyethylene

- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic operation
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241, FM200
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on walk decks - diamond pattern
- Navigation lights (COLREGS)

BRIDGE

Command Bridge

- Beverage holders (3) - recessed, self-draining
- Light - halogen, courtesy, recessed
- Lounge - L-shaped, aft, with storage beneath, seats 3 adults
- Self-draining walk surface
- Storage locker
- Wet bar - with integral sink, wraparound stainless steel grab bar and storage beneath

Helm

- Access panel - provides access to wiring in helm console
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Companion seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- DC distribution panel - bridge 12V systems
- Grab rails (2) - stainless steel, on either end of helm
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Lights (2) - halogen, courtesy, recessed

- Stereo speakers (2)
- Tilt steering wheel
- Windshield - tinted, wrap-around, stainless steel frame

Instrumentation

- Gauge - synchronizer
- Gauges (1 set per engine) - oil pressure, engine temperature, engine battery voltage, fuel level, engine hours, tachometer
- Rocker switch controls

DECK

Aft Deck

- 110V outlet - GFCI protected
- 66 ft² (approx.), integral to deck
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (8) - corrosion-resistant polymer attached with noncorroding screws and water-proof sealant
- Hand rail - 47" stainless steel, on cabin stairway
- Hand rail - 1.0" O.D., stainless steel, around entire aft deck, welded to stainless steel-topped weather boards.
- Hardtop over entire aft deck
- Lights (3) - halogen, courtesy, recessed
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Storage locker - double doors, 2 interior hooks
- Transom door - secures open and closed, fiberglass with stainless steel hardware

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rails
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 8" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, runs length of cabin and above windshield
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, through-bolted through aluminum backing plate
- Over-the-stem anchor roller

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Carpeted catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (3) - incandescent, on bulkheads, control mounted in galley

BOARDING PLATFORM

- 35 ft² (approx.), integral to hull and deck
- Aft deck stairway - circular, integral to deck with 2 stainless steel hand rails
- Boarding ladder - telescoping, concealed in boarding platform
- Cleats (4) - 10" stainless steel, through-bolted through aluminum backing plate
- Grab rails (2) - 7" stainless steel, mounted on deck above boarding ladder
- Hand rail - 86" stainless steel, across transom

SALON

- 110V outlet - GFCI protected
- AC and DC distribution panels
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Engine room access hatches (5)
- Entertainment group - 20" TV and VCR
- Entrance door - opaque acrylic bi-fold lower, hatch upper, both lockable
- Fresh air system - passive, with controllable overhead vents
- Granite-style countertop
- Hardware highlights - brass/chrome
- Lights (4) - halogen, overhead, recessed
- Lounge - Flexsteel, Pecan Ultraleather, with extension and storage beneath
- Master stateroom stairway - integral
- Miniblinds - décor-matched
- Rocker light switches
- Shelves (2) - recessed, with restraining rails
- Sofa - Flexsteel, Pecan Ultraleather, with storage beneath
- Storage cabinet - with 2 doors
- Table - solid wood top with fold-out leaf, adjustable aluminum pedestal base, removable, with custom storage rack beneath port lounge
- Telephone connector
- Vented center windows (2)

GALLEY

- 110V outlet - GFCI protected
- Coffee maker
- Designer curtain - décor-matched
- Designer décor
- Flooring - wood plank
- Granite-style countertops with no-drip edge

- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Range - electric, 2-burner, ceran top, recessed with self-storing cover
- Refrigerator with freezer beneath
- Rocker light switches
- Sink - integral, with flush-fit cover
- Storage cabinets (6)
- Storage drawers (4)
- Storage - under sink
- Waste container - removable, recessed in countertop, with flush-fit cover

MASTER STATEROOM

- 110V outlet - GFCI protected
- Bedside endtables (2) - cherry wood tops
- Berth - double, offset island
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, split panel, secures open and closed, integral door stop, stainless steel hardware
- Hanging locker - 31" hanging bar, 3 shelves, automatic light
- Hardware highlights - brass/chrome
- Lights (3) - halogen, overhead, recessed
- Portlight - screened
- Rocker light switch
- Shelves (2) - cherry wood with restraining bolster
- Stereo speakers (2) - with volume control
- Storage drawers (3)
- Storage cabinets (7)
- Window - tinted, removable, in aft bulkhead

MASTER HEAD

- Designer curtains - décor-matched
- Entrance door - solid cherry wood, secures closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- 110V outlet - GFCI protected
- Light - halogen, overhead, recessed
- Medicine cabinets (2) - with mirrored doors
- Nonskid sole
- Portlight - screened, privacy glass
- Rocker light switch
- Storage cabinet
- Toilet - electric flush, pedestal
- Towel bar - 17"
- Vanity - granite-style countertop and backsplash with integral sink, 2 shelves beneath with door

Shower Stall

- Entrance door - acrylic in aluminum frame, bi-fold, secures open and closed
- Nonskid sole
- Shower head - wall-mounted holding bracket, removable for use as a hand-shower

- Integral bench seat
- Light - halogen, overhead, recessed
- Storage cabinet - with mirrored door

FORWARD STATEROOM

- 110V outlet - GFCI protected
- Bedside shelf - cherry wood
- Berth - double, offset
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - solid cherry wood, secures open and closed, stainless steel hardware
- Hanging lockers (2) - 23.5" and 17.5" hanging bars, automatic light
- Hardware highlights - brass/chrome
- Lights (2) - halogen, directable, overhead, reading
- Lights (3) - halogen, overhead, recessed
- Mirror - on forward bulkhead, with concealed anchor chain locker access
- Overhead hatch - 20" diameter, lockable, inside screen
- Portlights (2) - screened
- Rocker light switches
- Step-up next to berth - carpeted
- Storage - beneath berth
- Storage cabinets (5)
- Storage drawers (2)

FORWARD HEAD

- 110V outlet - GFCI protected
- Entrance door - solid cherry wood, secures closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Light - halogen, overhead, recessed
- Medicine cabinet - 3 shelves with mirrored door
- Nonskid sole
- Rocker light switch
- Towel bar - 17"
- Vanity - granite-style countertop and backsplash with integral sink, 1 shelf beneath with 2 doors

Shower Stall / Water Closet

- Entrance door - acrylic in aluminum frame, secures closed
- Granite-style countertop
- Light - halogen, overhead, recessed
- Nonskid sole
- Portlight - screened, privacy glass
- Shower head - wall-mounted holding bracket, removable for use as a hand-shower
- Soap dish - recessed in countertop, self-draining
- Storage cabinet - 2 shelves with 2 mirrored doors
- Storage cabinet - recessed in bulkhead, secures closed, pocket shelf, toilet paper holder
- Toilet - electric flush, pedestal



346 MOTOR YACHT

OWNER PREFERENCE ITEMS

PROPULSION

- Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- Crusader 8.1 MPI
- MerCruiser MX 6.2 MPI
- MerCruiser 8.1 S Horizon
- Volvo 5.7GXi
- Volvo 8.1Gi

Diesel Engines

- Cummins 280B
- Cummins 330B

MECHANICAL

- Engine oil change system
- Internal seawater strainers

ELECTRICAL

Generator

- Kohler 7.3 kW - gasoline
- Kohler 8.0 kW - diesel
- Onan 9.0 kW - diesel

30 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

WATER & WASTE SYSTEMS

- Fresh water tank level monitor
- Grey water holding system
- Hot and cold transom handshower
- Waste tank level monitor
- Waste tank overboard discharge system

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

Head

- Electric flush - fresh water
- Vacuum flush - with waste tank odor filter

SAFETY & NAVIGATION

- Fender racks
- Maxwell Freedom 800 windlass with 35 lb. anchor and 125 ft. of 5/16" chain
- Portable fire extinguisher
- Rudder angle indicator
- Single station spotlight

Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- Carpet
- Helm and seat covers
- Ice maker (in lieu of bridge storage locker)
- Refrigerator (in lieu of bridge storage locker)
- Third pedestal bridge seat (wet bar with storage not available with this option)

Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABIN AMENITIES - SALON

- Air conditioning (33,000 BTU) with reverse cycle heat, dual shore power connectors
- Central vacuum system
- Coordinated Ultraleather color
- Décor package - 10-piece decorator pillow set, embroidered sheets and towels
- Pillow set - decorator, 6-piece

Décor

- Oceania (blue) - with Starlight Blue or Savannah (neutral) countertops
- Bahama (green) - with Savannah or Black countertops
- Dynasty (black) - with Black or Savannah countertops

Stereo

- AM/FM receiver with single CD player
- AM/FM receiver with 6 disc CD player

CABIN AMENITIES - GALLEY

- Convection microwave oven
- Propane stove - 2-burner with LPG locker assembly

CABIN AMENITIES - FORWARD & AFT

- TV/VCR - 13" color with remote control, in master stateroom

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

CARVER
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver dealer for availability outside the U.S.

MY 2002