





374 VOYAGER





374 VOYAGER



LOA (w/platform & pulpit)	40'1"	12,22 m
Beam	13'3"	4,04 m
Draft	44"	1,12 m
Bridge Clearance w/arch	16'4"	4,98 m
Weight (w/fuel & water)	21,100 lbs.	9570,96 kg
Water System	83 U.S. gals.	314,19 liters
Waste System	35 U.S. gals.	132,49 liters
Fuel System	297 U.S. gals.	1124,26 liters
Twin inboards (gas or diesel)		
Cabin Headroom	6'5"	1,96m
Sleeps	4 (6 optional)	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Dripless shaft logs
- Exhaust mufflers - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Cutlass bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers, integral bilge blower controls, AC voltmeters, and AC ammeters
- Batteries (2) - deep cycle, marine (12V)
- Battery charger - electronic, AC-DC converter

- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 30 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Central drain system
- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tanks (2) - polyethylene
- Grey water sump pump - automatic/manual operation
- Shore water connection with pressure-reduction valve
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tank - with dockside pumpout
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery select switch
- Battery restraint brackets
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Bronze valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks
- Navigation lights (COLREGS)

BRIDGE

Command Bridge

- Beverage holders (2) - recessed, integral, self-draining
- Chair - swivel, forward port
- Lights (2) - courtesy, recessed
- Lounge - L-shaped, accommodates 6 adults, with storage below
- Self-draining walk surface
- Stereo speakers (2) - wired
- Windshield - wraparound aluminum frame

Helm

- Access hatch - 31.5" x 5.5" provides easy access to wiring below helm
- Accessory panels (2) - 14" x 12.5" and 13.5" x 7.5" flush-mounted, for installing navigation equipment
- Adapter - 12V
- Grab rail - 11.5" stainless steel on side of helm console
- Helm seat - adjustable, high-quality marine-grade upholstery, embroidery stitching
- Tilt steering wheel

Instrumentation

- Gauge - synchronizer
- Gauges (1 set per engine) - oil pressure, engine temperature, engine battery voltage, fuel level, engine hours, tachometer
- Rocker switch controls

DECK

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate
- Cleat - 12" stainless steel for anchor line, through-bolted through aluminum backing plate

- Pulpit with stainless steel hawse pipe for anchor chain
- Windshield weather covers - black mesh

COCKPIT

- 55 ft² (approx.), integral to hull and deck
- 110V outlet - GFCI protected
- Command bridge ladder - stainless steel double rails, stainless steel-reinforced vinyl rungs with nonskid surface
- Grab rails (2) - 24.5" stainless steel, on side deck stairways
- Hatches (3) - aft bilge access, guttered, watertight
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Side deck stairways (2) - integral to deck
- Transom door - fiberglass, stainless steel latch, locks open

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation - acoustical and thermal, vinyl vapor barrier
- Light - control mounted in salon

BOARDING PLATFORM

- 19 ft² (approx.), integral to hull and deck
- Boarding ladder - retractable, concealed under boarding platform
- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate
- Grab rail - 28.5" stainless steel, next to transom door

SALON

- 110V outlet - GFCI protected
- AC and DC distribution panels
- Barrel chair
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Dry bar cabinet - 2 shelves, bottle holders
- Floor access hatches - engine room and amidships bilge
- Lights (7) - halogen, overhead, recessed
- Rocker light switches
- Sofa - Flexsteel, Pecan Ultraleather, with double incliners
- Stereo speaker - wired

GALLEY

- 110V outlet - GFCI protected
- Chrome sink fixture

- Coffee maker
- Designer décor
- Entrance door - aluminum frame, sliding, 34" x 71.5", handle lock, neutral density glass, with interior screen
- Hatches - bilge access
- Flooring - wood plank
- Light - over countertop, recessed, 27" fluorescent
- Lights (2) - halogen, overhead, recessed
- Microwave oven - built-in
- Range - electric, 2-burner, ceran top
- Refrigerator/freezer (upright)
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Solid surface countertops
- Storage - under sink
- Storage drawers
- Storage cabinet

DINETTE

- 110V outlet - GFCI protected
- Lounge - U-shaped, Pecan Ultraleather, converts to a berth
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Lights (3) - overhead, recessed
- Stereo speaker - wired
- Storage - beneath lounge
- Table - 27" x 25.5" solid surface top

COMPANIONWAY TO STATEROOM LEVEL

- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Hand rail - 12" cherry wood, on stairway
- Light - overhead, recessed
- Rocker light switch

MASTER STATEROOM

- 110V outlets (2) - GFCI protected
- Bedside endtables (2)
- Berth - double, island
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - secures open and closed, stainless steel hardware
- Hanging locker - 13" hanging bar, shelf, automatic light
- Light - reading, recessed, 27.5" fluorescent
- Lights (2) - overhead, recessed
- Mirrored headboard

- Portlights (2) - screened
- Rocker light switches
- Step-up on each side of berth - carpeted
- Stereo speakers (2) - wired
- Storage - with door, in port bulkhead
- Storage drawers (3) - in foot of berth
- Storage shelves (6) - with doors, on either side of berth

HEAD

- 110V outlet - GFCI protected
- Chrome sink fixtures
- Designer curtain - décor-matched
- Entrance door - secures closed, stainless steel hardware
- Hamper - in vanity, with flush-fit cover
- Head fan
- Light - overhead, recessed, 24.5" fluorescent
- Medicine cabinet - 2 shelves, 2 mirrored doors
- Nonskid textured walk surface
- Portlight - screened
- Rocker light switches
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted under vanity
- Vanity - stainless steel sink, storage below with 2 doors

Shower Stall

- Entrance door - sliding bi-fold, smoked glass in aluminum frame, secures open
- Hand shower - wall-mounted holding bracket
- Integral bench seat
- Light - overhead, recessed
- Shower accessories storage - 2 shelves behind 2 doors

GUEST STATEROOM

- 110V outlet - GFCI protected
- Berth - converts to double
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - sliding
- Hanging locker - 11.5" hanging bar, automatic light
- Light - reading, recessed, 27.5" fluorescent
- Lights (2) - overhead, recessed
- Portlight - screened
- Rocker light switches
- Storage drawer - next to lower berth



374 VOYAGER

OWNER PREFERENCE ITEMS

PROPULSION

- Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- Crusader 8.1 MPI
- MerCruiser MX 6.2 MPI
- MerCruiser 8.1 S Horizon
- Volvo 5.7GXi
- Volvo 8.1Gi

Diesel Engine

- Cummins 330B
- Cummins 370B

MECHANICAL

- Engine oil change system
- Internal seawater strainers

ELECTRICAL

Generator

- Kohler 7.3 kW - gasoline
- Kohler 8.0 kW - diesel
- Onan 9.0 kW - diesel

30 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

WATER & WASTE SYSTEMS

- Fresh water tank level monitor
- Grey water holding system
- Hot and cold cockpit handshower
- Waste tank level monitor
- Waste tank overboard discharge with pump

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

Head

- Electric flush - fresh water
- Vacuum flush - with waste tank odor filter

SAFETY & NAVIGATION

- Dual station spotlight (available only with lower helm)
- Fender racks (not available with lower helm)
- Lower helm
- Maxwell Freedom 800 windlass with 35 lb. anchor, and 125 ft. of 5/16" chain
- Portable fire extinguisher
- Rudder angle indicator
- Single station spotlight

Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- Helm and seat covers
- Bridge table
- Carpet
- Electronics arch
- Foredeck sunpad
- Wet bar with icemaker

Canvas

- Bimini top
- Full canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABIN AMENITIES - SALON

- Air conditioning (28,000 BTU) with reverse cycle heat, dual shore power connectors
- Coordinated UltraLeather color
- Décor package - 10-piece decorator pillow set, embroidered sheets and towels
- Pillow set - decorator, 6-piece

- Sofa - Flexsteel, Ultraleather, with stowaway bed
- TV/telephone connectors
- TV/VCR - 13" color with remote control (available only with TV/telephone connectors)
- Upper bunk - in guest stateroom

Décor

- Oceania (blue) - with Starlight Blue or Savannah (neutral) countertops
- Bahama (green) - with Savannah or Black countertops
- Dynasty (black) - with Black or Savannah countertops

Stereo

- AM/FM receiver with single CD player
- AM/FM receiver with 6 disc CD player

CABIN AMENITIES - GALLEY

- 2-Burner propane range with LPG locker assembly
- Bench-style dinette (not available with air conditioning)
- Convection microwave oven

MISCELLANEOUS

- Shipping cradle
- Shrink wrap
- Loading charge

CARVER
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice.
Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment.
Some electrical equipment is only offered in 120V/60Hz; check with your Carver dealer for availability outside the U.S.

MY 2002