





404 COCKPIT MOTOR YACHT





404 COCKPIT MOTOR YACHT



LOA (w/platform & pulpit)	43'5"	13,23 m
Beam	13'3"	4,04 m
Draft	39"	0,99 m
Bridge Clearance w/arch	17'6"	5,33 m
Weight (w/fuel & water)	24,300 lbs.	11022,48 kg
Water System	70 U.S. gals.	264,98 liters
Waste System	36 U.S. gals.	136,27 liters
Fuel System	318 U.S. gals.	1203,75 liters
Twin inboards (gas or diesel)		
Cabin Headroom	6'4"	1,93 m
Sleeps	6 (8 optional)	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Dripless shaft logs
- Exhaust mufflers - engines
- Fuel tanks - welded, baffled 5052 aluminum

- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Cutlass bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (2) - deep cycle, marine (12V)
- Battery charger - electronic, AC-DC converter
- External connectors - CATV, telephone
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 30 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene

- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery selector switch
- Battery restraint brackets
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)

BRIDGE

Command Bridge

- Access doors (2) - provide access to wiring in forward bridge
- Beverage holder - bulkhead-mounted, fold-out
- DC distribution panel - bridge 12V systems
- Light - courtesy, recessed
- Lounge - forward, with storage below, accommodates 4 adults
- Lounge - next to helm seat, accommodates 3 adults
- Self-draining walk surface
- Stereo speakers (2)
- Windshield - venturi-style, wraparound aluminum frame

Helm

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - recessed, integral
- Grab rails (2) - 11" stainless steel on either side of helm console
- Helm seat - adjustable, high-quality marine-grade upholstery, embroidery stitching

Instrumentation

- Gauge - synchronizer
- Gauges (1 set per engine) - oil pressure, engine temperature, engine battery voltage, fuel level, engine hours, tachometer
- Rotary switch controls

DECK

Aft Deck

- 110V outlets (2) - GFCI protected
- 67 ft² (approx.), integral to deck
- Cabin stairway - integral to deck
- Command bridge stairway - integral to deck
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates - corrosion-resistant polymer attached with noncorroding screws and water-proof sealant
- Hand rail - 17" stainless steel, on command bridge stairway
- Hand rail - 17" stainless steel, on cabin stairway
- Hardtop over entire aft deck
- Light - courtesy, recessed, with exterior-mounted switch
- Transom door - fiberglass, stainless steel hardware, secures open and closed

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 8" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rails (2) - 68" stainless steel, over cabin windows
- Rail gates (2) - port and starboard
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, through-bolted through aluminum backing plate
- Pulpit with stainless steel hawse pipe for anchor chain

COCKPIT

- 40 ft² (approx.), integral to hull and deck, self-draining
- Aft deck stairway - spiral, with 2 stainless steel hand rails

- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate, inboard-mounted with stainless steel hawse pipes
- Direct access to master stateroom
- Hatches (3) - aft bilge access, guttered, watertight
- Lights (2) - courtesy, with exterior-mounted switch
- Transom door - fiberglass, stainless steel hardware, secures open and closed

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation - acoustical and thermal, vinyl vapor barrier
- Light - overhead, controls mounted in dinette

BOARDING PLATFORM

- 36 ft² (approx.), integral to hull and deck
- Boarding ladder - retractable, telescoping, concealed under boarding platform
- Grab rail - 8" stainless steel, mounted on transom storage
- Storage locker - transom

SALON

- 110V outlets (2) - GFCI protected
- Barrel chair
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- DC distribution panel - 12V safety systems
- Designer décor
- Dry bar - in cabinet, built-in bottle and glass holders
- Entertainment group - TV/VCR, with wiring for 2 speakers each in salon, master stateroom, and command bridge
- Entrance door - tinted acrylic, curved, sliding, handle lock
- Floor access hatches - engine room and amidships bilge
- Fresh air fan (in lieu of optional air conditioning)
- Lights (6) - halogen, overhead, recessed
- Miniblinds - décor-matched
- Rocker light switches
- Sofa - Flexsteel, Pecan Ultraleather, with double incliners and chaise
- Telephone connector

DINETTE

- 110V outlet - GFCI protected
- AC and DC distribution panels
- Bench seats - Pecan Ultraleather, convert to double berth
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon

- Designer décor
- Full-width mirror
- Light - halogen, overhead, recessed
- Rocker light switches
- Storage - behind mirror
- Storage - beneath seat
- Storage drawer - beneath seat
- Table - 44" x 32.5"

GALLEY

- 110V outlet - GFCI protected
- Chrome sink fixture
- Coffee maker
- Designer décor
- Flooring - wood plank
- In-counter waste container
- Lights (2) - halogen, overhead, recessed
- Oven - electric
- Range - electric, 3-burner with stainless steel and solid surface bi-fold cover
- Refrigerator/freezer (upright)
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Solid surface countertops
- Storage - under sink
- Storage cabinets
- Storage drawers

MASTER STATEROOM

- 110V outlets (2) - GFCI protected
- Bedside endtable - solid surface top, storage drawer beneath
- Berth - double, inner-spring mattress, offset
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Cockpit door - sliding, tinted glass in aluminum frame, dual latches
- Designer décor
- Designer curtains - décor-matched
- Entrance door - secures open and closed, stainless steel hardware
- Hanging lockers (2) - 18.5" hanging bar, automatic light
- Lights (4) - halogen, overhead, reading, recessed
- Lights (2) - halogen, overhead
- Miniblinds - décor-matched
- Portlights (2) - screened
- Rocker light switches
- Stereo speakers (2)
- Storage shelves (3)
- Telephone connector

MASTER HEAD

- 110V outlet - GFCI protected
- Chrome sink fixtures
- Entrance door - secures closed, stainless steel hardware
- Lights (2) - wall-mounted sconces, brass
- Medicine cabinets (2)
- Miniblinds - décor-matched

- Portlight - screened
- Rocker light switches
- Solid surface countertops
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted under vanity
- Towel bar - 18"
- Vanity - stainless steel sink, shelf below with door

Shower Stall

- Entrance door - secures closed, acrylic in aluminum frame
- Integral bench seat
- Lights (2) - overhead, recessed
- Shower head - detachable for use as handshower

GUEST STATEROOM

- 110V outlet - GFCI protected
- Bedside endtable - solid surface top, storage beneath
- Berth - double, offset
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - secures open and closed, stainless steel hardware
- Hanging locker - cedar-lined back, 27" hanging bar, automatic light
- Light - reading, 24" fluorescent
- Lights (2) - overhead
- Mirrored headboard
- Overhead hatch - 19" x 19", lockable, inside screen, over berth
- Padded bolster around berth
- Portlights (2) - screened
- Rocker light switches
- Step-up next to berth
- Storage drawers (4) - in side of berth

GUEST HEAD

- 110V outlet - GFCI protected
- Chrome sink fixtures
- Counter tops (2) - stepped, solid surface, in front of portlight, with restraining rails
- Designer curtain - décor-matched
- Entrance door - secures open and closed, stainless steel hardware
- Head fan
- Lights (2) - overhead, recessed
- Medicine cabinet - mirrored, 2 shelves
- Portlight - screened
- Rocker light switch
- Shower doors (2) - acrylic, bi-fold, secure closed
- Shower head - detachable for use as handshower
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted under vanity
- Towel bar - 18"
- Vanity - stainless steel sink, 2 shelves below with 2 doors



404 COCKPIT MOTOR YACHT

OWNER PREFERENCE ITEMS

PROPULSION

- Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- Crusader 8.1 MPI
- MerCruiser MX 6.2MPI
- MerCruiser 8.1 S Horizon
- Volvo 5.7GX
- Volvo 8.1Gi

Diesel Engines

- Cummins 330B
- Cummins 370B

MECHANICAL

- Engine oil change system
- Internal seawater strainers

ELECTRICAL

Generator

- Kohler 7.3 kW - gasoline
- Kohler 8.0 kW - diesel
- Onan 9.0 kW - diesel

30 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

WATER & WASTE SYSTEMS

- Additional waste tank capacity
- Fresh water tank level monitor
- Grey water holding system
- Hot and cold transom handshower
- Waste tank level monitor
- Waste tank overboard discharge with pump

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

Head

- Electric flush - fresh water
- Vacuum flush - with waste tank odor filter

SAFETY & NAVIGATION

- Dual station spotlight (available only with lower helm)
- Fender racks (not available with lower helm)
- Maxwell Freedom 800 windlass with 35 lb. anchor and 125 ft. of 5/16" chain
- Portable fire extinguisher
- Rudder angle indicator
- Single station spotlight

Lower Helm

- Domestic style
- European style

Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- Carpet
- Foredeck sunpad
- Wet bar with icemaker

Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABIN AMENITIES - SALON

- Air conditioning (28,000 BTU) with reverse cycle heat, dual shore power connectors
- Central vacuum system
- Coordinated Ultraleather color
- Décor package - 10-piece decorator pillow set, embroidered sheets and towels
- Intercom system - 3 stations
- Pillow set - decorator, 6-piece
- Sofa - Flexsteel, Ultraleather, with 60" stowaway bed and chaise (not available with lower helm)
- Vented center windows

Décor

- Oceania (blue) - with Starlight Blue or Savannah (neutral) countertops
- Bahama (green) - with Savannah or Black countertops
- Dynasty (black) - with Black or Savannah countertops

Stereo

- AM/FM receiver with single CD player
- AM/FM receiver with remote-mounted 6 disc CD player

CABIN AMENITIES - GALLEY

- Microwave oven

Stove

- 3-Burner electric range only
- 3-Burner propane with oven and LPG locker assembly in transom storage

CABIN AMENITIES - FORWARD & AFT

- Designer mirror - on master stateroom bulkhead
- TV/VCR - 13" color with remote control, in master stateroom
- Upper bunk in guest stateroom

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

CARVER
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver dealer for availability outside the U.S.

MY 2002