





410 SPORT SEDAN







LOA (w/platform)	46'4"	14,12 m
Beam	13'11"	4,24 m
Draft	32"	0,81 m
Bridge Clearance w/arch	19'2"	5,84 m
Weight (w/fuel & water)	31,625 lbs.	14345 kg
Water System	95 U.S. gals.	359,61 liters
Waste System	75 U.S. gals.	283,91 liters
Fuel System	400 gals.	1514,16 liters
Twin inboards (gas or diesel)		
Cabin Headroom	6'11"	2,11 m
Sleeps	4	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with
- stainless steel stanchions Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, trim, and doors throughout cabin, with highgloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Dripless shaft logs
- Exhaust mufflers engines
- Fuel tanks welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers manufacturer-certified
 Propeller shafts aquamet

- Rudders 421 manganese bronze Cutlass bearings synthetic rubber composite
- Struts 421 manganese bronze
- Trim tabs stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (4) deep cycle, marine (12V)
- Battery chargers (2) electronic, AC-DC
- converters External connectors - CATV, telephone
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector 50 amp
- Shore power cord 50 ft.
- Wiring system tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system pressurized (12V), with large-capacity filter
- Fresh water storage tank polyethylene Shore water connection with pressurereduction valve
- Shower sump pump automatic/manual operation
- Water and waste lines constructed of molecularly cross-linked polyethylene

- · Waste holding tanks (2) with dockside pumpouts
- Water heater 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes zinc, sacrificial
 Battery master disconnect switches
 Battery restraint brackets

- Bilge blowers (12V) Bilge pumps (3) 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass illuminated
- · Engine alarms temperature and oil
- Fire suppression system automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn air/electric (12V), trumpet
- Internal bonding system

 Molded nonskid surfaces on all walk
- decks diamond pattern
 Navigation lights (COLREGS)

BRIDGE

Command Bridge

- 110V outlet GFCI protected
- Beverage holders (4) recessed in table. integral, self-draining
- Grab rail stainless steel, across front and sides of wet bar

- · Lights (2) courtesy, recessed, with exterior-mounted switch
- Lounge wraparound, with storage beneath, accommodates 6 adults
- Self-draining walk surface
- Table kidney-shaped, recessed top
- Wet bar sink, 24" x 20" (approx.) preparation surface, 3 recessed cup/ bottle holders, 2 bottle storage areas beneath
- · Windshield wraparound, tinted glass with aluminum frame

Helm

- Access hatch 26" x 12" provides access to wiring below helm
- Accessory space for installing navigation equipment Adapter - 12V
- Beverage holders (2)
- Companion seats (2) adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- DC circuit breaker panel for helm
- electronics Grab rails (2) 9" stainless steel on either side of helm console
- Helm seat adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching Lights (2) - courtesy, recessed
- · Tilt steering wheel

Instrumentation

- Gauge synchronizer
- Gauges (1 set per engine) oil pressure, engine temperature, engine battery voltage, fuel level, engine hours, digital tachometer
- · Rocker switch controls

DECK

Side Decks

- · Bow rail 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) 10" spring, stainless steel, through-bolted through aluminum backing plate
- Command bridge stairway integral to deck with stainless steel hand rail
- Deck toe rail
- Electronics arch custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (13) corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Grab rail stainless steel, over cabin windows, running length of cabin and above windshield
- Rub rail molding heavy-duty, stainless steel insert

Fore Deck

- · Cleats (2) 12" stainless steel, throughbolted through aluminum backing plate
- Cleat 12" stainless steel for anchor line. through-bolted through aluminum backing plate
- Locker in-deck, self-draining, for fender storage and anchor chain
- Over-the-stem anchor roller

COCKPIT

- · 76 ft2 (approx.), integral to deck, selfdraining
- 110V outlet GFCI protected
- Boarding access from port or starboard dock
- Cleats (2) 12" stainless steel, throughbolted through aluminum backing plate, inboard-mounted with stainless steel hawse pipes
- Grab rails (2) -41" stainless steel, next to side deck stairways
- Hatch 37" x 26" guttered, supported by gas shock, provides aft bilge access
- Lights (9) courtesy, recessed, with exterior-mounted switch
- Lights (4) overhead, recessed, with exterior-mounted switch
- Lockers (2) double doors, in weather-
- boards Overhead sun/weather protection - 40" from cabin toward stern

- Side deck stairways (2) integral to deck with stainless steel grab rail
- Transom door aluminum, stainless steel hardware

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Carpeted catwalk
- Insulation acoustical and thermal, vinyl
- vapor barrier Lights (4) halogen, overhead, controls mounted in salon

BOARDING PLATFORM

- 34 ft² (approx.), integral to hull and deck Boarding ladder flip-out, telescoping,
- concealed in boarding platform Grab rails (2) 12" stainless steel,
- mounted on deck above boarding ladder
- Hand rail 119" stainless steel, across transom
- Hatch covers shore power cord(s) and shore water hose
- Lockers (2) in transom, for stowing shore water hoses and shore power

SALON

- 110V outlet GFCI protected
- AC and DC distribution panels
- Carpet Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Entertainment group 20" TV and VCR, with wiring for 2 speakers each in salon and master stateroom
- Entrance door aluminum frame, curved, sliding, 73" x 45," handle lock, deadbolt, secures open, with interior screen Floor access hatches engine room and
- amidships bilge
- Hardware highlights brass/chrome
- Lights (7) halogen, overhead, recessed
- Lounge Flexsteel, Pecan Ultraleather, wraparound with single incliner, 2 70" corner sofas, and 30" end
- Miniblinds décor-matched
- Solid surface countertops
- Rocker light switches
- Stereo speakers (2)
- Storage cabinet
- Telephone connector

GALLEY

- · 110V outlet GFCI protected
- Coffee maker
- Designer décor
- Flooring wood plank
- Hardware highlights brass/chrome
- Lights (2) halogen, overhead, recessed Microwave / convection oven built-in
- Range electric, three-burner, ceran top
- Refrigerator/freezer (upright)
- Rocker light switches

- · Sink stainless steel with solid surface cover
- Solid surface countertops
- Storage under sink
- Storage drawers (4)
- Storage cabinets (3)

DINETTE

- Carpet Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
 Grab rail stainless steel, overhead
 Hand rail stainless steel, on stairway

- Lights (4) halogen, overhead, recessed Lounge U-shaped, Pecan Ultraleather
- Rocker light switch
- Solid surface countertop
- Table kidney-shaped

COMPANIONWAY TO STATEROOM LEVEL

- Cabinet
- Carpet Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon Hand rail - stainless steel, on stairway
- Hardware highlights brass/chrome
- Lights (3) halogen, courtesy, recessed
 Rocker light switch
- · Solid surface countertop

MASTER STATEROOM

- 110V outlets (2) GFCI protected Bedside endtables (2) solid surface top
- · Berth queen
- Carpet Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains décor-matched
- Designer décor
- Entrance door secures closed, stainless steel hardware
- Hanging locker cedar-lined, carpeted, automatic light
- Hardware highlights brass/chrome
- Lights (5) halogen, overhead, recessed Mirror on forward bulkhead above berth
- Overhead hatch circular, 20.5" diameter, lockable, inside screen, over berth Portlights (2) - screened

- Rocker light switches Shelves (3) recessed, integral, with restraining rail
- Step-ups (2) next to berth, carpeted
- Stereo speakers (2) with volume control
- Storage beneath berth
- Storage cabinets (6) Storage drawer
- Telephone connector

MASTER HEAD

- 110V outlet GFCI protected
- Entrance door secures closed, bi-fold, stainless steel hardware
- Hardware highlights brass/chrome
- Head fan
- Lights (2) halogen, overhead, recessed
- Medicine cabinets (3) mirrored doors, 2

- Portlight screened, privacy glass
- Rocker light switches
- Soap dish wall-mounted, solid glass Toilet electric flush, pedestal
- Toilet paper holder
- Towel ring
- Vanity solid surface top and backsplash, undermounted stainless steel sink, drawer below, 2 shelves below with door

Shower Stall

- · Cabinet mirrored doors
- Designer shower curtain décormatched
- Entrance door secures closed, stainless steel hardware
- Light halogen, overhead, recessed
- Portlight screened, privacy glass
- Rocker light switch waterproof
- Shower head wall-mounted holding bracket, removable for use as handshower

GUEST STATEROOM

- 110V outlet GFCI protected
- Berths (2) twin, with filler to convert to double
- Carpet Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains décor-matched
- Designer décor
- Entrance door bi-fold, secures open and closed, stainless steel hardware
- Hanging locker cedar-lined, automatic light
- Hardware highlights brass/chrome Lights (5) - halogen, overhead, recessed
- Portlight screened
- Rocker light switches Settee Pecan Ultraleather, integral
- Storage beneath berths
- Storage cabinets (8) Storage drawer

GUEST HEAD

- 110V outlet GFCI protected
- · Designer shower curtain décormatched
- Entrance door secures closed, integral door stop, stainless steel hardware
- Grab rail stainless steel, over vanity Hardware highlights - brass/chrome
- Head fan
- Lights (2) halogen, overhead, recessed Medicine cabinet mirrored doors, 2 shelves
- Portlight screened, privacy glass

Toilet - electric flush, pedestal

- Rocker light switch
- Soap dish wall-mounted, solid glass
- Toilet paper holder Vanity - solid surface top and backsplash, undermounted stainless steel sink, 2 shelves below with door, sink spigot removable for use as a handshower and

has wall-mounted holding bracket



OWNER PREFERENCE ITEMS

PROPULSION

Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- Crusader 8.1 MPI
- MerCruiser 8.1 S Horizon
- Volvo 8.1Gi

Diesel Engines

- Cummins 280B
- Cummins 330B
- Cummins 370B
- Cummins 450C
- Volvo TAMD 63LVolvo TAMD 63P
- Volvo TAMD 74P EDC

MECHANICAL

- · Electronic controls with synchronizer
- Engine oil change system
- · Internal seawater strainers

ELECTRICAL

· Cablemaster for shore power

Generator

- Kohler 7.3 kW gasoline
- Kohler 8.0 kW gasoline

- Kohler 10.0 kW gasoline
- Kohler 8.0 kW diesel
- · Kohler 10.0 kW diesel
- Onan 9.0 kW diesel
- · Onan 11.5 kW diesel

50 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

WATER & WASTE SYSTEMS

- · Fresh water tank level monitor
- · Grey water holding system
- · Hot and cold transom handshower
- Waste tank level monitor
- Waste tank overboard discharge with pump

Head

- · Electric flush fresh water
- · Vacuum flush with waste tank odor filter

Transom and Bow Washdowns

- · Both fresh and seawater
- Fresh water
- Seawater

SAFETY & NAVIGATION

- Dual station spotlight (available only with lower helm)
- Fender racks (not available with lower helm)
- Lower helm with electronic controls (in lieu of dinette)

- Maxwell Freedom 800 windlass with 35 lb. anchor and 150 ft. of 5/16" chain
- Portable fire extinguisher
- Rudder angle indicator
- · Single station spotlight

Spare Propellers and Shaft

- · For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Carpet
- Foredeck sunpad
- Helm and seat covers
- Refrigerator/icemaker for wet bar
- Stereo AM/FM receiver with CD player, CD changer, antenna, and speakers

Canvas

- · "Prestige" bimini top
- · "Prestige" full canvas with carpet

Canvas Color

- · Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABINAMENITIES - SALON

- Air conditioning with reverse cycle heat, dual shore power connectors
- Central vacuum system
- Coordinated Ultraleather color

- Décor package 10-piece decorator pillow set, embroidered sheets and towels
- · Intercom 3 stations
- · Pillow set decorator, 6-piece

Décor

- Oceania (blue) with Starlight Blue or Savannah (neutral) countertops
- Bahama (green) with Savannah or Black countertops
- Dynasty (black) with Black or Savannah countertops

Stereo

- · AM/FM receiver with single CD player
- AM/FM receiver with remote-mounted 6 disc CD player

CABIN AMENITIES - GALLEY

3-Burner propane range with LPG locker assembly

CABINAMENITIES - FWD

- TV/VCR 13" color with remote control, in master stateroom
- · TV in guest stateroom

MISCELLANEOUS

- · Loading charge
- Shipping cradle
- Shrink wrap



Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214 www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice.

Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment.

Some electrical equipment is only offered in 120V/60Hz; check with your Carver dealer for availability outside the U.S.