




# 444 COCKPIT MOTOR YACHT





# 444 COCKPIT MOTOR YACHT



LOA (w/platform)	46'6"	14,17 m
Beam	13'11"	4,24 m
Draft	42"	1,07 m
Bridge Clearance w/arch	18'0"	5,49 m
Weight (w/fuel & water)	33,860 lbs.	15358,90 kg
Water System	90 U.S. gals.	340,69 liters
Waste System	72 U.S. gals.	272,55 liters
Fuel System	404 gals.	1529,30 liters
Twin inboards (diesel)		
Cabin Headroom	6'10"	2,08 m
Sleeps	4 (6 optional)	

## STANDARD FEATURES

### CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high-gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Dripless shaft logs
- Exhaust mufflers - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers - manufacturer-certified
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Seawater strainers

- Cutlass bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 50 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tanks (2) - polyethylene
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts
- Water heater - 11 gallons (110V)

### SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)

### BRIDGE

- Command Bridge
- 110V outlet - GFCI protected
- Beverage holders (2) - bulkhead-mounted, fold-out
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Lounge - L-shaped, with storage below, accommodates 5 adults
- Self-draining walk surface
- Stereo speakers (2)
- Storage locker

- Wet bar - self-draining with sink, 20" x 18" (approx.) preparation surface, bottle storage beneath
- Windshield - wraparound, aluminum frame

### Helm

- Access hatch - 28" x 14" provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Companion seat
- DC circuit breaker panel for helm electronics
- Grab rails (2) - 9.5" stainless steel on either side of helm console
- Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, embroidery stitching
- Tilt steering wheel

### Instrumentation

- Gauges - synchronizer, rudder angle, and tachometer with hourmeter (1 per engine)
- Multi-gauges (1 per engine) - oil pressure, engine temperature, engine battery voltage, and fuel level
- Rocker switch controls

### DECK

#### Aft Deck

- 73 ft<sup>2</sup> (approx.), integral to deck, self-draining

- Command bridge stairway - integral to deck with stainless steel hand rail
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws and water-proof sealant
- Grab rail - 25" stainless steel, across lockers
- Hand rail - 1.0" OD, stainless steel, around entire aft deck
- Hardtop over entire aft deck
- Lights (4) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - overhead, recessed, with exterior-mounted switch
- Lockers (2) - upper and lower, double doors, interior stainless steel restraining rail
- Transom door - aluminum, stainless steel hardware, with 22" grab rail across top
- Wing doors (2) - secure open and closed, acrylic in aluminum frame, stainless steel hardware, provide access to the side decks

#### Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin and above windshields
- Boarding doors (2) - aluminum, port and starboard, double latch, stainless steel hardware
- Rub rail molding - heavy-duty, stainless steel insert

#### Fore Deck

- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, through-bolted through aluminum backing plate
- Locker - in-deck, self-draining, for fender storage and anchor chain
- Over-the-stem anchor roller

#### COCKPIT

- 60 ft<sup>2</sup> (approx.), integral to hull and deck, self-draining
- Aft deck stairway - integral to deck, with 2 stainless steel hand rails
- Boarding access from port or starboard dock
- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate,

inboard-mounted with stainless steel hawse pipes

- Direct access to master stateroom
- Hatch - guttered, watertight, provides aft bilge access
- Light - courtesy, recessed, on aft deck stairway
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Locker - transom, 2 doors
- Transom door - aluminum, stainless steel hardware, with 22" grab rail across top

#### ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Diamond plate aluminum catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (4) - overhead, controls mounted under bottom salon stairway step

#### BOARDING PLATFORM

- 26 ft<sup>2</sup> (approx.), integral to hull and deck
- Boarding ladder - retractable, telescoping, with grab rail, concealed in boarding platform
- Hand rail - 110" stainless steel, across transom

#### SALON

- 110V outlets (3) - GFCI protected
- AC and DC distribution panels
- Cabin stairway - integral, with cherry wood hand rail
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Endtables (2) - integral, solid surface top, at either end of lounge
- Entertainment group - TV and VCR, with wiring for 2 speakers each in salon, master stateroom, and aft deck hardtop
- Entrance door - acrylic, curved, sliding, handle lock, with interior screen
- Floor access hatches - engine room and amidships bilge
- Fresh air system - passive, with controllable overhead vents
- Hardware highlights - brass/chrome
- Lights (9) - halogen, overhead, recessed
- Lounge - Flexsteel, Pecan Ultraleather, with double incliners, 36" end, and corner extension
- Miniblinds - décor-matched
- Rocker light switches
- Sofa - Flexsteel, Pecan Ultraleather, storage beneath
- Solid surface countertops
- Stereo speakers (2)
- Storage cabinets (2) - in aft bulkhead
- Table - free-standing, elevating top
- Telephone connector
- Window vents (2)

#### GALLEY

- 110V outlet - GFCI protected
- Coffee maker
- Designer décor
- Flooring - wood plank
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Microwave / convection oven - built-in
- Range - electric, three-burner, ceran top
- Refrigerator/freezer (upright)
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Solid surface countertops
- Storage - under sink
- Storage drawers
- Storage cabinets

#### MASTER STATEROOM

- 110V outlets (3) - GFCI protected
- Bedside endtables - solid surface top, storage beneath
- Berth - queen, inner-spring mattress, offset island
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Cockpit door - sliding, tinted glass in aluminum frame, locking latch, inside deadbolt with flush-mounted handle, with interior screen
- DC distribution panel - 12V safety systems
- Designer curtains - décor-matched
- Designer décor
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hanging locker - cedar-lined, carpeted, 16" hanging bar, shelf, automatic light
- Hanging locker - 17" hanging bar
- Hardware highlights - brass/chrome
- Lights (2) - halogen, reading, recessed
- Lights (3) - halogen, overhead, recessed
- Miniblinds - décor-matched
- Portlights (2) - screened
- Rocker light switches
- Stereo speakers (2)
- Storage cabinets (4)
- Storage drawers (3)
- Telephone connector

#### MASTER HEAD

- 110V outlet - GFCI protected
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored, 2 shelves
- Portlights (2) - screened, privacy glass
- Rocker light switches
- Soap dish - wall-mounted, solid glass
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted in vanity cabinet
- Towel ring
- Vanity - solid surface top and backsplash, undermounted stainless steel sink, drawer below, cabinet below with door

#### Shower Stall

- Entrance door - secures closed, acrylic in aluminum frame
- Integral bench seat
- Light - halogen, overhead, recessed
- Shower head - adjustable height, detachable for use as handshower
- Towel bar - 14"

#### GUEST STATEROOM

- 110V outlets (2) - GFCI protected
- Bedside endtables - solid surface top
- Berth - queen, island
- Carpet - Gold Rush, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - pocket-style, secures open and closed, stainless steel hardware
- Hanging locker - cedar-lined, two 8.5" hanging bars, automatic light, integral door stop
- Hardware highlights - brass/chrome
- Lights (5) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - circular, 20.5" diameter, lockable, inside screen, over berth
- Portlights (2) - screened
- Rocker light switches
- Step-ups next to berth - carpeted
- Storage - beneath berth
- Storage cabinets (4)
- Telephone connector

#### GUEST HEAD

- 110V outlet - GFCI protected
- Clothes hook on entrance door
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinets (3) - mirrored, 2 shelves
- Portlight - screened, privacy glass
- Rocker light switch
- Toilet - electric flush, pedestal
- Toilet paper holder
- Towel ring
- Vanity - solid surface top and backsplash, undermounted stainless steel sink, drawer below, 2 shelves below with door

#### Shower Stall

- Designer shower curtain - décor-matched
- Entrance door - secures closed, stainless steel hardware, integral doorstop
- Grab rail - 29.5" stainless steel
- Integral bench seat
- Light - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Shower accessories cabinet - 2 mirrored doors
- Shower head - adjustable height, detachable for use as handshower



# 444 COCKPIT MOTOR YACHT

## OWNER PREFERENCE ITEMS

### PROPULSION

#### Diesel Engines

- Cummins 330B
- Cummins 370B
- Volvo TAMD 63L
- Volvo TAMD 63P

### MECHANICAL

- Bow thruster
- Electronic controls with synchronizer
- Engine oil change system

### ELECTRICAL

#### Generator

- Kohler 10.0 kW
- Onan 10.0 kW
- Onan 11.5 kW

#### 50 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

### WATER & WASTE SYSTEMS

- Fresh water tank level monitor
- Grey water holding system
- Hot and cold transom handshower
- Waste tank level monitor

- Waste tank overboard discharge with pump

#### Head

- Electric flush - fresh water
- Vacuum flush - with waste tank odor filter

#### Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION

- Dual station spotlight (available only with lower helm)
- Fender racks (not available with lower helm)
- Lower helm with electronic controls, windshield wipers, and third stateroom
- Maxwell 1200 VWC Lo Profile windlass with 35 lb. anchor and 200 ft. of 5/16" chain
- Portable fire extinguisher
- Single station spotlight
- Spare propellers and shaft

### EXTERIOR AMENITIES

- Bridge cover
- Carpet
- Foredeck sunpad
- Ice maker for wet bar
- Stereo - AM/FM receiver with CD player, CD changer, antenna, and speakers
- Transom storage locker

#### Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

#### Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

### CABIN AMENITIES - SALON

- Air conditioning (35,000 BTU) with reverse cycle heat, dual shore power connectors
- Central vacuum system
- Coordinated Ultraleather color
- Décor package - 10-piece decorator pillow set, embroidered sheets and towels
- Pillow set - decorator, 6-piece
- Sofa with stowaway bed

#### Décor

- Oceania (blue) - with Starlight Blue or Savannah (neutral) countertops
- Bahama (green) - with Savannah or Black countertops
- Dynasty (black) - with Black or Savannah countertops

#### Dinette

- Dining table with 3 dining chairs (in lieu of both the standard port sofa and hi-lo table)

- Additional dining chair for above dinette option
- Fitted dinette - triangular dining table with L-shaped dinette lounge (in lieu of standard hi-lo table and forward incliner and extension of starboard lounge)

#### Stereo

- AM/FM receiver with single CD player
- AM/FM receiver with remote-mounted 6 disc CD player

### CABIN AMENITIES - GALLEY

- 3-Burner propane range with LPG locker assembly
- Pantry (not available with lower helm or fitted dinette)

### CABIN AMENITIES - FWD & AFT

- TV/VCR - 13" color with remote control, in master stateroom
- TV/VCR - 13" color with remote control, in guest stateroom
- Upper bunk in guest stateroom

### MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

**CARVER**  
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214  
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice.  
Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment.  
Some electrical equipment is only offered in 120V/60Hz; check with your Carver dealer for availability outside the U.S.

MY 2002