



3 6 0 T R O J A N E X P R E S S

TROJAN[®]
Express Yachts



3 6 0 T R O J A N E X P R E S S



LOA (w/platform & pulpit)	37'8"	11,48 m
Beam	12'0"	3,66 m
Draft	34"	0,86 m
Bridge Clearance w/arch	9'8"	2,95 m
Weight (w/fuel & water)	17,100 lbs.	7756,56 kg
Water System	60 U.S. gals.	227,12 liters
Waste System	30 U.S. gals.	113,56 liters
Fuel System	220 U.S. gals.	832,79 liters
Twin V-drive inboards (gas or diesel)		
Cabin Headroom	6'5"	1,96 m
Sleeps	5	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with angle steel plates
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cockpit
- Molded fiberglass stringer system
- Cherry wood cabinetry and trim throughout cabin, with high gloss finish
- Solid fiberglass hull bottoms with Kevlar substrates and Vinyloster barrier coat
- Unitized deck, cockpit, and cockpit construction

MECHANICAL

- Dripless shaft logs
- Exhaust mufflers - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering

- Propellers
- Propeller shafts - aquanet
- Rudders - 421 manganese bronze
- Curless bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (2) - deep cycle, marine (12V)
- Battery charger - electronic, AC-DC converter
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 30 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V)
- Fresh water storage tank - polyethylene, 60 gallons
- Gray water sump pump - automatic operation
- Shore water connection
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tank - with dockside pumpout, 30 gallons
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery selector switch
- Battery restraint brackets
- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Bronze valves for all underwater thru-hulls

- CO detectors in salon and stateroom
- Compass - illuminated
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks
- Navigation lights (COLREGS)

BRIDGE

Helm

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holder - recessed, self-draining
- Burlled walnut style helm console
- DC distribution panel
- Helm seat - adjustable, triple-wide, high-quality marine-grade upholstery, embroidery stitching

- Lockers (2) - outboard
- Self-draining walk surface
- Tilt steering wheel
- Windshield - wraparound aluminum frame

Instrumentation

- Gauge - synchroizer
- Gauges (1 set per engine) - oil pressure, engine temperature, engine battery voltage, fuel level, engine hourmeter, tachometer
- Rocker switch controls

DECK

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, through-bolted through aluminum backing plate
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Anchor chain locker
- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, through-bolted through aluminum backing plate
- Pulpit with stainless steel hose pipe for anchor chain
- Sunpad - 65" x 62"

COCKPIT

- 110V outlet - GFCI protected
- Beverage holders (2) - recessed, self-draining
- Electronics arch - custom aluminum with acrylic polycarbonate surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with nonconforming screws and waterproof sealant
- Lights (2) - courtesy, recessed
- Lights (2) - overhead, recessed
- Lounge - U-shaped, accommodates 6 adults

- Side deck stairway - integral to deck
- Stereo speakers (2) - wired
- Transom door - aluminum, secures open and closed
- Wet bar - self-draining with sink, bottle storage, and 14.5" x 17.5" preparation surface

ENGINE ROOM

- Access ladder - removable
- Bilges coated with white, low-VOC gelcoat
- Cockpit clamshell retraction system - operated by electrically-driven screwjack, raises entire cockpit and transom for engine room access
- Diamond plate aluminum catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (3) - halogen, overhead, recessed

BOARDING PLATFORM

- 25 ft² (approx.), integral to hull and deck
- Boarding ladder - retractable, telescoping, with deck-mounted hand hold, concealed under boarding platform
- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Grab rail - 35.5" stainless steel on transom
- Locker - transom

SALON

- 110V outlet - GFCI protected
- AC distribution panel
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- DC distribution panel - 12V safety systems
- Designer curtains - décor-matched
- Designer décor
- Designer privacy curtain - décor-matched, doses access lounge
- Entrance door - aluminum frame, tinted glass, curved, sliding, handle lock
- Hand rail - 24" stainless steel, vertical, next to entrance door stairway
- Hanging locker - cedar-lined, 20" hanging bar, automatic light, carpeted
- Lights (2) - courtesy, recessed, on entrance door stairway

- Lights (2) - halogen, overhead, recessed
- Lounge - U-shaped, neutral Romantic, converts to double berth
- Mirrored aft bulkhead
- Stereo speakers (2) - wired
- Storage - beneath lounge
- Window - sliding, screened, in aft bulkhead

DINETTE

- 110V outlets (2) - GFCI protected
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Lights (3) - halogen, overhead, recessed
- Lounge - U-shaped, neutral Romantic, converts to berth
- Portlight - screened
- Rocker light switches
- Storage - beneath lounge
- Storage cabinets (4)
- Table - 37.5" x 32" triangular, with fold-up leaf, adjustable height

GALLEY

- 110V outlets (2) - GFCI protected
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Chrome sink fixture
- Coffee maker
- Designer curtains - décor-matched
- Designer décor
- Lights (2) - halogen, overhead, recessed
- Lights (2) - over countertop, recessed, 27.5" fluorescent
- Microwave oven - built-in, with turntable
- Portlight - screened
- Range - electric, 2-burner, ceramic top
- Refrigerator with freezer compartment
- Rocker light switch
- Sink - integral, with wood cutting board cover
- Storage - under sink

- Storage cabinets
- Storage drawers

STATEROOM

- 110V outlets (2) - GFCI protected
- Berth - queen, island
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - bi-fold, secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, carpeted, 18.5" hanging bar, automatic light
- Lights (2) - directable reading, halogen, recessed
- Lights (2) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - 19" x 19", lockable, inside screen, privacy pattern on glass
- Rocker light switch
- Step-up on each side of berth - carpeted
- Storage - beneath berth
- Storage cabinets (6)
- Storage drawers (3)

HEAD

- 110V outlet - GFCI protected
- Bench seat - folds down, locks open
- Chrome sink fixture
- Designer curtains - décor-matched
- Designer shower curtain - wrap-around
- Entrance door - secures open and closed, stainless steel hardware
- Hand shower - retractable, adjustable-height wall-mounted holding bracket
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - 3 mirrored doors, 2 shelves
- Portlight - screened
- Rocker light switch
- Toilet - electric, seawater, pedestal
- Toilet paper holder - mounted in vanity
- Vanity - stainless steel sink, 1 shelf below with 1 door