


3 9 6 M O T O R Y A C H T

CARVER[®]
YACHTS



3 9 6 M O T O R Y A C H T



LOA (w/platform)	40'7"	12,37 m
Beam	13'11"	4,24 m
Draft	42"	1,07 m
Bridge Clearance w/arch	18'0"	5,49 m
Weight (w/fuel & water)	29,500 lbs.	13381,2 kg
Water System	90 U.S. gals.	340,69 liters
Waste System	72 U.S. gals.	272,55 liters
Fuel System	330 gals.	1249,18 liters
Twin inboards (gas or diesel)		
Cabin Headroom	6'10"	2,08 m
Sleeps	4 (6 optional)	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Dripless shaft logs
- Exhaust mufflers - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Cutlass bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral bilge blower controls; AC voltmeter; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 50 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V)
- Fresh water storage tanks (2) - polyethylene, 45 gallons each
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts, 36 gallons each
- Water heater - 11 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets

- Bilge blowers (12V)
- Bilge pumps (3) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)

BRIDGE

Command Bridge

- 110V outlet - GFCI protected
- Beverage holders (2) - bulkhead-mounted, fold-out
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Lounge - L-shaped, with storage below, accommodates 5 adults
- Self-draining walk surface
- Stereo speakers (2)
- Storage locker
- Wet bar - self-draining with sink, 20" x 18" (approx.) preparation surface, bottle storage beneath
- Windshield - wraparound, aluminum frame

Helm

- Access hatch - 28" x 14" provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Companion seat
- DC circuit breaker panel for helm electronics
- Grab rails (2) - 9.5" stainless steel on either side of helm console
- Helm seat - adjustable, high-quality marine-grade upholstery, embroidery stitching
- Tilt steering wheel

Instrumentation

- Gauges - synchronizer, rudder angle, and tachometer with hourmeter (1 per engine)
- Multi-gauges (1 per engine) - oil pressure, engine temperature, engine battery voltage, and fuel level
- Rocker switch controls

DECK

Aft Deck

- 73 ft² (approx.), integral to deck, self-draining
- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate, inboard-mounted with stainless steel hawse pipes
- Command bridge stairway - integral to deck with stainless steel hand rail

- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Grab rail - 25" stainless steel, across lockers
- Hand rail - 1.0" OD, stainless steel, around entire aft deck
- Hardtop over entire aft deck
- Lights (4) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - overhead, recessed, with exterior-mounted switch
- Lockers (2) - upper and lower, double doors, interior stainless steel restraining rail
- Stereo speakers (2)
- Transom door - aluminum, stainless steel hardware, with 22" grab rail across top
- Wing doors (2) - secure open and closed, acrylic in aluminum frame, stainless steel hardware, provide access to the side decks

Side Decks

- Bow rail - 1.0" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin and above windshields
- Rub rail molding - heavy-duty, stainless steel insert

Fare Deck

- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Cleat - 10" stainless steel for anchor line, through-bolted through aluminum backing plate
- Locker - in-deck, self-draining, for fender storage and anchor chain
- Over-the-stem anchor roller

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Diamond plate aluminum catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (4) - overhead, controls mounted under bottom salon stairway step

BOARDING PLATFORM

- 26 ft² (approx.), integral to hull and deck
- Aft deck stairway - integral to deck, with 2 stainless steel hand rails

- Boarding ladder - retractable, telescoping, with grab rail, concealed in boarding platform
- Cleats (2) - 10" stainless steel, through-bolted through aluminum backing plate
- Light - courtesy, recessed, on aft deck stairway

SALON

- 110V outlets (3) - GFCI protected
- AC and DC distribution panels
- Cabin stairway - integral, with cherry wood hand rail
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Endtables (2) - integral, solid surface top, at either end of lounge
- Entertainment group - TV and VCR, with wiring for 2 speakers each in salon, master stateroom, and aft deck hardtop
- Entrance door - acrylic, curved, sliding, handle lock, with interior screen
- Floor access hatches - engine room and amidships bilge
- Fresh air system - passive, with controllable overhead vents
- Hardware highlights - brass/chrome
- Lights (9) - halogen, overhead, recessed
- Lounge - Flexsteel, chamois UltraLeather, with double incliners, 70" corner extension and 36" end
- Miniblinds - décor-matched
- Rocker light switches
- Sofa - chamois UltraLeather, storage beneath
- Solid surface countertops
- Stereo speakers (2)
- Storage cabinets (2) - in aft bulkhead
- Table - free-standing, elevating top
- Telephone connector
- Window vents (2)

GALLEY

- 110V outlet - GFCI protected
- Coffee maker
- Designer décor
- Flooring - wood plank
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Microwave/convection oven - built-in
- Range - electric, three-burner, ceran top
- Refrigerator/freezer (upright)
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Solid surface countertops
- Storage - under sink
- Storage drawers
- Storage cabinets

MASTER STATEROOM

- 110V outlets (3) - GFCI protected
- Bedside endtables - solid surface top, storage beneath
- Berth - queen, inner-spring mattress, offset island
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- DC distribution panel - 12V safety systems
- Designer décor
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hanging locker - cedar-lined, carpeted, 16" hanging bar, shelf, automatic light
- Hanging locker - 17" hanging bar
- Hardware highlights - brass/chrome
- Lights (2) - halogen, reading, recessed
- Lights (3) - halogen, overhead, recessed
- Miniblinds - décor-matched
- Portlights (2) - screened
- Rocker light switches
- Stereo speakers (2)
- Storage cabinets (7)
- Storage drawers (5)
- Telephone connector
- Window - removable, tinted, in aft bulkhead

MASTER HEAD

- 110V outlet - GFCI protected
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored, 2 shelves
- Portlights (2) - screened, privacy glass
- Rocker light switches
- Soap dish - wall-mounted, solid glass, brass/chrome highlights
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted in vanity cabinet
- Towel ring
- Vanity - solid surface top and backsplash, undermounted stainless steel sink, drawer below, cabinet below with door

Shower Stall

- Entrance door - secures closed, acrylic in aluminum frame
- Integral bench seat
- Light - halogen, overhead, recessed
- Shower head - adjustable height, detachable for use as handshower
- Towel bar - 14"

GUEST STATEROOM

- 110V outlets (2) - GFCI protected

- Bedside endtables - solid surface top
- Berth - queen, island
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - pocket-style, secures open and closed, stainless steel hardware
- Hanging locker - cedar-lined, two 8.5" hanging bars, automatic light, integral door stop
- Hardware highlights - brass/chrome
- Lights (5) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - circular, 20.5" diameter, lockable, inside screen, over berth
- Portlights (2) - screened
- Rocker light switches
- Step-ups next to berth - carpeted
- Storage - beneath berth
- Storage cabinets (4)
- Telephone connector

GUEST HEAD

- 110V outlet - GFCI protected
- Clothes hook on entrance door
- Entrance door - secures closed, integral doorstop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinets (3) - mirrored, 2 shelves
- Portlight - screened, privacy glass
- Rocker light switch
- Toilet - electric flush, pedestal
- Toilet paper holder
- Towel ring
- Vanity - solid surface top and backsplash, undermounted stainless steel sink, drawer below, 2 shelves below with door

Shower Stall

- Designer shower curtain - décor-matched
- Entrance door - secures closed, stainless steel hardware, integral doorstop
- Grab rail - 29.5" stainless steel
- Integral bench seat
- Light - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Shower accessories cabinet - 2 mirrored doors
- Shower head - adjustable height, detachable for use as handshower

OWNER PREFERENCE ITEMS

PROPULSION

- Fresh water cooling (available only with gasoline engines)

Gasoline Engines

- MerCruiser 454 Mag MPI Horizon (while supplies last)
- MerCruiser 8.1 S Horizon (when available)
- MerCruiser 8.1 S HO Horizon (when available)
- Volvo 7.4Gi (while supplies last)
- Volvo 7.4Gi Platinum (while supplies last)
- Volvo 8.1Gi (when available)
- Volvo 8.1GSi (when available)

Diesel Engines

- Cummins 330B
- Cummins 370B
- Volvo TAMD 63L
- Volvo TAMD 63P

MECHANICAL

- Engine oil change system
- Internal seawater strainers

ELECTRICAL

Generator

- Kohler 10.0 kW - gasoline
- Kohler 10.0 kW - diesel
- Onan 10.0 kW - diesel

50 Amp Shore Power Adaptor

- 1 adaptor
- 2 adaptors

WATER & WASTE SYSTEMS

- After tank overboard discharge with pump
- Fresh water tank level monitor
- Grey water holding system
- Hot and cold transom handshower
- Waste tank level monitor

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

Head

- Electric flush - fresh water
- Vacuum flush

SAFETY & NAVIGATION

- Dual station spotlight (available only with lower helm)
- Fender racks (not available with lower helm)
- Lower helm with electronic controls, wipers, and third stateroom
- Maxwell Freedom 800 windlass with 35 lb. anchor and 150 ft. of 5/16" chain
- Portable fire extinguisher
- Single station spotlight

Spare Propellers and Shaft

- For gasoline engines
- For diesel engines

EXTERIOR AMENITIES

- Bridge cover
- Carpet

- Foredeck sunpad
- Stereo - AM/FM receiver with CD player, CD changer, antenna, and speakers
- Transom storage locker (required with propane stove)
- Transom walkway
- Wet bar with icemaker

Canvas

- "Prestige" bimini top
- "Prestige" full canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABIN AMENITIES - SALON

- Air conditioning (35,000 BTU) with reverse cycle heat, dual shore power connectors
- Central vacuum system
- Coordinated UltraLeather color
- Décor package - 8 piece decorator pillow set, embroidered sheets and towels
- Neutral countertops in lieu of coordinated color
- Pillow set - decorator, 6-piece
- Sofa - UltraLeather, with stowaway bed
- Maple wood interior with high gloss finish

Décor

- Pacific Sky (includes coordinated countertops)
- Emerald Seafoam (includes coordinated countertops)
- Sandstone Sculptures (includes coordinated countertops)

Dinette

- Dining table with 3 dining chairs (in lieu of both the standard port sofa and hi-lo table)
- Additional dining chair for above dinette option
- Fitted dinette - triangular dining table with L-shaped dinette lounge (in lieu of standard hi-lo table and forward incliner and extension of starboard lounge)

Stereo

- AM/FM receiver with single CD player
- AM/FM receiver with remote-mounted 6 disc CD player

CABIN AMENITIES - GALLEY

- 3-Burner propane range with LPG locker assembly (transom storage required)
- Pantry (not available with lower helm)

CABIN AMENITIES - FORWARD & AFT

- TV/VCR - 13" color with remote control, in master stateroom
- Upper bunk in guest stateroom

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

CARVER
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 125V/60Hz; check with your Carver dealer for availability outside the U.S.