


4 6 6


M O T O R

Y A C H T

CARVER[®]
YACHTS



4 6 6 M O T O R Y A C H T



LOA (w/platform)	46'11"	14,30 m
Beam	14'11"	4,55 m
Draft	42.5"	1,08 m
Bridge Clearance w/arch	19'5"	5,92 m
Weight (w/fuel & water)	37,000 lbs.	16783,20 kg
Water System	130 U.S. gals.	492,10 liters
Waste System	80 U.S. gals.	302,83 liters
Fuel System	480 U.S. gals.	1816,99 liters
Twin inboards (diesel)		
Cabin Headroom	6'4"	1,93 m
Sleeps	6 (8 optional)	

STANDARD FEATURES

CONSTRUCTION

- Structural engine mountings - reinforced stringer mountings with double gusseted, welded perpendicular steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck and cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines
- Exhaust muffler - generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Seawater strainers
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC voltmeters; AC ammeters

- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 8.0 kW, diesel
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Shore power connector - 50 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & WASTE SYSTEMS

- Fresh water system - pressurized (12V)
- Fresh water storage tank - polyethylene, 130 gallons total
- Shore water connection with pressure-reduction valve
- Shower sump pumps (2) - automatic/manual operation
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts, 80 gallons total
- Water heater - 20 gallons (110V)

SAFETY & NAVIGATION

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets and straps
- Bilge blowers (12V)
- Bilge pumps (4) - 1500 gph each, automatic/manual operation
- Brass valves for all underwater thru-hulls
- CO detectors in salon and staterooms
- Compass - illuminated
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horns - dual, air/electric (12V), trumpet

- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)

BRIDGE

Command Bridge

- 110V outlet - GFCI protected
- Beverage holders (6) - recessed
- Endtables (2) - solid surface countertop
- Grab rails (2) - stainless steel, on outboard bulkheads
- Lights (2) - halogen, courtesy, recessed
- Lounge - U-shaped, with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Storage lockers (4)

Helm

- Access panels (2) - provide access to wiring in helm console
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holder - recessed, self-draining
- Companion chairs (2) - swivel, mesh storage pocket on back
- Console - padded, upholstered in Ultraleather
- DC circuit breaker panel - bridge 12V systems
- Grab rails (4) - stainless steel, on either end of helm and on outboard bulkheads
- Helm seat - adjustable, high-quality marine-grade upholstery, embroidery stitching, self-storing arms, mesh storage pocket on back
- Lights (2) - halogen, courtesy, recessed
- Stereo speakers (2)
- Telephone connector
- Tilt steering wheel
- Windshield - tinted, wrap-around, aluminum frame

Instrumentation

- Gauges - synchronizer, rudder angle, digital tachometer (1 per engine)
- Multi-gauges (1 per engine) - oil pressure, engine temperature, engine battery voltage, fuel level
- Rocker switch controls

DECK

Aft Deck

- 110V outlet - GFCI protected
- 107 ft² (approx.), integral to deck
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (7) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Enclosure - soft sides and soft back, for entire aft deck
- Hardtop over entire aft deck
- Skylight
- Lights (4) - halogen, overhead, recessed, with exterior-mounted switch
- Self-draining walk surface
- Stereo speakers (2)
- Transom door - secures open and closed, fiberglass, stainless steel hardware
- Wet bar - self-draining with sink, preparation surface, and bottle storage beneath
- Wing doors (2) - secure open and closed, acrylic in aluminum frame, stainless steel hardware, provide access to the side decks

Side Decks

- Bow rail - 1.25" O.D., lineal-buffed, welded stainless steel, with additional intermediate rails

- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, runs length of cabin and above windshield
- Rail doors (2) - aluminum, port and starboard, stainless steel hardware
- Rub rail molding - heavy-duty, stainless steel insert

Fore Deck

- Anchor chain locker
- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate
- Cleat - 12" stainless steel for anchor line, through-bolted through aluminum backing plate
- Over-the-stem anchor roller

ENGINE ROOM

- Access ladder - stainless steel, removable, with nonskid rung surface
- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights (4) - fluorescent, overhead, control mounted in salon

BOARDING PLATFORM

- 41 ft² (approx.), integral to hull and deck
- Aft deck stairway - circular, integral to deck with stainless steel hand rail
- Boarding ladder - telescoping, concealed in boarding platform
- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate
- Grab rail - 6" stainless steel, mounted in deck above boarding ladder
- Hand rail - 69" stainless steel, across transom

SALON

- 110V outlets (2) - GFCI protected
- AC and DC distribution panels
- Cabin stairway - hinged to pivot into salon to provide access to engine room, supported by gas shocks
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Dry bar cabinet - 2 doors, 2 shelves including integral bottle holders, mirrored interior
- End tables (2) - solid surface tops
- Entertainment group - TV, VCR, and 110V component stereo including AM/FM receiver, CD player, CD changer, and 2 speakers each in salon, master stateroom, and forward stateroom
- Entrance door - translucent acrylic, curved, sliding, handle lock, with interior screen
- Fresh air system - passive, with controllable overhead vents
- Hardware highlights - brass/chrome
- Lights (5) - halogen, overhead, recessed

- Lights (7) - halogen, over windows, recessed
- Lounge - Flexsteel, chamois UltraLeather, with double incliners and extension
- Master stateroom stairway - integral
- Miniblinds - décor-matched
- Rocker light switches
- Shelf - solid surface with restraining rail
- Snack bar - solid surface top
- Sofa - Flexsteel, chamois UltraLeather, with storage beneath
- Storage cabinets (6)
- Telephone connector
- Window vents (2)

DINETTE

- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Lounge - L-shaped, chamois UltraLeather, accommodates 6 adults
- Miniblinds - décor-matched
- Shelf - solid surface top
- Table - cherry wood

GALLEY

- 110V outlets (2) - GFCI protected
- Coffee maker
- Designer curtains - décor-matched
- Designer décor
- Flooring - wood plank
- Freezer
- Hardware highlights - brass/chrome
- Lights (3) - halogen, overhead, recessed
- Lights (3) - halogen, over countertop, recessed
- Microwave/convection oven - built-in
- Miniblinds - décor-matched
- Oven - electric
- Range - electric, 3-burner, ceran top
- Refrigerator
- Rocker light switches
- Shelf - solid surface with restraining rail
- Sink - integral, undermounted
- Solid surface countertops
- Storage cabinets (4)
- Storage drawers (8)
- Storage - under sink

MASTER STATEROOM

- 110V outlets (3) - GFCI protected
- Bedside endtables (2) - solid surface top
- Berth - queen, inner-spring mattress, island
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer décor
- Dressers (2) - integral, 4 drawers each
- Entrance door - secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, 19" and 10" hanging bars, automatic light
- Hardware highlights - brass/chrome
- Lights (2) - halogen, reading, over berth head

- Lights (2) - halogen, recessed, over aft window
- Lights (4) - halogen, overhead, recessed
- Miniblinds - décor-matched
- Mirrored ceiling and bulkhead at berth head
- Portlights (2) - screened
- Rocker light switches
- Shelves (4) - solid wood, recessed with restraining rail, 2 on either side of berth head
- Solid surface countertops
- Stereo speakers (2)
- Storage drawers (2) - in foot of berth
- Storage cabinets (7)
- Telephone connector
- Window - tinted, removable, in aft bulkhead

MASTER HEAD

- 110V outlets (2) - GFCI protected
- Entrance door - secures closed, integral door stop, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinets (2) - 2 shelves each, 2 sliding mirrored doors
- Mirrored ceiling
- Portlight - screened, privacy glass
- Rocker light switches
- Soap dish - wall-mounted, solid glass
- Toilet - electric flush, pedestal
- Toilet paper holder - mounted under vanity
- Towel bar - 34"
- Towel sets (4) - bath towel, hand towel, and washcloth
- Vanity - L-shaped, solid surface top and backsplash, stainless steel sink, storage beneath with 2 doors

Shower Stall

- Entrance door - bi-fold, clear acrylic in aluminum frame, with matching sidelight, secures closed
- Integral bench seat
- Light - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Shower head - detachable for use as handshower
- Storage cabinet - overhead, 2 sliding mirrored doors, 2 shelves
- Towel bar - 34"

FORWARD STATEROOM

- 110V outlets (2) - GFCI protected
- Bedside shelf - cherry wood, wraps around berth head and sides
- Berth - queen, island
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - secures open and closed, stainless steel hardware
- Hanging lockers (2) - cedar-lined, 24" and 20.5" hanging bars, shelf, automatic light
- Hardware highlights - brass/chrome
- Lights (2) - halogen, directable, recessed, reading

- Lights (3) - halogen, overhead, recessed
- Overhead hatch - 20" diameter, lockable, inside screen, over berth
- Mirrored headboard
- Portlights (2) - screened
- Rocker light switches
- Sheet set - fitted sheet, flat sheet, and two pillow cases
- Solid surface countertops
- Step-ups next to berth, carpeted
- Stereo speakers (2) - with volume control
- Storage - beneath berth
- Storage cabinets (6)
- Storage drawers (2)
- Storage locker - 4 shelves
- Telephone connector

FORWARD HEAD

- 110V outlet - GFCI protected
- Clothes hook - on entrance door
- Entrance doors (2) - one to stateroom, one to companion-way, integral door stop, secure closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored, 3 shelves
- Mirrored ceiling over vanity
- Rocker light switches
- Skylight - 11" diameter
- Soap dish - wall-mounted, solid glass
- Toilet - electric flush, pedestal
- Toilet paper holder
- Vanity - solid surface top and backsplash with undermounted stainless steel sink, 2 shelves beneath with 2 doors

Shower Stall

- Entrance door - clear acrylic in aluminum frame with matching sidelight, secures closed
- Hardware highlights - brass/chrome
- Integral bench seat
- Light - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Shower head - detachable for use as handshower
- Storage cabinets (2) - overhead, mirrored doors, 2 shelves
- Towel / grab bar - 46"

MID STATEROOM

- Berth - single
- Carpet - beige, tufted cut pile, 65 oz., crush-resistant, 100% nylon
- Designer curtains - décor-matched
- Designer décor
- Entrance door - secures closed
- Hardware highlights - brass/chrome
- Lights (2) - halogen, overhead, recessed
- Padded bulkheads
- Portlight - screened
- Rocker light switch
- Sheet set - fitted sheet, flat sheet, and two pillow cases
- Storage - beneath berth
- Storage cabinet - 2 doors, 3 shelves

4 6 6 M O T O R Y A C H T

OWNER PREFERENCE ITEMS

PROPULSION

Diesel Engines

- Cummins 370B
- Cummins 450C
- Volvo TAMD 74P EDC with synchronizer

MECHANICAL

- Bow thruster
- Engine oil change system

Engine Controls

- Electronic controls - single (bridge) helm
- Electronic controls - bridge and lower helms
- Electronic controls with synchronization - single (bridge) helm
- Electronic controls with synchronization - bridge and lower helms

ELECTRICAL

- Adaptor - 50 amp, includes 50 ft. of shore power cord
- Cablemaster for shore power

Generator

- Kohler 13.0 kW (required with air conditioning)
- Kohler 20.0 kW (required with air conditioning)
- Onan 9.0 kW (not available with air conditioning)
- Onan 13.5 kW (required with air conditioning)
- Onan 17.0 kW (required with air conditioning)

Forward Shore Power Connector

- With Cablemaster and additional 50 ft. of shore power cord
- Without Cablemaster

WATER & WASTE SYSTEMS

- After tank overboard discharge with pump
- Fresh water tank level monitor
- Grey water holding system
- Hot and cold cockpit handshower
- Waste tank level monitor

Transom and Bow Washdowns

- Both fresh and seawater
- Fresh water
- Seawater

Head

- Electric flush - fresh water
- Vacuum flush

SAFETY & NAVIGATION

- Autopilot
- Dual station spotlight
- Lower helm
- Maxwell 1200 WWC Lo Profile windlass with 44 lb. anchor and 200 ft. of 5/16" chain
- Portable fire extinguisher
- Single station spotlight

Electronics Package

- Single (bridge) helm
- Bridge and lower helms

Spare Propellers and Shaft

- For Cummins 370B or 450C engines
- For Volvo TAMD 74P EDC engines (high performance props)

EXTERIOR AMENITIES

- Aft deck hardtop hatch and access ladder
- Carpet
- Foredeck sunpad
- Icemaker for wet bar
- Stereo - AM/FM receiver with CD player, CD changer, remote control, and 4 speakers

Canvas

- "Prestige" bimini top
- "Prestige" full bridge canvas with carpet

Canvas Color

- Black Sunbrella
- White Sunbrella
- Captain's navy
- Toast

CABIN AMENITIES - SALON

- Air conditioning (54,000 BTU) with reverse cycle heat, dual shore power connectors
- Bar stools - for snack bar
- Carpet - designer beige
- Central vacuum system
- Coordinated UltraLeather color
- Intercom system - 4 stations
- Neutral countertops in lieu of coordinated color

- Pillow set - decorator, 6-piece
- Sofa - Flexsteel, UltraLeather, with tri-fold stowaway bed
- Stereo - standard + surround sound system
- Maple wood interior with high gloss finish

Décor

- Pacific Sky (includes coordinated countertops)
- Emerald Seafoam (includes coordinated countertops)
- Sandstone Sculptures (includes coordinated countertops)
- Designer Ruby Red (includes coordinated countertops)

CABIN AMENITIES - GALLEY

- Dishwasher - large capacity (not available with trash compactor)
- Trash compactor (not available with dishwasher)

Stove

- 3-Burner electric range only
- 3-Burner propane with oven

CABIN AMENITIES - FORWARD & AFT

- Stereo - in master stateroom
- TV - in master stateroom
- VCR - in master stateroom
- TV and VCR - in forward stateroom
- Washer/dryer

MISCELLANEOUS

- Loading charge
- Shipping cradle
- Shrink wrap

CARVER
YACHTS

Carver Boat Corporation • P. O. Box 1010 • Pulaski, WI 54162-1010 • 920-822-3214
www.carveryachts.com

Carver Boat Corporation reserves the right to change price, colors, materials, equipment specifications or models without notice. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 125V/60Hz; check with your Carver dealer for availability outside the U.S.